



<https://vie-kerkrade.nl/>


Guidelines WCAG 2.1 (Level AA)



Accessibility Score



Known Problems



Likely Problems



Potential Problems



Guideline Summary

Perceivable

1.1 Text Alternatives

54

1.3 Adaptable

57

1.4 Distinguishable

353

Operable

2.1 Keyboard Accessible

120

2.3 Seizures

60

2.4 Navigable

91

2.5 Input Modalities

28

Understandable

3.2 Predictable

5

3.3 Input Assistance

40

Robust

4.1 Compatible

1

Problems

Problems

Problems

Problems

Known Problems (60)

1.4 Distinguishable: Make it easier for users to see and hear content including separating foreground from background.

Success Criteria 1.4.10 Reflow (AA)



THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG21/Understanding/reflow.html> for more information about this guideline.

- ✘ The page does not allow scaling.

```
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=2.0, user-scalable=yes">
```

Repair: Do not disable user scaling from meta tag

Success Criteria 1.4.3 Contrast (Minimum) (AA)

- ✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<a href="#ajax-content-wrap" class="nectar-skip-to-content">Ga naar hoofdinhoud</a>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast. <http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

- ✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<h1 class="intro-title-light">Welkom bij Vie</h1>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast. <http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

- ✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<h2 class="intro-title-bold">Een vloeiende beweging die<br>vitaliteit stimuleert</h2>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast. <http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

- ✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<h2 style="color:#fff;">Vie staat voor de<br>gezondheid binnen de regio.</h2>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast. <http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<p>Een vloeiende beweging die vitaliteit stimuleert en hiermee investeert in de toekomst. De [...] beweging.</p>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<h2 style="color:#fff;">Locatie</h2>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<p>Vie is gerealiseerd op de plek van het vroegere Atrium ziekenhuis. Samen met het Martin Bu [...] ngstijden?</p>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<span>Aanbod bekijken</span>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<h3 style="color: #fff;">Bekijk Vie</h3>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<p>Zó zag je Vie nog niet eerder! Vlieg langs de tribunes, door de sporthal, over het zwembad [...] t te zien!</p>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<span>Bekijk Vie in vogelvlucht</span>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/">programma's</a>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<span>Programma's bekijken</span>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<h2 class="lichtblauw" style="text-align: center;">Nieuwsberichten</h2>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<a class="nieuws" href="https://vie-kerkrade.nl/category/nieuws/">Nieuws</a>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<a class="nieuws" href="https://vie-kerkrade.nl/category/nieuws/">Nieuws</a>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<a class="nieuws" href="https://vie-kerkrade.nl/category/nieuws/">Nieuws</a>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<a class="leef" href="https://vie-kerkrade.nl/category/leef/">LEEF</a>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<a class="leef" href="https://vie-kerkrade.nl/category/leef/">LEEF</a>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<a class="leef" href="https://vie-kerkrade.nl/category/leef/">LEEF</a>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<span>Meer bekijken</span>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<h2 class="lichtblauw">Contact</h2>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<strong>hier</strong>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<div class="_form-title">
Onze nieuwsbrief ontvangen?
</div>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<label for="email_nieuwsbrief">E-mail</label>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<a href="https://vie-kerkrade.activehosted.com/index.php?
action=social&chash=c51ce410c124a10e0db5e4b97fc2af39.21&s=b7032cd6c7954667b86a63fad
cbf1596" target="_blank" rel="noopener">Lees onze laatste nieuwsbrief ></a>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<p>via een van onze kanalen</p>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<span class="screen-reader-text">Menu sluiten</span>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<a href="#" id="cn-accept-cookie" data-cookie-set="accept" class="cn-set-cookie cn-button" aria-
label="Ok" style="background-color: #00a99d">Ok</a>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<h2 style="font-size:24px">Welkom bij Vie</h2>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<span style="font-size:16px;">Klik hier voor het volledige aanbod van het Vie complex, het zwembad en de sporthal met bi [...] ngstijden!</span>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<span>Aanbod</span>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<span onclick="return lepopup_popup_active_close(0);">x</span>
```

Repair: Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

Success Criteria 1.4.4 Resize text (AA)

✘ `i` (italic) element used.

```
<i class="lines-button x2 hover-effect"> <i class="lines"></i> </i>
```

Repair: Replace your `<i>` elements with `` or ``.

✘ `i` (italic) element used.

```
<i class="lines"></i>
```

Repair: Replace your `<i>` elements with `` or ``.

✘ `i` (italic) element used.

```
<i class="lines-button x2"> <i class="lines"></i> </i>
```

Repair: Replace your `<i>` elements with `` or ``.

✘ `i` (italic) element used.

```
<i class="lines"></i>
```

Repair: Replace your `<i>` elements with `` or ``.

✖ `i` (italic) element used.

```
<i class="lines-button x2 hover-effect"> <i class="lines"></i> </i>
```

Repair: Replace your `<i>` elements with `` or ``.

✖ `i` (italic) element used.

```
<i class="lines"></i>
```

Repair: Replace your `<i>` elements with `` or ``.

✖ `i` (italic) element used.

```
<i class="fa fa-angle-down icon-in-menu" aria-hidden="true"></i>
```

Repair: Replace your `<i>` elements with `` or ``.

✖ `i` (italic) element used.

```
<i class="fa fa-twitter" aria-hidden="true"></i>
```

Repair: Replace your `<i>` elements with `` or ``.

✖ `i` (italic) element used.

```
<i class="fa fa-facebook" aria-hidden="true"></i>
```

Repair: Replace your `<i>` elements with `` or ``.

✖ `i` (italic) element used.

```
<i class="fa fa-linkedin" aria-hidden="true"></i>
```

Repair: Replace your `<i>` elements with `` or ``.

✖ `i` (italic) element used.

```
<i class="fa fa-instagram" aria-hidden="true"></i>
```

Repair: Replace your `<i>` elements with `` or ``.

✖ `i` (italic) element used.

```
<i class="icon-default-style fa fa-envelope extra-color-3"></i>
```

Repair: Replace your `<i>` elements with `` or ``.

✖ `i` (italic) element used.

```
<i class="icon-default-style fa fa-phone extra-color-3"></i>
```

Repair: Replace your `<i>` elements with `` or ``.

✖ `i` (italic) element used.

```
<i class="icon-default-style fa fa-envelope extra-color-3"></i>
```

Repair: Replace your `<i>` elements with `` or ``.

✖ `i` (italic) element used.

```
<i class="fa fa-angle-up top-icon"></i>
```

Repair: Replace your `<i>` elements with `` or ``.

✖ `i` (italic) element used.

```
<i class="fa fa-angle-up"></i>
```

Repair: Replace your `<i>` elements with `` or ``.

✖ `i` (italic) element used.

```
<i class="fa fa-angle-down"></i>
```

Repair: Replace your `<i>` elements with `` or ``.

✖ `i` (italic) element used.

```
<i class="fa fa-twitter"></i>
```

Repair: Replace your `<i>` elements with `` or ``.

✖ `i` (italic) element used.

```
<i class="fa fa-facebook"></i>
```

Repair: Replace your `<i>` elements with `` or ``.

✖ `i` (italic) element used.

```
<i class="fa fa-linkedin"></i>
```

Repair: Replace your `<i>` elements with `` or ``.

✖ `i` (italic) element used.

```
<i class="fa fa-instagram"></i>
```

Repair: Replace your `<i>` elements with `` or ``.

2.4 Navigable: Provide ways to help users navigate, find content, and determine where they are.

Success Criteria 2.4.4 Link Purpose (In Context) (A)

✖ Anchor contains no text.

```
<a id="to-top" href="#" class="mobile-enabled"><i class="fa fa-angle-up top-icon"></i><i class="fa fa-angle-up"></i></a>
```

Repair: Add text to the `<a>` element or the `<title>` attribute of the `<a>` element or, if an image is used within the anchor, add Alt text to the image.

✖ Anchor contains no text.

```
<a target="_blank" rel="noopener" href="https://twitter.com/vie_kerkrade"><i class="fa fa-twitter"></i></a>
```

Repair: Add text to the `<a>` element or the `<title>` attribute of the `<a>` element or, if an image is used within the anchor, add Alt text to the image.

✖ Anchor contains no text.

```
<a target="_blank" rel="noopener" href="https://www.facebook.com/vie.kerkrade"><i class="fa fa-facebook"></i></a>
```

Repair: Add text to the `<a>` element or the `<title>` attribute of the `<a>` element or, if an image is used within the anchor, add Alt text to the image.

✖ Anchor contains no text.

```
<a target="_blank" rel="noopener" href="https://www.linkedin.com/company/vie-kerkrade"><i class="fa fa-linkedin"></i></a>
```

Repair: Add text to the `<a>` element or the `<title>` attribute of the `<a>` element or, if an image is used within the anchor, add Alt text to the image.

✖ Anchor contains no text.

```
<a target="_blank" rel="noopener" href="https://www.instagram.com/vie_kerkrade/"><i class="fa fa-instagram"></i></a>
```

Repair: Add text to the `<a>` element or the `<title>` attribute of the `<a>` element or, if an image is used within the anchor, add Alt text to the image.

Likely Problems (10)

1.4 Distinguishable: Make it easier for users to see and hear content including separating foreground from background.

Success Criteria 1.4.11 Non-Text Contrast (AA)



THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG21/Understanding/non-text-contrast.html> for more information about this guideline.

⚠ The contrast between adjacent colors of the component is not sufficient to meet WCAG2.1 Level AA.

```
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
```

Repair: Use a colour contrast evaluator to determine if component adjacent colours provide a contrast ratio of 3:1. Change colour codes to produce sufficient contrast. <https://www.w3.org/WAI/WCAG21/Understanding/non-text-contrast.html>

⚠ The contrast between adjacent colors of the component is not sufficient to meet WCAG2.1 Level AA.

```
<a class="nectar-button large regular extra-color-1 regular-button button-left" style="visibility: visible;" target="_blank" href="https://www.optisport.nl/vie" data-color-override="false" data-hover-color-override="false" data-hover-text-color-override="#fff"><span>Aanbod bekijken</span></a>
```

Repair: Use a colour contrast evaluator to determine if component adjacent colours provide a contrast ratio of 3:1. Change colour codes to produce sufficient contrast. <https://www.w3.org/WAI/WCAG21/Understanding/non-text-contrast.html>

⚠ The contrast between adjacent colors of the component is not sufficient to meet WCAG2.1 Level AA.

```
<a href="https://youtu.be/TdJ7L28ZIWM" data-color-override="false" data-style="default" data-parent-hover="" data-font-style="p" data-color="default-extra-color-1" class="nectar-button large nectar_video_lightbox magnific-popup" style="visibility: visible;"><span>Bekijk Vie in vogelvlucht</span></a>
```

Repair: Use a colour contrast evaluator to determine if component adjacent colours provide a contrast ratio of 3:1. Change colour codes to produce sufficient contrast. <https://www.w3.org/WAI/WCAG21/Understanding/non-text-contrast.html>

⚠ The contrast between adjacent colors of the component is not sufficient to meet WCAG2.1 Level AA.

```
<a class="nectar-button large regular extra-color-1 regular-button button-left" style="visibility: visible;" href="https://vie-kerkrade.nl/programmaliijnen/" data-color-override="false" data-hover-color-override="false" data-hover-text-color-override="#fff"><span>Programma's bekijken</span></a>
```

Repair: Use a colour contrast evaluator to determine if component adjacent colours provide a contrast ratio of 3:1. Change colour codes to produce sufficient contrast. <https://www.w3.org/WAI/WCAG21/Understanding/non-text-contrast.html>

⚠ The contrast between adjacent colors of the component is not sufficient to meet WCAG2.1 Level AA.

```
<a class="nectar-button large regular extra-color-1 regular-button button-center" style="visibility: visible;" href="/category/nieuws/" data-color-override="false" data-hover-color-override="false" data-hover-text-color-override="#fff"><span>Meer bekijken</span></a>
```

Repair: Use a colour contrast evaluator to determine if component adjacent colours provide a contrast ratio of 3:1. Change colour codes to produce sufficient contrast. <https://www.w3.org/WAI/WCAG21/Understanding/non-text-contrast.html>

⚠ The contrast between adjacent colors of the component is not sufficient to meet WCAG2.1 Level AA.

```
<button id="_form_1_submit" class="_submit" type="submit">
Verzend
</button>
```

Repair: Use a colour contrast evaluator to determine if component adjacent colours provide a contrast ratio of 3:1. Change colour codes to produce sufficient contrast. <https://www.w3.org/WAI/WCAG21/Understanding/non-text-contrast.html>

⚠ The contrast between adjacent colors of the component is not sufficient to meet WCAG2.1 Level AA.

```
<a href="#" id="cn-accept-cookie" data-cookie-set="accept" class="cn-set-cookie cn-button" aria-label="Ok" style="background-color: #00a99d">Ok</a>
```

Repair: Use a colour contrast evaluator to determine if component adjacent colours provide a contrast ratio of 3:1. Change colour codes to produce sufficient contrast. <https://www.w3.org/WAI/WCAG21/Understanding/non-text-contrast.html>

⚠ The contrast between adjacent colors of the component is not sufficient to meet WCAG2.1 Level AA.

```
<a class="lepopup-button lepopup-button-zoom-out " href="https://www.optisport.nl/sportcomplex-vie-kerkrade" target="_blank" onclick="lepopup_popup_active_close(0);"><span>Aanbod</span></a>
```

Repair: Use a colour contrast evaluator to determine if component adjacent colours provide a contrast ratio of 3:1. Change colour codes to produce sufficient contrast. <https://www.w3.org/WAI/WCAG21/Understanding/non-text-contrast.html>

2.5 Input Modalities: Make it easier for users to operate functionality through various inputs beyond keyboard.

Success Criteria 2.5.3 Label in Name (A)



THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline.

See <https://www.w3.org/WAI/WCAG21/Understanding/label-in-name.html> for more information about this guideline.

⚠ The attribute title or aria-label value should match or begin with the text.

```
<a href="#sidewidgetarea" aria-label="Navigatie Menu" aria-expanded="false" class="closed">
<span class="screen-reader-text">Menu<i class="lines-button x2 hover-effect"> <i class="l [...] i></span>
</a>
```

⚠ Attribute title or aria-label value should match or begin with the text.

```
<button id="mdp-readabler-hide-btn" aria-label="Toegankelijkheidspaneel voor altijd verbergen">
<span>Voor altijd verbergen</span>
</button>
```

Potential Problems (739)

1.1 Text Alternatives: Provide text alternatives for any non-text content

Success Criteria 1.1.1 Non-text Content (A)

- Alt text is not empty and image may be decorative.

```

```

- Alt text is not empty and image may be decorative.

```

```

- `img` element may require a long description.

```

```

i `img` element may require a long description.

```

```

i Alt text does not convey the same information as the image.

```

```

i Alt text is not empty and image may be decorative.

```

```

i `img` element may require a long description.

```

```

i Alt text does not convey the same information as the image.

```

```

i Alt text is not empty and image may be decorative.

```

```


i Alt text is not empty and image may be decorative.

```

```

i `img` element may require a long description.

```

```

i Alt text is not empty and image may be decorative.

```

```

i Alt text does not convey the same information as the image.

```

```

i `img` element may require a long description.

```

```

i Alt text is not empty and image may be decorative.

```

```

i Alt text does not convey the same information as the image.

```

```

i `img` element may require a long description.

```

```

i Alt text is not empty and image may be decorative.

```

```

i Alt text does not convey the same information as the image.

```

```

i `img` element may require a long description.

```

```

i Alt text is not empty and image may be decorative.

```

```

i Alt text does not convey the same information as the image.

```

```

i `img` element may require a long description.

```

```

i Alt text is not empty and image may be decorative.

```

```

i Alt text does not convey the same information as the image.

```

```

i `img` element may require a long description.

```

```

i Alt text is not empty and image may be decorative.

```

```

i Alt text does not convey the same information as the image.

```

```

i Alt text is not empty and image may be decorative.

```

```

i Alt text does not convey the same information as the image.

```

```

i Alt text is not empty and image may be decorative.

```

```

i Alt text does not convey the same information as the image.

```

```

i `img` element may require a long description.

```

```

i Alt text is not empty and image may be decorative.

```

```

i Alt text does not convey the same information as the image.

```

```

i `img` element may require a long description.

```

```

i Alt text is not empty and image may be decorative.

```

```

i Alt text does not convey the same information as the image.

```

```

i `img` element may require a long description.

```

```

i Alt text is not empty and image may be decorative.

```

```

i Alt text does not convey the same information as the image.

```

```

i Alt text is not empty and image may be decorative.

```

```

i Alt text is not empty and image may be decorative.

```

```

i Alt text is not empty and image may be decorative.

```

```

i Alt text is not empty and image may be decorative.

```

```

1.3 Adaptable: Create content that can be presented in different ways (for example simpler layout) without losing information or structure.

Success Criteria 1.3.1 Info and Relationships (A)

i Visual lists may not be properly marked.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive cookies-not-set" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" da
```

i Unicode right-to-left marks or left-to-right marks may be required.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive cookies-not-set" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" da
```

i `dir` attribute may be required to identify changes in text direction.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive cookies-not-set" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" da
```

i `input` element `label`, `type` of "text", is not positioned close to control.

```
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
```

i `input` element `label`, `type` of "text", is not positioned close to control.

```
<input type="text" name="email" id="email_nieuwsbrief" required="" data-name="email">
```

i `input` element `label`, `type` of "checkbox" is not positioned close to control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-epilepsy" value="on" tabindex="-1">
```

i `input` element `label`, `type` of "checkbox" is not positioned close to control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-visually-impaired" value="on" tabindex="-1">
```

i `input` element `label`, `type` of "checkbox" is not positioned close to control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-cognitive-disability" value="on"
tabindex="-1">
```

i `input` element `label`, `type` of "checkbox" is not positioned close to control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-adhd-friendly" value="on"
tabindex="-1">
```

i `input` element `label`, `type` of "checkbox" is not positioned close to control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-blind-users" value="on" tabindex="-1">
```

i `input` element `label`, `type` of "text", is not positioned close to control.

```
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" name="mdp-readabler-online-
dictionary-search" autocomplete="off" placeholder="Zoek in het online woordenboek..." aria-label="Zoek in
het online woordenboek...">
```

i `select` element's label is not positioned close to control.

```
<select id="mdp-readabler-useful-links" aria-label="Handige Links">
<option selected="" disabled="" value="mdp-default">
Selecteer een optie </option>
<optio [...] ></option></select>
```

i `textarea` label is not positioned close to control.

```
<textarea id="g-recaptcha-response-100000" name="g-recaptcha-response" class="g-recaptcha-response"
style="width: 250px; height: 40px; border: 1px solid rgb(193, 193, 193); margin: 10px 25px; padding: 0px;
resize: none; display: none;"></textarea>
```

Repair: Position the control's label so it is close to the control.

Success Criteria 1.3.3 Sensory Characteristics (A)

i Text may refer to items by shape, size, or relative position alone.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-
comp-ver-6.2.0 vc_responsive cookies-not-set" data-footer-reveal="false" data-footer-reveal-shadow="none"
data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000"
data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-
width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-
rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-
style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-
gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-
ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-
widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" da
```

Success Criteria 1.3.4 Orientation (AA)



THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline.

See <https://www.w3.org/WAI/WCAG21/Understanding/orientation.html> for more information about this guideline.

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" href="https://fonts.googleapis.com/css?
family=Open+Sans:300,400,600,700%7CRoboto:700,500%7CNunito:400,400italic%7CRoboto&subset=l
atin,latin-ext,latin,latin" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="wp-block-library-css" href="https://vie-kerkrade.nl/wp-includes/css/dist/block-
library/style.min.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="classic-theme-styles-css" href="https://vie-kerkrade.nl/wp-includes/css/classic-
themes.min.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style id="global-styles-inline-css" type="text/css">
body{--wp--preset--color--black: #000000;--wp--preset--color--cyan-bluish-gray: #abb8c3;- [...] ht: 1.6;}
</style>
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="contact-form-7-css" href="https://vie-kerkrade.nl/wp-content/plugins/contact-
form-7/includes/css/styles.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="salient-social-css" href="https://vie-kerkrade.nl/wp-content/plugins/salient-
social/css/style.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style id="salient-social-inline-css" type="text/css">
.sharing-default-minimal .nectar-love.loved,
body .nectar-social[data-color-override [...] c1ba;
}
</style>
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="mdp-readabler-css" href="https://vie-kerkrade.nl/wp-
content/plugins/readabler/css/readabler.min.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style id="mdp-readabler-inline-css" type="text/css">
    :root{
        --readabler-reading-mask: rgba(0, 0, 0, 0.7)
    }
    .mdp-readabler-tts [...] : none;
}
</style>
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="font-awesome-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/font-awesome-legacy.min.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="salient-grid-system-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/grid-system.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="main-styles-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/style.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style id="main-styles-inline-css" type="text/css">
html body[data-header-resize="1"] .container-wrap, html body[data-header-format="left-hea [...] ffffff; }
</style>
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="nectar-element-video-lightbox-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/elements/element-video-lightbox.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="nectar-element-clients-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/elements/element-clients.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="nectar-element-icon-with-text-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/elements/element-icon-with-text.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="nectar-blog-masonry-core-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/blog/masonry-core.css" type="text/css" media="all">
```


i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="responsive-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/responsive.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="skin-material-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/skin-material.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="salient-wp-menu-dynamic-css" href="https://vie-kerkrade.nl/wp-content/uploads/salient/menu-dynamic.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="cookie-notice-front-css" href="https://vie-kerkrade.nl/wp-content/plugins/cookie-notice/css/front.min.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="js_composer_front-css" href="https://vie-kerkrade.nl/wp-content/plugins/js_composer_salient/assets/css/js_composer.min.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="dynamic-css-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/salient-dynamic-styles.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style id="dynamic-css-inline-css" type="text/css">
@media only screen and (min-width:1000px){body #ajax-content-wrap.no-scroll{min-height:ca [...] ----- */
</style>
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="salient-child-style-css" href="https://vie-kerkrade.nl/wp-content/themes/salient-child/style.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="lepopup-style-css" href="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/css/style.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="airdatepicker-css" href="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/css/airdatepicker.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style type="text/css">.recentcomments a{display:inline !important;padding:0 !important;margin:0 !important;}</style>
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style type="text/css" data-type="vc_custom-css">.video-plaatsing {  
  margin-top: -10px;  
}</style>
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style type="text/css" data-type="vc_shortcodes-custom-css">.vc_custom_1621499892088{margin-bottom:  
15px !important;}.vc_custom_1597918671184{margin-b [...] mportant;}</style>
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style></style>
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style>.pipedriveWebForms {  
  width: 100%;  
  height: 100%;  
  overflow: hidden;  
  position: relative;  
  [...] lative;  
}  
</style>
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style type="text/css" id="column-bg-colors">.wpb_column.instance-5 > .vc_column-inner > .column-bg-  
overlay-wrap > .column-bg-overlay [...] portant; }</style>
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style>  
  ._form-title {  
    font-family: Intro Bold Alt Regular !important;  
  }  
  @media screen and [...] }  
}  
</style>
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="vc_animate-css-css" href="https://vie-kerkrade.nl/wp-  
content/plugins/js_composer_salient/assets/lib/bower/animate-css/animate.min.css" type="text/css"  
media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="magnific-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/plugins/magnific.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="nectar-ocm-core-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/off-canvas/core.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="nectar-ocm-slide-out-right-material-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/off-canvas/slide-out-right-material.css" type="text/css" media="all">
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style>#focus-snail_svg { position: absolute; top: 0; right: 0; bottom: 0; left: 0; margin: 0; ba [...] width: 0;}</style>
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style>#lepopup-popup-12-loader .lepopup-popup-loader-triple-spinner {border-top-color:rgba(255, [...], 255, 1)}</style>
```

i May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style>.lepopup-progress-12 div.lepopup-progress-t1>div{background-color:#e0e0e0;}.lepopup-progre [...] ht:160px;}</style>
```

Success Criteria 1.3.5 Identify Input Purpose (AA)



THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG21/Understanding/identify-input-purpose.html> for more information about this guideline.

i The purpose of each input field that is collecting information about the user may not be determined programmatically.

```
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
```

i The purpose of each input field that is collecting information about the user may not be determined programmatically.

```
<input type="text" name="email" id="email_nieuwsbrief" required="" data-name="email">
```

1.4 Distinguishable: Make it easier for users to see and hear content including separating foreground from background.

Success Criteria 1.4.1 Use of Color (A)

i `script` may use color alone.

```
<script type="text/javascript" async="" src="https://www.googletagmanager.com/gtag/js?id=G-H1M448J58E&amp;l=dataLayer&cx=c"></script>
```

i `script` may use color alone.

```
<script type="text/javascript" async="" src="https://www.google-analytics.com/analytics.js"></script>
```

i `script` may use color alone.

```
<script type="text/javascript" async="" src="https://www.gstatic.com/recaptcha/releases/CDFvp7CXAHW7k3HxO47Gm109/recaptcha__en.js" crossorigin="anonymous" integrity="sha384-4eVJVnSQi48XouWWBClejxcjDMTY1Z4KmOhd0bvetv4tPVMhPa8rAthYuqSjf197"></script>
```

i `script` may use color alone.

```
<script src="https://connect.facebook.net/signals/config/3973475169421767?v=2.9.104&amp;r=stable" async=""></script>
```

i `script` may use color alone.

```
<script async="" src="https://connect.facebook.net/en_US/fbevents.js"></script>
```

i `script` may use color alone.

```
<script async="" src="https://www.googletagmanager.com/gtm.js?id=GTM-MS4H6DF"></script>
```

i `script` may use color alone.

```
<script data-no-optimize="1">var litespeed_docref=sessionStorage.getItem("litespeed_docref");litespeed_docref&&(Object. [...] docref));</script>
```

i `script` may use color alone.

```
<script>WebFontConfig={google:{families:["Open Sans:300,400,600,700:latin,latin-ext","Roboto:700,5 [...] onfig ); }</script>
```

i `script` may use color alone.

```
<script data-optimized="1" src="https://vie-kerkrade.nl/wp-content/plugins/litespeed-cache/assets/js/webfontloader.min.js"></script>
```

i `script` may use color alone.

```
<script type="application/ld+json" class="yoast-schema-graph">{"@context":"https://schema.org","@graph":[{"@type":"WebPage","@id":"https://vie-kerkrade. [...] krade"]}]</script>
```

i `script` may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/jquery/jquery.min.js" id="jquery-core-js"></script>
```

i `script` may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/jquery/jquery-migrate.min.js" id="jquery-migrate-js"></script>
```

i `script` may use color alone.

```
<script type="text/javascript" id="cookie-notice-front-js-extra">
/*  */
var cnArgs = {"ajaxUrl":"https://vie-kerkrade.nl/wp-admin/admin-ajax. [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 223 326 238" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="91 245 823 272" data-label="Text"><pre>&lt;script async="" type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/cookie-notice/js/front.min.js" id="cookie-notice-front-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 300 326 316" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="91 322 573 350" data-label="Text"><pre>&lt;script&gt;(function(w,d,s,l,i){w[l]=w[l]||[];w[l].push({'gtm.start':
new Date().getTime(),event:'gtm [...] MS4H6DF'});&lt;/script&gt;</pre></div><div data-bbox="85 379 326 394" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="91 401 477 465" data-label="Text"><pre>&lt;script&gt;
!function(f,b,e,v,n,t,s)
{if(f.fbq)return;n=f.fbq=function(){n.callMethod?
n.callMe [...] geView'});
&lt;/script&gt;</pre></div><div data-bbox="85 494 326 509" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="91 517 930 544" data-label="Text"><pre>&lt;script type="text/javascript"&gt; var root = document.getElementsByTagName( "html" )[0]; root.setAttribute(
"class", "js" ); &lt;/script&gt;</pre></div><div data-bbox="85 572 326 588" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="91 595 936 622" data-label="Text"><pre>&lt;script&gt;var lepopup_customjs_handlers={};var lepopup_cookie_value="ilovefamily";var lepopup_events [...]
id="6680";&lt;/script&gt;</pre></div><div data-bbox="85 650 326 666" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="91 673 928 700" data-label="Text"><pre>&lt;script&gt;function lepopup_add_event(_event,_data){if(typeof _lepopup_add_event == typeof undefined) [...]
,_data);}}&lt;/script&gt;</pre></div><div data-bbox="85 728 326 744" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="91 751 773 778" data-label="Text"><pre>&lt;script type="text/javascript" charset="utf-8" src="//d3rxaij56vjege.cloudfront.net/form-
serialize/0.3/serialize.min.js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 806 326 822" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="91 829 670 894" data-label="Text"><pre>&lt;script type="text/javascript"&gt;
(function(window, document) {

    if(navigator.userAgent.match(/(Android|iPod|iPhone|iP [...] ment);

&lt;/script&gt;</pre></div>
```

i input possibly using color alone.

```
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
```

i Image may contain text with poor contrast.

```

```

i Image may contain text with poor contrast.

```

```

i Image may be using color alone.

```

```

i Image may be using color alone.

```

```

i Image may contain text with poor contrast.

```

```

i Image may contain text with poor contrast.

```

```

i Image may be using color alone.

```

```

i Image may contain text with poor contrast.

```

```

i Image may contain text with poor contrast.

```

```

i Image may be using color alone.

```

```

i Image may contain text with poor contrast.

```

```

i Image may be using color alone.

```

```


i Image may be using color alone.

```

```

i `script` may use color alone.

```
<script src="https://webforms.pipedrive.com/f/loader"></script>
```

i Image may contain text with poor contrast.

```

```

i Image may be using color alone.

```

```

i Image may contain text with poor contrast.

```

```

i Image may be using color alone.

```

```

i Image may contain text with poor contrast.

```

```

i Image may be using color alone.

```

```

i Image may contain text with poor contrast.

```

```

i Image may be using color alone.

```

```

i Image may contain text with poor contrast.

```

```

i Image may be using color alone.

```

```

i Image may contain text with poor contrast.

```

```

i Image may contain text with poor contrast.

```

```

i Image may contain text with poor contrast.

```

```

i Image may be using color alone.

```

```

i Image may contain text with poor contrast.

```

```

i Image may be using color alone.

```

```

i Image may contain text with poor contrast.

```

```

i Image may be using color alone.

```

```

i Image may contain text with poor contrast.

```

```

i `input` possibly using color alone.

```
<input type="text" name="email" id="email_nieuwsbrief" required="" data-name="email">
```

i `script` may use color alone.

```
<script type="text/javascript">
window.cfields = [];
window._show_thank_you = function(id, message, trackcmp_url, email) [...] );
})();
</script>
```

i Image may contain text with poor contrast.

```

```

i Image may contain text with poor contrast.

```

```

i Image may contain text with poor contrast.

```

```

i Image may contain text with poor contrast.

```

```

i `input` possibly using color alone.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-epilepsy" value="on" tabindex="-1">
```

i `input` possibly using color alone.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-visually-impaired" value="on" tabindex="-1">
```

i `input` possibly using color alone.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-cognitive-disability" value="on" tabindex="-1">
```

i `input` possibly using color alone.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-adhd-friendly" value="on" tabindex="-1">
```

i `input` possibly using color alone.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-blind-users" value="on" tabindex="-1">
```

i `input` possibly using color alone.

```
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" name="mdp-readabler-online-dictionary-search" autocomplete="off" placeholder="Zoek in het online woordenboek..." aria-label="Zoek in het online woordenboek...">
```

i `script` may use color alone.

```
<script type="text/html" id="wpb-modifications"></script>
```

i `script` may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/includes/swv/js/index.js" id="swv-js"></script>
```

i `script` may use color alone.

```
<script type="text/javascript" id="contact-form-7-js-extra">
/*  */
var wpcf7 = {"api":{"root":"https://vie-kerkrade.nl/wp-json/","namesp [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 822 327 837" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 844 796 871" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/includes/js/index.js" id="contact-form-7-js"&gt;&lt;/script&gt;</pre></div>
```

i `script` may use color alone.

```
<script type="text/javascript" id="salient-social-js-extra">
/*  */
var nectarLove = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin/admin-a [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 144 326 160" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 166 873 195" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-social/js/salient-social.js" id="salient-social-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 223 326 238" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 245 696 273" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/micromodal.min.js" id="micromodal-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 300 326 316" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 322 910 351" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/hotkeys.min.js" id="hotkeys-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 379 326 395" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 401 845 429" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/simple-keyboard.min.js" id="simple-keyboard-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 457 326 473" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 479 927 507" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/simple-keyboard-layouts/index.min.js" id="simple-keyboard-layout-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 535 326 551" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 558 760 610" data-label="Text"><pre>&lt;script type="text/javascript" id="mdp-readabler-js-extra"&gt;
/* <![CDATA[ */
var mdpReadablerOptions = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 639 326 654" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 661 924 688" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/readabler.min.js" id="mdp-readabler-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 717 326 732" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 739 853 767" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/jquery.easing.min.js" id="jquery-easing-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 795 326 811" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 817 853 845" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/jquery.mousewheel.min.js" id="jquery-mousewheel-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 873 326 889" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 895 891 923" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/priority.js" id="nectar_priority-js"&gt;&lt;/script&gt;</pre></div>
```

i script may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/transit.min.js" id="nectar-transit-js"></script>
```

i script may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/waypoints.js" id="nectar-waypoints-js"></script>
```

i script may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-portfolio/js/third-party/imagesLoaded.min.js" id="imagesLoaded-js"></script>
```

i script may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/hoverintent.min.js" id="hoverintent-js"></script>
```

i script may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/magnific.js" id="magnific-js"></script>
```

i script may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/anime.min.js" id="anime-js"></script>
```

i script may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/superfish.js" id="superfish-js"></script>
```

i script may use color alone.

```
<script type="text/javascript" id="nectar-frontend-js-extra">
/*  */
var nectarLove = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin/admin-a [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 691 326 707" data-label="Text"><p><b>i</b> script may use color alone.</p></div><div data-bbox="92 714 859 742" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/init.js" id="nectar-frontend-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 770 326 786" data-label="Text"><p><b>i</b> script may use color alone.</p></div><div data-bbox="92 792 902 833" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/js_composer_salient/assets/lib/bower/flexslider/jquery.flexslider-min.js" id="flexslider-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 860 326 876" data-label="Text"><p><b>i</b> script may use color alone.</p></div><div data-bbox="92 882 879 911" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-portfolio/js/third-party/isotope.min.js" id="isotope-js"&gt;&lt;/script&gt;</pre></div>
```

i script may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/elements/nectar-blog-js"></script>
```

i script may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-core/js/third-party/touchswipe.min.js" id="touchswipe-js"></script>
```

i script may use color alone.

```
<script type="text/javascript" src="https://www.google.com/recaptcha/api.js?render=6LdZsmcdAAAAAGtGHE41VGXYInA-M837dPdLis2h&amp;ver=3.0" id="google-recaptcha-js"></script>
```

i script may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/regenerator-runtime.min.js" id="regenerator-runtime-js"></script>
```

i script may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/wp-polyfill.min.js" id="wp-polyfill-js"></script>
```

i script may use color alone.

```
<script type="text/javascript" id="wpcf7-recaptcha-js-extra">
/*  */
var wpcf7_recaptcha = {"sitekey":"6LdZsmcdAAAAAGtGHE41VGXYInA-M837dPdLis2 [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 547 326 563" data-label="Text"><p><b>i</b> script may use color alone.</p></div><div data-bbox="92 569 796 598" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/modules/recaptcha/index.js?ver=5.7.4" id="wpcf7-recaptcha-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 625 326 642" data-label="Text"><p><b>i</b> script may use color alone.</p></div><div data-bbox="92 647 811 676" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/js/lepopup.js" id="lepopup-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 703 326 720" data-label="Text"><p><b>i</b> script may use color alone.</p></div><div data-bbox="92 726 811 754" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/js/airdatepicker.js" id="airdatepicker-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 781 326 798" data-label="Text"><p><b>i</b> script may use color alone.</p></div><div data-bbox="92 804 932 844" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/js_composer_salient/assets/js/dist/js_composer_front.min.js" id="wpb_composer_front_js-js"&gt;&lt;/script&gt;</pre></div>
```

i script may use color alone.

```
<script>
  var lepopup_ajax_url = "https://vie-kerkrade.nl/wp-admin/admin-ajax.php";
  var lepopup_g [...] gns = {};
</script>
```

Success Criteria 1.4.10 Reflow (AA)

! THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG21/Understanding/reflow.html> for more information about this guideline.

i Reflow may cause the loss of information, functionality, or requires the scrolling of content.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive cookies-not-set" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" da
```

Success Criteria 1.4.11 Non-Text Contrast (AA)

! THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG21/Understanding/non-text-contrast.html> for more information about this guideline.

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```
<img width="1024" height="744" src="https://vie-kerkrade.nl/wp-content/uploads/2023/05/kitera-dent-jWv1lLisuSc-unsplash-scaled-e1684155955883-1024x744.jpg.webp" class="attachment-large size-large skip-lazy wp-post-image" alt="" decoding="async" loading="lazy" title="" sizes="(min-width: 1600px) 20vw, (min-width: 1300px) 25vw, (min-width: 1000px) 33.3vw, (min-width: 690px) 50vw, 100vw" srcset="https://vie-kerkrade.nl/wp-content/uploads/2023/05/kitera-dent-jWv1lLisuSc-unsplash-scaled-e1684155955883-1024x744.jpg.webp 1024w, https://vie-kerkrade.nl/wp-content/uploads/2023/05/kitera-dent-jWv1lLisuSc-unsplash-scaled-e1684155955883-300x218.jpg 300w, https://vie-kerkrade.nl/wp-content/uploads/2023/05/kitera-dent-jWv1lLisuSc-unsplash-scaled-e1684155955883-768x558.jpg.webp 768w, https://vie-kerkrade.nl/wp-content/uploads/2023/05/kitera-dent-jWv1lLisuSc-unsplash-scaled-e1684155955883-1536x1117.jpg.webp 1536w, https://vie-kerkrade.nl/wp-content/uploads/2023/05/kitera-dent-jWv1lLisuSc-unsplash-scal
```


i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

ⓘ The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

ⓘ The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

ⓘ The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

i The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

Success Criteria 1.4.12 Text Spacing (AA)



THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG21/Understanding/text-spacing.html> for more information about this guideline.

i The page's text styling may not be adapted by the user to suit their needs.

```
<p>Een vloeiende beweging die vitaliteit stimuleert en hiermee investeert in de toekomst. De [...] beweging.</p>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<p>Vie is gerealiseerd op de plek van het vroegere Atrium ziekenhuis. Samen met het Martin Bu [...] ngstijden?</p>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<p>Zó zag je Vie nog niet eerder! Vlieg langs de tribunes, door de sporthal, over het zwembad [...] t te zien!</p>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<p>Naast het aanbod bij Vie op locatie, zijn er in de regio ook zelf al initiatieven opgestar [...] centraal.</p>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<p>De verschillende programma's vormen een breed aanbod en bieden inwoners van Kerkrade en re [...] aal leven.</p>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="excerpt">Op 12 mei hebben Marc Hamers, directeur MeanderGroep en wethouders Jo Schlangen en Jo Paas [...] k genomen...</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="excerpt">Op 12 mei hebben Marc Hamers, directeur MeanderGroep en wethouders Jo Schlangen en Jo Paas [...] k genomen...</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="excerpt">De aanleg van de openbare ruimte rondom het Vie-complex duurt langer dan aanvankelijk door [...] mming van...</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="excerpt">Met eFORZE werkt Jan aan projecten die bijdragen aan het voorkomen van ziektes zoals huidkanker.</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="excerpt">Wim maakt samen met zijn collega's de (motorische) ontwikkeling van kinderen op basisschol [...] lgoritmen.</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="excerpt">Rust vinden in het drukke leven of jezelf uit de knoop halen. Daar ontwikkelden Liesbeth & [...] app voor.</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<p>Heb je vragen over het aanbod binnen het Vie complex, het zwembad of de sporthal? Klik dan [...] mailadres.</p>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<p>Heb je vragen over de programma's van Vie of een initiatief dat past binnen de huidige pro [...] mailadres.</p>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<p></p>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<p></p>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="_form-title">
Onze nieuwsbrief ontvangen?
</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<p><strong><a href="https://vie-kerkrade.activehosted.com/index.php?action=social&amp;chash=c [...] >
</strong></p>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<p>via een van onze kanalen</p>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-title">Epilepsie veilige modus</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-short">Vervaagt kleuren en verwijdert flikkeringen</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-description">Deze modus stelt mensen met epilepsie in staat de website veilig te gebruiken doordat het [...] limineerd.</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-title">Modus voor slechtzienden</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-short">Verbeterd het beeldmateriaal van de website</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-description">Deze modus past de website aan voor het gemak van gebruikers met een visuele handicap zoals [...] en andere.</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-title">Cognitieve handicap Modus</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-short">Helpt om te focussen op specifieke inhoud</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-description">Deze modus biedt verschillende ondersteunende opties om gebruikers met cognitieve beperkin [...] centreren.</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-title">ADHD-vriendelijke modus</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-short">Vermindert afleiding en verbetert de focus</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-description">Deze modus helpt gebruikers met ADHD en neurologische ontwikkelingsstoornissen om gemakkel [...] erminderd.</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-title">Blindheid modus</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-short">Maakt het gebruik van de site met schermlezer mogelijk</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-description">In deze modus wordt de website geconfigureerd om compatibel te zijn met screenreaders zoal [...] TalkBack.</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-value" data-value="0">Standaard</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-value" data-value="0">Standaard</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-value" data-value="0">Standaard</div>
```

i The page's text styling may not be adapted by the user to suit their needs.

```
<p style="text-align: center;">We will contact you soon.</p>
```

Success Criteria 1.4.13 Content on Hover or Focus (AA)



THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG21/Understanding/content-on-hover-or-focus.html> for more information about this guideline.

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" async="" src="https://www.googletagmanager.com/gtag/js?id=G-H1M448JS8E&l=dataLayer&cx=c"></script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" async="" src="https://www.google-analytics.com/analytics.js"></script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" async="" src="https://www.gstatic.com/recaptcha/releases/CDFvp7CXAHW7k3HxO47Gm1O9/recaptcha__en.js" crossorigin="anonymous" integrity="sha384-4eVJVnSQi48XouWWBClejxcjDMTY1Z4KmOhd0bvetv4tPVMhPa8rAthYuqSjf197"></script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script src="https://connect.facebook.net/signals/config/3973475169421767?v=2.9.104&r=stable" async=""></script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script async="" src="https://connect.facebook.net/en_US/fbevents.js"></script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script async="" src="https://www.googletagmanager.com/gtm.js?id=GTM-MS4H6DF"></script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script data-no-optimize="1">var litespeed_docref=sessionStorage.getItem("litespeed_docref");litespeed_docref&&(Object. [...] docref));</script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script>WebFontConfig={google:{families:["Open Sans:300,400,600,700:latin,latin-ext","Roboto:700,5 [...] onfig ); }</script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Open+Sans:300,400,600,700%7CRoboto:700,500%7CNunito:400,400italic%7CRoboto&subset=latin,latin-ext,latin,latin" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script data-optimized="1" src="https://vie-kerkrade.nl/wp-content/plugins/litespeed-cache/assets/js/webfontloader.min.js"></script>
```


Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="application/ld+json" class="yoast-schema-graph">
{"@context":"https://schema.org","@graph":[{"@type":"WebPage","@id":"https://vie-kerkrade. [...]
krade"}]}}</script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="wp-block-library-css" href="https://vie-kerkrade.nl/wp-includes/css/dist/block-
library/style.min.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="classic-theme-styles-css" href="https://vie-kerkrade.nl/wp-includes/css/classic-
themes.min.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style id="global-styles-inline-css" type="text/css">
body{--wp--preset--color--black: #000000;--wp--preset--color--cyan-bluish-gray: #abb8c3;- [...] ht: 1.6;}
</style>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="contact-form-7-css" href="https://vie-kerkrade.nl/wp-content/plugins/contact-
form-7/includes/css/styles.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="salient-social-css" href="https://vie-kerkrade.nl/wp-content/plugins/salient-
social/css/style.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style id="salient-social-inline-css" type="text/css">
.sharing-default-minimal .nectar-love.loved,
body .nectar-social[data-color-override [...] c1ba;
}
</style>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="mdp-readabler-css" href="https://vie-kerkrade.nl/wp-
content/plugins/readabler/css/readabler.min.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style id="mdp-readabler-inline-css" type="text/css">
    :root{
        --readabler-reading-mask: rgba(0, 0, 0, 0.7)
    }
    .mdp-readabler-tts [...] : none;
}
</style>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="font-awesome-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/font-awesome-legacy.min.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="salient-grid-system-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/grid-system.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="main-styles-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/style.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style id="main-styles-inline-css" type="text/css">
html body[data-header-resize="1"] .container-wrap, html body[data-header-format="left-hea [...] ffffff; }
</style>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="nectar-element-video-lightbox-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/elements/element-video-lightbox.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="nectar-element-clients-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/elements/element-clients.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="nectar-element-icon-with-text-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/elements/element-icon-with-text.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="nectar-blog-masonry-core-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/blog/masonry-core.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="responsive-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/responsive.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="skin-material-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/skin-material.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="salient-wp-menu-dynamic-css" href="https://vie-kerkrade.nl/wp-content/uploads/salient/menu-dynamic.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="cookie-notice-front-css" href="https://vie-kerkrade.nl/wp-content/plugins/cookie-notice/css/front.min.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="js_composer_front-css" href="https://vie-kerkrade.nl/wp-content/plugins/js_composer_salient/assets/css/js_composer.min.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="dynamic-css-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/salient-dynamic-styles.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style id="dynamic-css-inline-css" type="text/css">
@media only screen and (min-width:1000px){body #ajax-content-wrap.no-scroll{min-height:ca [...] ----- */
</style>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="salient-child-style-css" href="https://vie-kerkrade.nl/wp-content/themes/salient-child/style.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="lepopup-style-css" href="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/css/style.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="airdatepicker-css" href="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/css/airdatepicker.css" type="text/css" media="all">
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/jquery/jquery.min.js" id="jquery-core-js"></script>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/jquery/jquery-migrate.min.js" id="jquery-migrate-js"></script>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" id="cookie-notice-front-js-extra">
/* <![CDATA[ */
var cnArgs = {"ajaxUrl":"https://vie-kerkrade.nl/wp-admin/admin-ajax. [...] /* ]]> */
</script>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script async="" type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/cookie-notice/js/front.min.js" id="cookie-notice-front-js"></script>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script>(function(w,d,s,l,i){w[l]=w[l]||[];w[l].push({'gtm.start':
new Date().getTime(),event:'gtm [...] MS4H6DF'});</script>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script>
!function(f,b,e,v,n,t,s)
{if(f.fbq)return;n=f.fbq=function(){n.callMethod?
n.callMe [...] geView'});
</script>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript"> var root = document.getElementsByTagName( "html" )[0]; root.setAttribute(
"class", "js" ); </script>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style type="text/css">.recentcomments a{display:inline !important;padding:0 !important;margin:0
!important;}</style>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script>var lepopup_customjs_handlers={};var lepopup_cookie_value="ilovefamily";var lepopup_events [...]
id="6680";</script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script>function lepopup_add_event(_event,_data){if(typeof _lepopup_add_event == typeof undefined) [...]  
,_data);}}</script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style type="text/css" data-type="vc_custom-css">.video-plaatsing {  
margin-top: -10px;  
}</style>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style type="text/css" data-type="vc_shortcodes-custom-css">.vc_custom_1621499892088{margin-bottom:  
15px !important;}.vc_custom_1597918671184{margin-b [...] mportant;}</style>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" charset="utf-8" src="//d3rxaij56vjege.cloudfront.net/form-  
serialize/0.3/serialize.min.js"></script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style></style>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style>.pipedriveWebForms {  
width: 100%;  
height: 100%;  
overflow: hidden;  
position: relative;  
[...] lative;  
}  
</style>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style type="text/css" id="column-bg-colors">.wpb_column.instance-5 > .vc_column-inner > .column-bg-  
overlay-wrap > .column-bg-overlay [...] portant; }</style>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript">  
(function(window, document) {  
  
if(navigator.userAgent.match(/(Android|iPod|iPhone|iP [...]) ment);  
</script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script src="https://webforms.pipedrive.com/f/loader"></script>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style>
._form-title {
  font-family: Intro Bold Alt Regular !important;
}
@media screen and [...]  }
}
</style>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript">
window.cfields = [];
window._show_thank_you = function(id, message, trackcmp_url, email) [...] );
})();
</script>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/html" id="wpb-modifications"></script>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="vc_animate-css-css" href="https://vie-kerkrade.nl/wp-
content/plugins/js_composer_salient/assets/lib/bower/animate-css/animate.min.css" type="text/css"
media="all">
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="magnific-css" href="https://vie-kerkrade.nl/wp-
content/themes/salient/css/build/plugins/magnific.css" type="text/css" media="all">
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="nectar-ocm-core-css" href="https://vie-kerkrade.nl/wp-
content/themes/salient/css/build/off-canvas/core.css" type="text/css" media="all">
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="nectar-ocm-slide-out-right-material-css" href="https://vie-kerkrade.nl/wp-
content/themes/salient/css/build/off-canvas/slide-out-right-material.css" type="text/css" media="all">
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-
7/includes/swv/js/index.js" id="swv-js"></script>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" id="contact-form-7-js-extra">
/*  */
var wpcf7 = {"api":{"root":"https://vie-kerkrade.nl/wp-json/","namesp [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 153 920 180" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="91 187 796 214" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/includes/js/index.js" id="contact-form-7-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 241 920 269" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="91 275 748 327" data-label="Text"><pre>&lt;script type="text/javascript" id="salient-social-js-extra"&gt;
/* <![CDATA[ */
var nectarLove = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin/admin-a [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 354 920 383" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="91 390 869 417" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-social/js/salient-social.js" id="salient-social-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 444 920 472" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="91 478 695 506" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/micromodal.min.js" id="micromodal-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 533 920 561" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="91 567 904 595" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/hotkeys.min.js" id="hotkeys-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 622 920 650" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="91 656 843 684" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/simple-keyboard.min.js" id="simple-keyboard-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 712 920 740" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="91 746 919 773" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/simple-keyboard-layouts/index.min.js" id="simple-keyboard-layout-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 801 920 829" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="91 835 760 887" data-label="Text"><pre>&lt;script type="text/javascript" id="mdp-readabler-js-extra"&gt;
/* <![CDATA[ */
var mdpReadablerOptions = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin [...] /* ]]&gt; */
&lt;/script&gt;</pre></div>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/readabler.min.js" id="mdp-readabler-js"></script>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style>#focus-snail_svg { position: absolute; top: 0; right: 0; bottom: 0; left: 0; margin: 0; ba [...] width: 0;}</style>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/jquery.easing.min.js" id="jquery-easing-js"></script>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/jquery.mousewheel.min.js" id="jquery-mousewheel-js"></script>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/priority.js" id="nectar_priority-js"></script>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/transit.min.js" id="nectar-transit-js"></script>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/waypoints.js" id="nectar-waypoints-js"></script>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-portfolio/js/third-party/imagesLoaded.min.js" id="imagesLoaded-js"></script>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/hoverintent.min.js" id="hoverintent-js"></script>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/magnific.js" id="magnific-js"></script>
```


Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/anime.min.js" id="anime-js"></script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/superfish.js" id="superfish-js"></script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" id="nectar-frontend-js-extra">
/*  */
var nectarLove = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin/admin-a [...] /* }&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 330 920 358" data-label="Text"><p>Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 363 856 392" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/init.js" id="nectar-frontend-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 419 920 447" data-label="Text"><p>Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 453 896 493" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/js_composer_salient/assets/lib/bower/flexslider/jquery.flexslider-min.js" id="flexslider-js"&gt;
&lt;/script&gt;</pre></div><div data-bbox="85 521 920 549" data-label="Text"><p>Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 555 874 583" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-portfolio/js/third-party/isotope.min.js" id="isotope-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 610 920 638" data-label="Text"><p>Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 644 823 672" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/elements/nectar-blog.js" id="nectar-masonry-blog-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 699 920 727" data-label="Text"><p>Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 732 844 761" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-core/js/third-party/touchswipe.min.js" id="touchswipe-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 788 920 816" data-label="Text"><p>Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 821 866 862" data-label="Text"><pre>&lt;script type="text/javascript" src="https://www.google.com/recaptcha/api.js?
render=6LdZsmcdAAAAAGtGHE41VGXYInA-M837dpdLis2h&amp;amp;ver=3.0" id="google-recaptcha-js"&gt;
&lt;/script&gt;</pre></div>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/regenerator-runtime.min.js" id="regenerator-runtime-js"></script>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/wp-polyfill.min.js" id="wp-polyfill-js"></script>
```

i Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" id="wpcf7-recaptcha-js-extra">
/*  */
var wpcf7_recaptcha = {"sitekey":"6LdZsmcdAAAAAGtGHE41VGXYInA-M837dpdLis2 [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 330 920 358" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 364 796 392" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/modules/recaptcha/index.js?ver=5.7.4" id="wpcf7-recaptcha-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 419 920 447" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 453 810 481" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/halpdata-green-popups/js/lepopup.js" id="lepopup-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 509 920 536" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 543 810 570" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/halpdata-green-popups/js/airdatepicker.js" id="airdatepicker-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 598 920 626" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 632 924 672" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/js_composer_salient/assets/js/dist/js_composer_front.min.js" id="wpb_composer_front_js-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 699 920 727" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 733 702 785" data-label="Text"><pre>&lt;script&gt;
  var lepopup_ajax_url = "https://vie-kerkrade.nl/wp-admin/admin-ajax.php";
  var lepopup_g [...] gns = {};
&lt;/script&gt;</pre></div><div data-bbox="85 812 920 841" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 847 905 874" data-label="Text"><pre>&lt;style&gt;#lepopup-popup-12-loader .lepopup-popup-loader-triple-spinner {border-top-color:rgba(255, [...], 255, 1)}&lt;/style&gt;</pre></div>
```

❗ Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style>.lepopup-progress-12 div.lepopup-progress-t1>div{background-color:#e0e0e0;}.lepopup-progre [...]  
ht:160px;}</style>
```

Success Criteria 1.4.5 Images of Text (AA)

❗ Image may contain text that is not in Alt text.

```

```

❗ Image may contain text that is not in Alt text.

```

```

❗ Image may contain text that is not in Alt text.

```

```

❗ Image may contain text that is not in Alt text.

```

```

❗ Image may contain text that is not in Alt text.

```

```

❗ Image may contain text that is not in Alt text.

```

```

❗ Image may contain text that is not in Alt text.

```

```

❗ Image may contain text that is not in Alt text.

```

```

i Image may contain text that is not in Alt text.

```

```

i Image may contain text that is not in Alt text.

```

```

i Image may contain text that is not in Alt text.

```

```

2.1 Keyboard Accessible: Make all functionality available from a keyboard.

Success Criteria 2.1.1 Keyboard (A)

i `script` user interface may not be accessible.

```
<script type="text/javascript" async="" src="https://www.googletagmanager.com/gtag/js?id=G-H1M448JS8E&#amp;l=dataLayer&#amp;cx=c"></script>
```

i `script` user interface may not be accessible.

```
<script type="text/javascript" async="" src="https://www.google-analytics.com/analytics.js"></script>
```

i `script` user interface may not be accessible.

```
<script type="text/javascript" async="" src="https://www.gstatic.com/recaptcha/releases/CDFvp7CXAHW7k3HxO47Gm109/recaptcha__en.js" crossorigin="anonymous" integrity="sha384-4eVJVnSQi48XouWWBClejxcjDMTY1Z4KmOhd0bvetv4tPVMhPa8rAthYuqSjf197"></script>
```

i `script` user interface may not be accessible.

```
<script src="https://connect.facebook.net/signals/config/3973475169421767?v=2.9.104&#amp;r=stable" async=""></script>
```

i `script` user interface may not be accessible.

```
<script async="" src="https://connect.facebook.net/en_US/fbevents.js"></script>
```

i `script` user interface may not be accessible.

```
<script async="" src="https://www.googletagmanager.com/gtm.js?id=GTM-MS4H6DF"></script>
```

i `script` user interface may not be accessible.

```
<script data-no-optimize="1">var litespeed_docref=sessionStorage.getItem("litespeed_docref");litespeed_docref&&(Object. [...] docref));</script>
```

i script user interface may not be accessible.

```
<script>WebFontConfig={google:{families:["Open Sans:300,400,600,700:latin,latin-ext","Roboto:700,5 [...]  
onfig ); }</script>
```

i script user interface may not be accessible.

```
<script data-optimized="1" src="https://vie-kerkrade.nl/wp-content/plugins/litespeed-  
cache/assets/js/webfontloader.min.js"></script>
```

i script user interface may not be accessible.

```
<script type="application/ld+json" class="yoast-schema-graph">  
{ "@context": "https://schema.org", "@graph": [ { "@type": "WebPage", "@id": "https://vie-kerkrade. [...]  
krade" } ] }</script>
```

i script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/jquery/jquery.min.js" id="jquery-  
core-js"></script>
```

i script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/jquery/jquery-migrate.min.js"  
id="jquery-migrate-js"></script>
```

i script user interface may not be accessible.

```
<script type="text/javascript" id="cookie-notice-front-js-extra">  
/*  */<br/>var cnArgs = { "ajaxUrl": "https://vie-kerkrade.nl/wp-admin/admin-ajax. [... ]/* ]]&gt; */<br/>&lt;/script&gt;</pre></div><div data-bbox="87 549 452 563" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="92 571 823 598" data-label="Text"><pre>&lt;script async="" type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/cookie-<br/>notice/js/front.min.js" id="cookie-notice-front-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 627 452 642" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="92 649 573 676" data-label="Text"><pre>&lt;script&gt;(function(w,d,s,l,i){w[l]=w[l]||[];w[l].push({'gtm.start':<br/>new Date().getTime(),event:'gtm [... ] MS4H6DF'});&lt;/script&gt;</pre></div><div data-bbox="87 705 452 720" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="92 728 477 791" data-label="Text"><pre>&lt;script&gt;<br/>!function(f,b,e,v,n,t,s)<br/>{if(f.fbq)return;n=f.fbq=function(){n.callMethod?<br/>n.callMe [... ] geView'});<br/>&lt;/script&gt;</pre></div><div data-bbox="87 820 452 835" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="92 843 930 870" data-label="Text"><pre>&lt;script type="text/javascript"&gt; var root = document.getElementsByTagName( "html" )[0]; root.setAttribute(<br/>"class", "js" ); &lt;/script&gt;</pre></div>
```

i script user interface may not be accessible.

```
<script>var lepopup_customjs_handlers={};var lepopup_cookie_value="ilovefamily";var lepopup_events [...] id="6680"</script>
```

i script user interface may not be accessible.

```
<script>function lepopup_add_event(_event,_data){if(typeof _lepopup_add_event == typeof undefined) [...] ,_data);}}</script>
```

i script user interface may not be accessible.

```
<script type="text/javascript" charset="utf-8" src="//d3rxaij56vjege.cloudfront.net/form-serialize/0.3/serialize.min.js"></script>
```

i script user interface may not be accessible.

```
<script type="text/javascript">
  (function(window, document) {

    if(navigator.userAgent.match(/(Android|iPod|iPhone|iP [...] ment);
  </script>
```

i script user interface may not be accessible.

```
<script src="https://webforms.pipedrive.com/f/loader"></script>
```

i script user interface may not be accessible.

```
<script type="text/javascript">
window.cfields = [];
window._show_thank_you = function(id, message, trackcmp_url, email) [...] );
})();
</script>
```

i script user interface may not be accessible.

```
<script type="text/html" id="wpb-modifications"></script>
```

i script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/includes/swv/js/index.js" id="swv-js"></script>
```

i script user interface may not be accessible.

```
<script type="text/javascript" id="contact-form-7-js-extra">
/*  */
var wpcf7 = {"api":{"root":"https://vie-kerkrade.nl/wp-json/","namesp [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 831 452 847" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="91 853 796 882" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/includes/js/index.js" id="contact-form-7-js"&gt;&lt;/script&gt;</pre></div>
```

i script user interface may not be accessible.

```
<script type="text/javascript" id="salient-social-js-extra">
/*  */
var nectarLove = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin/admin-a [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 145 452 160" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="93 167 873 195" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-social/js/salient-social.js" id="salient-social-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 224 452 239" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="93 246 695 273" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/micromodal.min.js" id="micromodal-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 301 452 316" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="93 323 910 351" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/hotkeys.min.js" id="hotkeys-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 379 452 395" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="93 401 845 429" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/simple-keyboard.min.js" id="simple-keyboard-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 457 452 473" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="93 479 927 507" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/simple-keyboard-layouts/index.min.js" id="simple-keyboard-layout-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 535 452 551" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="93 558 760 610" data-label="Text"><pre>&lt;script type="text/javascript" id="mdp-readabler-js-extra"&gt;
/* <![CDATA[ */
var mdpReadablerOptions = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 639 452 654" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="93 661 924 688" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/readabler.min.js" id="mdp-readabler-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 717 452 732" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="93 739 853 767" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/jquery.easing.min.js" id="jquery-easing-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 795 452 811" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="93 817 853 845" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/jquery.mousewheel.min.js" id="jquery-mousewheel-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 873 452 889" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="93 895 891 923" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/priority.js" id="nectar_priority-js"&gt;&lt;/script&gt;</pre></div>
```

i script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/transit.min.js" id="nectar-transit-js"></script>
```

i script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/waypoints.js" id="nectar-waypoints-js"></script>
```

i script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-portfolio/js/third-party/imagesLoaded.min.js" id="imagesLoaded-js"></script>
```

i script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/hoverintent.min.js" id="hoverintent-js"></script>
```

i script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/magnific.js" id="magnific-js"></script>
```

i script user interface may not be accessible.


```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/anime.min.js" id="anime-js"></script>
```

i script user interface may not be accessible.


```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/superfish.js" id="superfish-js"></script>
```

i script user interface may not be accessible.


```
<script type="text/javascript" id="nectar-frontend-js-extra">
/*  */
var nectarLove = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin/admin-a [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 692 452 707" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="92 714 859 742" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/init.js" id="nectar-frontend-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 770 452 785" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="92 792 901 832" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/js_composer_salient/assets/lib/bower/flexslider/jquery.flexslider-min.js" id="flexslider-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 860 452 876" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="92 882 879 911" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-portfolio/js/third-party/isotope.min.js" id="isotope-js"&gt;&lt;/script&gt;</pre></div>
```


 script user interface may not be accessible.


```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/elements/nectar-blog-js"></script>
```

 script user interface may not be accessible.


```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-core/js/third-party/touchswipe.min.js" id="touchswipe-js"></script>
```

 script user interface may not be accessible.


```
<script type="text/javascript" src="https://www.google.com/recaptcha/api.js?render=6LdZsmcdAAAAAGtGHE41VGXYInA-M837dpdLis2h&amp;ver=3.0" id="google-recaptcha-js"></script>
```

 script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/regenerator-runtime.min.js" id="regenerator-runtime-js"></script>
```

 script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/wp-polyfill.min.js" id="wp-polyfill-js"></script>
```

 script user interface may not be accessible.

```
<script type="text/javascript" id="wpcf7-recaptcha-js-extra">
/*  */
var wpcf7_recaptcha = {"sitekey":"6LdZsmcdAAAAAGtGHE41VGXYInA-M837dpdLis2 [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 549 452 563" data-label="Text"><p><img alt="info icon" data-bbox="87 549 105 563"/> script user interface may not be accessible.</p></div><div data-bbox="93 571 796 598" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/modules/recaptcha/index.js?ver=5.7.4" id="wpcf7-recaptcha-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 626 452 642" data-label="Text"><p><img alt="info icon" data-bbox="87 626 105 642"/> script user interface may not be accessible.</p></div><div data-bbox="93 649 811 677" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/js/lepopup.js" id="lepopup-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 705 452 720" data-label="Text"><p><img alt="info icon" data-bbox="87 705 105 720"/> script user interface may not be accessible.</p></div><div data-bbox="93 728 811 755" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/js/airdatepicker.js" id="airdatepicker-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 783 452 798" data-label="Text"><p><img alt="info icon" data-bbox="87 783 105 798"/> script user interface may not be accessible.</p></div><div data-bbox="93 806 932 845" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/js_composer_salient/assets/js/dist/js_composer_front.min.js" id="wpc_composer_front_js-js"&gt;&lt;/script&gt;</pre></div>
```

i `script` user interface may not be accessible.

```
<script>
  var lepopup_ajax_url = "https://vie-kerkrade.nl/wp-admin/admin-ajax.php";
  var lepopup_g [...] gns = {};
</script>
```

Success Criteria 2.1.4 Character Key Shortcuts (A)



THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG21/Understanding/character-key-shortcuts.html> for more information about this guideline.

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" async="" src="https://www.googletagmanager.com/gtag/js?id=G-H1M448JS8E&I=dataLayer&cx=c"></script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" async="" src="https://www.google-analytics.com/analytics.js"></script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" async=""
src="https://www.gstatic.com/recaptcha/releases/CDFvp7CXAHw7k3HxO47Gm1O9/recaptcha__en.js"
crossorigin="anonymous" integrity="sha384-
4eVJVn5Qi48XouWWBClejxcjDMTY1Z4KmOhd0bvetv4tPVMhPa8rAthYuqSjf197"></script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script src="https://connect.facebook.net/signals/config/3973475169421767?v=2.9.104&r=stable"
async=""></script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script async="" src="https://connect.facebook.net/en_US/fbevents.js"></script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script async="" src="https://www.googletagmanager.com/gtm.js?id=GTM-MS4H6DF"></script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script data-no-optimize="1">var
litespeed_docref=sessionStorage.getItem("litespeed_docref");litespeed_docref&&(Object. [...] docref));
</script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script>WebFontConfig={google:{families:["Open Sans:300,400,600,700:latin,latin-ext","Roboto:700,5 [...]
onfig ]; }</script>
```

Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script data-optimized="1" src="https://vie-kerkrade.nl/wp-content/plugins/litespeed-cache/assets/js/webfontloader.min.js"></script>
```

Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="application/ld+json" class="yoast-schema-graph">
{"@context":"https://schema.org","@graph":[{"@type":"WebPage","@id":"https://vie-kerkrade. [...]
krade"}]}}</script>
```

Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/jquery/jquery.min.js" id="jquery-
core-js"></script>
```

Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/jquery/jquery-migrate.min.js"
id="jquery-migrate-js"></script>
```

Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" id="cookie-notice-front-js-extra">
/* <![CDATA[ */
var cnArgs = {"ajaxUrl":"https://vie-kerkrade.nl/wp-admin/admin-ajax. [...] /* ]]> */
</script>
```

Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script async="" type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/cookie-
notice/js/front.min.js" id="cookie-notice-front-js"></script>
```

Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script>(function(w,d,s,l,i){w[l]=w[l]||[];w[l].push({'gtm.start':
new Date().getTime(),event:'gtm [...] MS4H6DF'});</script>
```

Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script>
!function(f,b,e,v,n,t,s)
{if(f.fbq)return;n=f.fbq=function(){n.callMethod?
n.callMe [...] geView'});
</script>
```

Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript"> var root = document.getElementsByTagName( "html" )[0]; root.setAttribute(
"class", "js" ); </script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script>var lepopup_customjs_handlers={};var lepopup_cookie_value="ilovefamily";var lepopup_events [...] id="6680";</script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script>function lepopup_add_event(_event,_data){if(typeof _lepopup_add_event == typeof undefined) [...] ,_data);}}</script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" charset="utf-8" src="//d3rxaij56vjege.cloudfront.net/form-serialize/0.3/serialize.min.js"></script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript">
  (function(window, document) {

    if(navigator.userAgent.match(/(Android|iPod|iPhone|iP [...] ment);
  </script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script src="https://webforms.pipedrive.com/f/loader"></script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript">
window.cfields = [];
window._show_thank_you = function(id, message, trackcmp_url, email) [...] );
})();

</script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/html" id="wpb-modifications"></script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/includes/swv/js/index.js" id="swv-js"></script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" id="contact-form-7-js-extra">
/*  */
var wpcf7 = {"api":{"root":"https://vie-kerkrade.nl/wp-json/","namesp [...] /* ]]&gt; */
&lt;/script&gt;</pre></div>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/includes/js/index.js" id="contact-form-7-js"></script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" id="salient-social-js-extra">
/*  */
var nectarLove = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin/admin-a [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 241 920 269" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="92 275 869 303" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-social/js/salient-social.js" id="salient-social-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 330 920 358" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="92 364 695 392" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/micromodal.min.js" id="micromodal-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 419 920 447" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="92 453 903 481" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/hotkeys.min.js" id="hotkeys-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 509 920 536" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="92 543 843 571" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/simple-keyboard.min.js" id="simple-keyboard-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 598 920 626" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="92 632 919 659" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/simple-keyboard-layouts/index.min.js" id="simple-keyboard-layout-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 687 920 715" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="92 721 760 773" data-label="Text"><pre>&lt;script type="text/javascript" id="mdp-readabler-js-extra"&gt;
/* <![CDATA[ */
var mdpReadablerOptions = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 801 920 829" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="92 835 916 862" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/readabler.min.js" id="mdp-readabler-js"&gt;&lt;/script&gt;</pre></div>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/jquery.easing.min.js" id="jquery-easing-js"></script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/jquery.mousewheel.min.js" id="jquery-mousewheel-js"></script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/priority.js" id="nectar_priority-js"></script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/transit.min.js" id="nectar-transit-js"></script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/waypoints.js" id="nectar-waypoints-js"></script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-portfolio/js/third-party/imagesLoaded.min.js" id="imagesLoaded-js"></script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/hoverintent.min.js" id="hoverintent-js"></script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/magnific.js" id="magnific-js"></script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/anime.min.js" id="anime-js"></script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/superfish.js" id="superfish-js"></script>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" id="nectar-frontend-js-extra">
/*  */
var nectarLove = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin/admin-a [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 152 920 180" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 187 857 214" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/init.js"
id="nectar-frontend-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 241 920 269" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 275 896 315" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-
content/plugins/js_composer_salient/assets/lib/bower/flexslider/jquery.flexslider-min.js" id="flexslider-js"&gt;
&lt;/script&gt;</pre></div><div data-bbox="85 342 920 371" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 376 875 404" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-portfolio/js/third-
party/isotope.min.js" id="isotope-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 431 920 460" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 466 823 493" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-
content/themes/salient/js/build/elements/nectar-blog.js" id="nectar-masonry-blog-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 520 920 549" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 555 844 583" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-core/js/third-
party/touchswipe.min.js" id="touchswipe-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 609 920 638" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 644 866 684" data-label="Text"><pre>&lt;script type="text/javascript" src="https://www.google.com/recaptcha/api.js?
render=6LdZsmcdAAAAAGtGHE41VGXYInA-M837dpdLis2h&amp;amp;ver=3.0" id="google-recaptcha-js"&gt;
&lt;/script&gt;</pre></div><div data-bbox="85 711 920 740" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 745 840 773" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/regenerator-
runtime.min.js" id="regenerator-runtime-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 800 920 829" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 834 880 862" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/wp-polyfill.min.js"
id="wp-polyfill-js"&gt;&lt;/script&gt;</pre></div>
```

i Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" id="wpcf7-recaptcha-js-extra">
/*  */
var wpcf7_recaptcha = {"sitekey":"6LdZsmcdAAAAAGtGHE41VGXYInA-M837dpdLis2 [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 152 920 180" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 187 796 214" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/modules/recaptcha/index.js?ver=5.7.4" id="wpcf7-recaptcha-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 241 920 269" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 275 810 303" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/js/lepopup.js" id="lepopup-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 330 920 358" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 364 810 392" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/js/airdatepicker.js" id="airdatepicker-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 419 920 447" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 454 924 493" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/js_composer_salient/assets/js/dist/js_composer_front.min.js" id="wpb_composer_front_js-js"&gt;
&lt;/script&gt;</pre></div><div data-bbox="85 520 920 549" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 556 702 607" data-label="Text"><pre>&lt;script&gt;
var lepopup_ajax_url = "https://vie-kerkrade.nl/wp-admin/admin-ajax.php";
var lepopup_g [...] gns = {};
&lt;/script&gt;</pre></div><div data-bbox="59 641 933 679" data-label="Section-Header"><h2>2.3 Seizures: Do not design content in a way that is known to cause seizures.</h2></div><div data-bbox="85 692 683 709" data-label="Section-Header"><h3>Success Criteria 2.3.1 Three Flashes or Below Threshold (A)</h3></div><div data-bbox="85 720 360 735" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="91 742 828 770" data-label="Text"><pre>&lt;script type="text/javascript" async="" src="https://www.googletagmanager.com/gtag/js?id=G-H1M448JS8E&amp;#amp;l=dataLayer&amp;#amp;cx=c"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 798 360 813" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="91 820 882 836" data-label="Text"><pre>&lt;script type="text/javascript" async="" src="https://www.google-analytics.com/analytics.js"&gt;&lt;/script&gt;</pre></div>
```


i `script` may cause screen flicker.

```
<script type="text/javascript" async=""
src="https://www.gstatic.com/recaptcha/releases/CDFvp7CXAHW7k3HxO47Gm1O9/recaptcha__en.js"
crossorigin="anonymous" integrity="sha384-
4eVJVnSQi48XouWWBClejxcjDMTY1Z4KmOhd0bvetv4tPVMhPa8rAthYuqSjf197"></script>
```

i `script` may cause screen flicker.

```
<script src="https://connect.facebook.net/signals/config/3973475169421767?v=2.9.104&r=stable"
async=""></script>
```

i `script` may cause screen flicker.

```
<script async="" src="https://connect.facebook.net/en_US/fbevents.js"></script>
```

i `script` may cause screen flicker.

```
<script async="" src="https://www.googletagmanager.com/gtm.js?id=GTM-MS4H6DF"></script>
```

i `script` may cause screen flicker.

```
<script data-no-optimize="1">var
litespeed_docref=sessionStorage.getItem("litespeed_docref");litespeed_docref&&(Object. [...] docref));
</script>
```

i `script` may cause screen flicker.

```
<script>WebFontConfig={google:{families:["Open Sans:300,400,600,700:latin,latin-ext","Roboto:700,5 [...]
onfig ); }</script>
```

i `script` may cause screen flicker.

```
<script data-optimized="1" src="https://vie-kerkrade.nl/wp-content/plugins/litespeed-
cache/assets/js/webfontloader.min.js"></script>
```

i `script` may cause screen flicker.

```
<script type="application/ld+json" class="yoast-schema-graph">
{"@context":"https://schema.org","@graph":[{"@type":"WebPage","@id":"https://vie-kerkrade. [...]
krade"]}]}</script>
```

i `script` may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/jquery/jquery.min.js" id="jquery-
core-js"></script>
```

i `script` may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/jquery/jquery-migrate.min.js"
id="jquery-migrate-js"></script>
```

i `script` may cause screen flicker.

```
<script type="text/javascript" id="cookie-notice-front-js-extra">
/*  */
var cnArgs = {"ajaxUrl":"https://vie-kerkrade.nl/wp-admin/admin-ajax. [...] /* ]]&gt; /*
&lt;/script&gt;</pre></div>
```

i `script` may cause screen flicker.

```
<script async="" type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/cookie-notice/js/front.min.js" id="cookie-notice-front-js"></script>
```

i `script` may cause screen flicker.

```
<script>(function(w,d,s,l,i){w[l]=w[l]||[];w[l].push({'gtm.start': new Date().getTime(),event:'gtm [...] MS4H6DF'});</script>
```

i `script` may cause screen flicker.

```
<script>
!function(f,b,e,v,n,t,s)
{if(f.fbq)return;n=f.fbq=function(){n.callMethod?
n.callMe [...] geView');
</script>
```

i `script` may cause screen flicker.

```
<script type="text/javascript"> var root = document.getElementsByTagName( "html" )[0]; root.setAttribute( "class", "js" ); </script>
```

i `script` may cause screen flicker.

```
<script>var lepopup_customjs_handlers={};var lepopup_cookie_value="ilovefamily";var lepopup_events [...] id="6680";</script>
```

i `script` may cause screen flicker.

```
<script>function lepopup_add_event(_event,_data){if(typeof _lepopup_add_event == typeof undefined) [...] ,_data);}}</script>
```

i `script` may cause screen flicker.

```
<script type="text/javascript" charset="utf-8" src="//d3rxaij56vjege.cloudfront.net/form-serialize/0.3/serialize.min.js"></script>
```

i `script` may cause screen flicker.

```
<script type="text/javascript">
(function(window, document) {
    if(navigator.userAgent.match(/(Android|iPod|iPhone|iP [...] ment);
</script>
```

i `script` may cause screen flicker.

```
<script src="https://webforms.pipedrive.com/f/loader"></script>
```

i `script` may cause screen flicker.

```
<script type="text/javascript">
window.cfields = [];
window._show_thank_you = function(id, message, trackcmp_url, email) [...] );
})();

</script>
```

i `script` may cause screen flicker.

```
<script type="text/html" id="wpb-modifications"></script>
```

i `script` may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/includes/swv/js/index.js" id="swv-js"></script>
```

i `script` may cause screen flicker.

```
<script type="text/javascript" id="contact-form-7-js-extra">
/*  */
var wpcf7 = {"api":{"root":"https://vie-kerkrade.nl/wp-json/","namesp [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 288 360 303" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 311 796 338" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/includes/js/index.js" id="contact-form-7-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 366 360 382" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 390 748 441" data-label="Text"><pre>&lt;script type="text/javascript" id="salient-social-js-extra"&gt;
/* <![CDATA[ */
var nectarLove = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin/admin-a [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 470 360 485" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 492 873 519" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-social/js/salient-social.js" id="salient-social-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 548 360 563" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 571 694 598" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/micromodal.min.js" id="micromodal-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 626 360 642" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 649 910 676" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/hotkeys.min.js" id="hotkeys-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 704 360 720" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 727 845 754" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/simple-keyboard.min.js" id="simple-keyboard-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 782 360 798" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 805 927 832" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/simple-keyboard-layouts/index.min.js" id="simple-keyboard-layout-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 860 360 876" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 883 760 935" data-label="Text"><pre>&lt;script type="text/javascript" id="mdp-readabler-js-extra"&gt;
/* <![CDATA[ */
var mdpReadablerOptions = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin [...] /* ]]&gt; */
&lt;/script&gt;</pre></div>
```

i script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/readabler.min.js" id="mdp-readabler-js"></script>
```

i script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/jquery.easing.min.js" id="jquery-easing-js"></script>
```

i script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/jquery.mousewheel.min.js" id="jquery-mousewheel-js"></script>
```

i script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/priority.js" id="nectar_priority-js"></script>
```

i script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/transit.min.js" id="nectar-transit-js"></script>
```

i script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/waypoints.js" id="nectar-waypoints-js"></script>
```

i script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-portfolio/js/third-party/imagesLoaded.min.js" id="imagesLoaded-js"></script>
```

i script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/hoverintent.min.js" id="hoverintent-js"></script>
```

i script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/magnific.js" id="magnific-js"></script>
```

i script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/anime.min.js" id="anime-js"></script>
```

i script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/superfish.js" id="superfish-js"></script>
```

i `script` may cause screen flicker.

```
<script type="text/javascript" id="nectar-frontend-js-extra">
/*  */
var nectarLove = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin/admin-a [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 145 360 160" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 168 859 195" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/init.js"
id="nectar-frontend-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 224 360 238" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 246 902 285" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-
content/plugins/js_composer_salient/assets/lib/bower/flexslider/jquery.flexslider-min.js" id="flexslider-js"&gt;
&lt;/script&gt;</pre></div><div data-bbox="87 313 360 328" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 335 879 363" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-portfolio/js/third-
party/isotope.min.js" id="isotope-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 392 360 406" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 414 824 441" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-
content/themes/salient/js/build/elements/nectar-blog.js" id="nectar-masonry-blog-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 470 360 485" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 492 846 519" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-core/js/third-
party/touchswipe.min.js" id="touchswipe-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 549 360 563" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 571 869 610" data-label="Text"><pre>&lt;script type="text/javascript" src="https://www.google.com/recaptcha/api.js?
render=6LdZsmcdAAAAAGtGHE41VGXYInA-M837dpdLis2h&amp;amp;ver=3.0" id="google-recaptcha-js"&gt;
&lt;/script&gt;</pre></div><div data-bbox="87 639 360 654" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 661 842 688" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/regenerator-
runtime.min.js" id="regenerator-runtime-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 717 360 732" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 739 883 767" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/wp-polyfill.min.js"
id="wp-polyfill-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 795 360 810" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 817 834 869" data-label="Text"><pre>&lt;script type="text/javascript" id="wpcf7-recaptcha-js-extra"&gt;
/* <![CDATA[ */
var wpcf7_recaptcha = {"sitekey":"6LdZsmcdAAAAAGtGHE41VGXYInA-M837dpdLis2 [...] /* ]]&gt; */
&lt;/script&gt;</pre></div>
```

i script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/modules/recaptcha/index.js?ver=5.7.4" id="wpcf7-recaptcha-js"></script>
```

i script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/js/lepopup.js" id="lepopup-js"></script>
```

i script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/js/airdatepicker.js" id="airdatepicker-js"></script>
```

i script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/js_composer_salient/assets/js/dist/js_composer_front.min.js" id="wpb_composer_front_js-js"></script>
```

i script may cause screen flicker.

```
<script>
  var lepopup_ajax_url = "https://vie-kerkrade.nl/wp-admin/admin-ajax.php";
  var lepopup_g [...] gns = {};
</script>
```

2.4 Navigable: Provide ways to help users navigate, find content, and determine where they are.

Success Criteria 2.4.1 Bypass Blocks (A)

i Document may be missing a "skip to content" link.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive cookies-not-set" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcts="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" da
```

i Groups of links with a related purpose are not marked.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive cookies-not-set" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcts="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" da
```

Success Criteria 2.4.2 Page Titled (A)

i title might not describe the document.

```
<title>Vie Kerkrade</title>
```

Success Criteria 2.4.4 Link Purpose (In Context) (A)

i Link text may not be meaningful.

```
<a href="#ajax-content-wrap" class="nectar-skip-to-content">Ga naar hoofdinhoud</a>
```

i Link text may not be meaningful.

```
<a href="#"><span class="screen-reader-text">Zoeken Sluiten</span>  
<span class="close-wrap"> <span cla [...] > </span> </a>
```

i Link text may not be meaningful.

```
<a class="mobile-search" href="#searchbox"><span class="nectar-icon icon-salient-search" aria-  
hidden="true"></span><span class="scre [...] ken</span></a>
```

i Link text may not be meaningful.

```
<a href="#sidewidgetarea" aria-label="Navigatie Menu" aria-expanded="false" class="closed">  
<span class="screen-reader-text">Menu<i class="lines-button x2 hover-effect"> <i class="l [...] i></span>  
</a>
```

i Link text may not be meaningful.

```
<a target="_blank" rel="noopener" href="https://www.optisport.nl/vie"><span class="menu-title-  
text">Aanbod</span></a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/"><span class="menu-title-text">Programma's</span>  
</a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/vie-innovatie-hub-parkstad/" class="sf-with-ul"><span class="menu-title-  
text">Innovatie Hub</span><span class="sf-sub-indicator"><i class= [...] /i></span></a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/limburg-early-execution-fonds-leef/"><span class="menu-title-  
text">Limburg Early Execution Fonds (LEEF)</span></a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/initiatieven/"><span class="menu-title-text">Initiatieven</span></a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/nieuws/"><span class="menu-title-text">Nieuws</span></a>
```

i Link text may not be meaningful.

```
<a href="#contact" aria-current="page"><span class="menu-title-text">Contact</span></a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/professionals/"><span class="menu-title-text">Professionals</span></a>
```

i Link text may not be meaningful.

```
<a target="_blank" rel="noopener" href="https://twitter.com/vie_kerkrade"><span class="screen-reader-text">twitter</span><i class="fa fa-twitter" aria-hidden="true"></i> </a>
```

i Link text may not be meaningful.

```
<a target="_blank" rel="noopener" href="https://www.facebook.com/vie.kerkrade"><span class="screen-reader-text">facebook</span><i class="fa fa-facebook" aria-hidden="true"></i> </a>
```

i Link text may not be meaningful.

```
<a target="_blank" rel="noopener" href="https://www.linkedin.com/company/vie-kerkrade"><span class="screen-reader-text">linkedin</span><i class="fa fa-linkedin" aria-hidden="true"></i> </a>
```

i Link text may not be meaningful.

```
<a target="_blank" rel="noopener" href="https://www.instagram.com/vie_kerkrade/"><span class="screen-reader-text">instagram</span><i class="fa fa-instagram" aria-hidden="true"></i> </a>
```

i Link text may not be meaningful.

```
<a href="#searchbox"><span class="icon-salient-search" aria-hidden="true"></span><span class="screen-reader-text">ken</span></a>
```

i Link text may not be meaningful.

```
<a class="nectar-button large regular extra-color-1 regular-button button-left" style="visibility: visible;" target="_blank" href="https://www.optisport.nl/vie" data-color-override="false" data-hover-color-override="false" data-hover-text-color-override="#fff"><span>Aanbod bekijken</span></a>
```

i Link text may not be meaningful.

```
<a href="https://youtu.be/TdJ7L28ZIWM" data-color-override="false" data-style="default" data-parent-hover="" data-font-style="p" data-color="default-extra-color-1" class="nectar-button large nectar_video_lightbox magnific-popup" style="visibility: visible;"><span>Bekijk Vie in vogelvlucht</span></a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/">programma's</a>
```

i Link text may not be meaningful.

```
<a class="nectar-button large regular extra-color-1 regular-button button-left" style="visibility: visible;" href="https://vie-kerkrade.nl/programmaliijnen/" data-color-override="false" data-hover-color-override="false" data-hover-text-color-override="#fff"><span>Programma's bekijken</span></a>
```

i Link text may not be meaningful.

```
<a class="nieuws" href="https://vie-kerkrade.nl/category/nieuws/">Nieuws</a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/meld-je-aan-voor-walktosurvieve-het-wandelevenement-tegen-kanker/">Meld je aan voor WalktoSurVIEve: het wandelevenement tegen kanker</a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/author/mm-maxime/" rel="author">Maxime</a>
```

i Link text may not be meaningful.

```
<a class="nieuws" href="https://vie-kerkrade.nl/category/nieuws/">Nieuws</a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/kwiek-beweegroute-hoog-anstel-in-gebruik-genomen/">KWIEK beweegroute Hoog Anstel in gebruik genomen</a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/author/mm-maxime/" rel="author">Maxime</a>
```

i Link text may not be meaningful.

```
<a class="nieuws" href="https://vie-kerkrade.nl/category/nieuws/">Nieuws</a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/bouwupdate-7-03-2023/">Bouwupdate 7/03/2023</a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/author/mm-maxime/" rel="author">Maxime</a>
```

i Link text may not be meaningful.

```
<a class="leef" href="https://vie-kerkrade.nl/category/leef/">LEEF</a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/leef-en-jan-de-lange-eforze/">LEEF en... Jan de Lange - eFORZE</a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/author/mm-beheer8/" rel="author">MM-Beheer8</a>
```

i Link text may not be meaningful.

```
<a class="leef" href="https://vie-kerkrade.nl/category/leef/">LEEF</a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/leef-en-wim-schrooten-stimuliz/">LEEF en... Wim Schrooten - Stimuliz</a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/author/mm-beheer8/" rel="author">MM-Beheer8</a>
```

i Link text may not be meaningful.

```
<a class="leef" href="https://vie-kerkrade.nl/category/leef/">LEEF</a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/leef-en-liesbeth-wijlaars-en-angelica-kosters-mind-walk-vitaal/"> LEEF en...  
Liesbeth Wijlaars en Angelica Kosters - Mind Walk Vitaal</a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/author/mm-beheer8/" rel="author">MM-Beheer8</a>
```

i Link text may not be meaningful.

```
<a class="nectar-button large regular extra-color-1 regular-button button-center" style="visibility: visible;"  
href="/category/nieuws/" data-color-override="false" data-hover-color-override="false" data-hover-text-color-  
override="#fff"><span>Meer bekijken</span></a>
```

i Link text may not be meaningful.

```
<a href="https://www.optisport.nl/vie"><strong>hier</strong></a>
```

i Link text may not be meaningful.

```
<a href="mailto:vie@optisport.nl">vie@optisport.nl</a>
```

i Link text may not be meaningful.

```
<a href="tel:0031456453610">045 - 645 36 10</a>
```

i Link text may not be meaningful.

```
<a href="mailto:info@vie-kerkrade.nl">info@vie-kerkrade.nl</a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.activehosted.com/index.php?  
action=social&amp;chash=c51ce410c124a10e0db5e4b97fc2af39.21&amp;s=b7032cd6c7954667b86a63fad  
cbf1596" target="_blank" rel="noopener">Lees onze laatste nieuwsbrief ></a>
```

i Link text may not be meaningful.

```
<a target="_blank" rel="noopener" href="https://www.optisport.nl/vie">Aanbod</a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/">Programma's</a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/vie-innovatie-hub-parkstad/">Innovatie Hub</a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/limburg-early-execution-fonds-leef/">Limburg Early Execution Fonds (LEEF)  
</a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/initiatieven/">Initiatieven</a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/nieuws/">Nieuws</a>
```

i Link text may not be meaningful.

```
<a href="#contact" aria-current="page">Contact</a>
```

i Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/professionals/">Professionals</a>
```

i Link text may not be meaningful.

```
<a class="slide_out_area_close" href="#"><span class="screen-reader-text">Menu sluiten</span>  
<span class="close-wrap"> <span class [...] > </span> </a>
```

i Link text may not be meaningful.

```
<a href="#" id="cn-accept-cookie" data-cookie-set="accept" class="cn-set-cookie cn-button" aria-  
label="Ok" style="background-color: #00a99d">Ok</a>
```

i Link text may not be meaningful.

```
<a class="lepopup-button lepopup-button-zoom-out " href="https://www.optisport.nl/sportcomplex-vie-  
kerkrade" target="_blank" onclick="lepopup_popup_active_close(0);"><span>Aanbod</span></a>
```

Success Criteria 2.4.5 Multiple Ways (AA)

i Site missing site map.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-  
comp-ver-6.2.0 vc_responsive cookies-not-set" data-footer-reveal="false" data-footer-reveal-shadow="none"  
data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000"  
data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-  
width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-  
rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-  
style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-  
gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-  
ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-  
widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" da
```

Success Criteria 2.4.6 Headings and Labels (AA)

i `h1` may be used for formatting.

```
<h1 class="intro-title-light">Welkom bij Vie</h1>
```

i `h2` may be used for formatting.

```
<h2 class="intro-title-bold">Een vloeiende beweging die<br>  
vitaliteit stimuleert</h2>
```

i h2 may be used for formatting.

```
<h2 style="color:#fff;">Vie staat voor de<br>gezondheid binnen de regio.</h2>
```

i h2 may be used for formatting.

```
<h2 style="color:#fff;">Locatie</h2>
```

i h3 may be used for formatting.

```
<h3 style="color: #fff;">Bekijk Vie</h3>
```

i h2 may be used for formatting.

```
<h2>Programma</h2>
```

i h4 may be used for formatting.

```
<h4 style=" color: #ffffff;">"Samen investeren in een<br>gezonde en vitale duurzame<br>toekomst"</h4>
```

i h2 may be used for formatting.

```
<h2 class="lichtblauw" style="text-align: center;">Nieuwsberichten</h2>
```

i h3 may be used for formatting.

```
<h3 class="title"><a href="https://vie-kerkrade.nl/meld-je-aan-voor-walktosurvieve-het-wandelevenement-tegen [...] kanker"></h3>
```

i h3 may be used for formatting.

```
<h3 class="title"><a href="https://vie-kerkrade.nl/kwiek-beweegroute-hoog-anstel-in-gebruik-genomen/">KWIEK [...] enomen</a></h3>
```

i h3 may be used for formatting.

```
<h3 class="title"><a href="https://vie-kerkrade.nl/bouwupdate-7-03-2023/"> Bouwupdate 7/03/2023</a></h3>
```

i h3 may be used for formatting.

```
<h3 class="title"><a href="https://vie-kerkrade.nl/leef-en-jan-de-lange-eforze/"> LEEF en... Jan de Lange - eFORZE</a></h3>
```

i h3 may be used for formatting.

```
<h3 class="title"><a href="https://vie-kerkrade.nl/leef-en-wim-schrooten-stimuliz/"> LEEF en... Wim Schrooten [...] imuliz</a></h3>
```

i h3 may be used for formatting.

```
<h3 class="title"><a href="https://vie-kerkrade.nl/leef-en-liesbeth-wijlaars-en-angelica-kosters-mind-walk-v [...] Vitaal</a></h3>
```

i h2 may be used for formatting.

```
<h2 class="lichtblauw">Contact</h2>
```

i h3 may be used for formatting.

```
<h3>Vragen fysieke locatie</h3>
```

i h3 may be used for formatting.

```
<h3>Vragen over de programma's van Vie?</h3>
```

i h4 may be used for formatting.

```
<h4>Volg ons op social media</h4>
```

i h3 may be used for formatting.

```
<h3>Toegankelijkheid</h3>
```

i h4 may be used for formatting.

```
<h4>Instellingen</h4>
```

i h4 may be used for formatting.

```
<h4>Online woordenboek</h4>
```

i h4 may be used for formatting.

```
<h4>Instellingen leesbaarheid</h4>
```

i h4 may be used for formatting.

```
<h4>Visueel aangename ervaring</h4>
```

i h4 may be used for formatting.

```
<h4>Gemakkelijke oriëntatie</h4>
```

i h2 may be used for formatting.

```
<h2 style="font-size:24px">Welkom bij Vie</h2>
```

i h4 may be used for formatting.

```
<h4 style="text-align: center; font-size: 18px; font-weight: bold;">Thank you!</h4>
```

2.5 Input Modalities: Make it easier for users to operate functionality through various inputs beyond keyboard.

Success Criteria 2.5.1 Pointer Gestures (A)

! THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG21/Understanding/pointer-gestures.html> for more information about this guideline.

- i** All functionality that uses multipoint or path-based gestures for operation may not be operable with a single pointer without a path-based gesture unless a multipoint or path-based gesture is essential.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive cookies-not-set" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" da
```

Success Criteria 2.5.2 Pointer Cancellation (A)

! THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG21/Understanding/pointer-cancellation.html> for more information about this guideline.

- i** Functionality that can be operated using a single pointer may not allow cancellation.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive cookies-not-set" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" da
```

Success Criteria 2.5.3 Label in Name (A)

! THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG21/Understanding/label-in-name.html> for more information about this guideline.

- i** The attribute alt or aria-label may not be presented visually.

```

```

- i** The attribute alt or aria-label may not be presented visually.

```

```

i The attribute alt or aria-label may not be presented visually.

```

```

i The attribute alt or aria-label may not be presented visually.

```

```

i The attribute alt or aria-label may not be presented visually.

```

```

i The attribute alt or aria-label may not be presented visually.

```

```

i The attribute alt or aria-label may not be presented visually.

```

```

i The attribute alt or aria-label may not be presented visually.

```

```

i The attribute alt or aria-label may not be presented visually.

```

```

i The attribute alt or aria-label may not be presented visually.

```

```

i The attribute alt or aria-label may not be presented visually.

```

```

i The attribute alt or aria-label may not be presented visually.

```

```

i The attribute alt or aria-label may not be presented visually.

```

```

i The attribute alt or aria-label may not be presented visually.

```

```

i The attribute alt or aria-label may not be presented visually.

```

```

i The attribute alt or aria-label may not be presented visually.

```

```

i The attribute alt or aria-label may not be presented visually.

```

```

i The attribute alt or aria-label may not be presented visually.

```

```

i The attribute alt or aria-label may not be presented visually.

```

```

i The attribute alt or aria-label may not be presented visually.

```

```

i The attribute alt or aria-label may not be presented visually.

```

```


- ❗ The attribute alt or aria-label may not be presented visually.

```

```

- ❗ The attribute alt or aria-label may not be presented visually.

```

```

Success Criteria 2.5.4 Motion Actuation (A)



THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG21/Understanding/motion-actuation.html> for more information about this guideline.

- ❗ Functionality that can be operated by device motion or user motion may not be operable by user interface components and the user responding to the motion may not be able to disable to prevent accidental actuation.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive cookies-not-set" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" da
```

3.2 Predictable: Make Web pages appear and operate in predictable ways.

Success Criteria 3.2.3 Consistent Navigation (AA)

- ❗ Repeated components may not appear in the same relative order each time they appear.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive cookies-not-set" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" da
```

- ❗ Tab order may not follow logical order.

```
<form role="search" action="https://vie-kerkrade.nl/" method="GET">
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
[...] en</span>
</form>
```

- ❗ Tab order may not follow logical order.

```
<form method="POST" action="https://vie-kerkrade.activehosted.com/proc.php" id="_form_1_" class="_form _form_1_inline-form _dark" novalidate="">
<input type="hidden" name="u" value="1" data-name="u">
<input type="hidden" name="f" valu [...] ">
</div>
</form>
```

i Tab order may not follow logical order.

```
<form id="mdp-readabler-online-dictionary-form" enctype="multipart/form-data" action="#"
method="POST">
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" name="mdp-rea [...]
a</label>
</form>
```

Success Criteria 3.2.4 Consistent Identification (AA)

i Long quotations may not be marked using the `blockquote` element.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-
comp-ver-6.2.0 vc_responsive cookies-not-set" data-footer-reveal="false" data-footer-reveal-shadow="none"
data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000"
data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-
width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-
rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-
style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-
gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-
ajax-transitions="true" data-full-width-header="false" data-slide-out-widjet-area="true" data-slide-out-
widjet-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" da
```

3.3 Input Assistance: Help users avoid and correct mistakes.

Success Criteria 3.3.1 Error Identification (A)

i Form submission error messages may not identify empty required fields.

```
<form role="search" action="https://vie-kerkrade.nl/" method="GET">
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
[...] en</span>
</form>
```

i Form submission error messages may not identify empty required fields.

```
<form method="POST" action="https://vie-kerkrade.activehosted.com/proc.php" id="_form_1_" class="_form
_form_1_inline-form _dark" novalidate="">
<input type="hidden" name="u" value="1" data-name="u">
<input type="hidden" name="f" valu [...] ">
</div>
</form>
```

i Form submission error messages may not identify empty required fields.

```
<form id="mdp-readabler-online-dictionary-form" enctype="multipart/form-data" action="#"
method="POST">
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" name="mdp-rea [...]
a</label>
</form>
```

Success Criteria 3.3.2 Labels or Instructions (A)

i All required `form` fields may not be indicated as required.

```
<form role="search" action="https://vie-kerkrade.nl/" method="GET">
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
[...] en</span>
</form>
```

i `label` may not describe its associated control.

```
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
```

i `input` element, `type` of "text", label may not describe the purpose or function of the control.

```
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
```

i All required `form` fields may not be indicated as required.

```
<form method="POST" action="https://vie-kerkrade.activehosted.com/proc.php" id="_form_1_" class="_form _form_1 _inline-form _dark" novalidate="">
<input type="hidden" name="u" value="1" data-name="u">
<input type="hidden" name="f" value="1" data-name="f">
</div>
</form>
```

i `label` may not describe its associated control.

```
<input type="hidden" name="u" value="1" data-name="u">
```

i `label` may not describe its associated control.

```
<input type="hidden" name="f" value="1" data-name="f">
```

i `label` may not describe its associated control.

```
<input type="hidden" name="s" data-name="s">
```

i `label` may not describe its associated control.

```
<input type="hidden" name="c" value="0" data-name="c">
```

i `label` may not describe its associated control.

```
<input type="hidden" name="m" value="0" data-name="m">
```

i `label` may not describe its associated control.

```
<input type="hidden" name="act" value="sub" data-name="act">
```

i `label` may not describe its associated control.

```
<input type="hidden" name="v" value="2" data-name="v">
```

i `label` may not describe its associated control.

```
<input type="text" name="email" id="email_nieuwsbrief" required="" data-name="email">
```

i `input` element, `type` of "text", label may not describe the purpose or function of the control.

```
<input type="text" name="email" id="email_nieuwsbrief" required="" data-name="email">
```

i `label` may not describe its associated control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-epilepsy" value="on" tabindex="-1">
```

i `input` element, `type` of "checkbox", label may not describe the purpose or function of the control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-epilepsy" value="on" tabindex="-1">
```

i `label` may not describe its associated control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-visually-impaired" value="on"
tabindex="-1">
```

i `input` element, `type` of "checkbox", label may not describe the purpose or function of the control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-visually-impaired" value="on"
tabindex="-1">
```

i `label` may not describe its associated control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-cognitive-disability" value="on"
tabindex="-1">
```

i `input` element, `type` of "checkbox", label may not describe the purpose or function of the control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-cognitive-disability" value="on"
tabindex="-1">
```

i `label` may not describe its associated control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-adhd-friendly" value="on"
tabindex="-1">
```

i `input` element, `type` of "checkbox", label may not describe the purpose or function of the control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-adhd-friendly" value="on"
tabindex="-1">
```

i `label` may not describe its associated control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-blind-users" value="on" tabindex="-1">
```

i `input` element, `type` of "checkbox", label may not describe the purpose or function of the control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-blind-users" value="on" tabindex="-1">
```

i All required `form` fields may not be indicated as required.

```
<form id="mdp-readabler-online-dictionary-form" enctype="multipart/form-data" action="#"
method="POST">
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" name="mdp-rea [...]
a</label>
</form>
```

i `label` may not describe its associated control.

```
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" name="mdp-readabler-online-
dictionary-search" autocomplete="off" placeholder="Zoek in het online woordenboek..." aria-label="Zoek in
het online woordenboek...">
```

i `input` element, `type` of "text", label may not describe the purpose or function of the control.

```
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" name="mdp-readabler-online-
dictionary-search" autocomplete="off" placeholder="Zoek in het online woordenboek..." aria-label="Zoek in
het online woordenboek...">
```

i `select` element's label may not describe the purpose or function of the control.

```
<select id="mdp-readabler-useful-links" aria-label="Handige Links">
<option selected="" disabled="" value="mdp-default">
Selecteer een optie </option>
<optio [...] ></option></select>
```

i `label` may not describe its associated control.

```
<input type="hidden" id="lepopup-logic-X1WUUSnem1uTpdao" value="">
```

Success Criteria 3.3.3 Error Suggestion (AA)

i Form submission error messages may not provide assistance.

```
<form role="search" action="https://vie-kerkrade.nl/" method="GET">
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
[...] en</span>
</form>
```

i Form submission error messages may not provide assistance.

```
<form method="POST" action="https://vie-kerkrade.activehosted.com/proc.php" id="_form_1_" class="_form
_form_1_inline-form _dark" novalidate="">
<input type="hidden" name="u" value="1" data-name="u">
<input type="hidden" name="f" valu [...] ">
</div>
</form>
```

i Form submission error messages may not provide assistance.

```
<form id="mdp-readabler-online-dictionary-form" enctype="multipart/form-data" action="#"
method="POST">
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" name="mdp-rea [...]
a</label>
</form>
```

Success Criteria 3.3.4 Error Prevention (Legal, Financial, Data) (AA)

i Form submission data may not be presented to the user before final acceptance of an irreversible transaction.

```
<form role="search" action="https://vie-kerkrade.nl/" method="GET">
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
[...] en</span>
</form>
```

i Form may delete information without allowing for recovery.

```
<form role="search" action="https://vie-kerkrade.nl/" method="GET">
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
[...] en</span>
</form>
```

i Form submission data may not be presented to the user before final acceptance of an irreversible transaction.

```
<form method="POST" action="https://vie-kerkrade.activehosted.com/proc.php" id="_form_1_" class="_form
_form_1_inline-form _dark" novalidate="">
<input type="hidden" name="u" value="1" data-name="u">
<input type="hidden" name="f" valu [...] ">
</div>
</form>
```

i Form may delete information without allowing for recovery.

```
<form method="POST" action="https://vie-kerkrade.activehosted.com/proc.php" id="_form_1_" class="_form
_form_1_inline-form _dark" novalidate="">
<input type="hidden" name="u" value="1" data-name="u">
<input type="hidden" name="f" valu [...] ">
</div>
</form>
```

i Form submission data may not be presented to the user before final acceptance of an irreversible transaction.

```
<form id="mdp-readabler-online-dictionary-form" enctype="multipart/form-data" action="#"
method="POST">
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" name="mdp-rea [...]
a</label>
</form>
```

i Form may delete information without allowing for recovery.

```
<form id="mdp-readabler-online-dictionary-form" enctype="multipart/form-data" action="#"
method="POST">
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" name="mdp-rea [...]
a</label>
</form>
```

4.1 Compatible: Maximize compatibility with current and future user agents, including assistive technologies.

Success Criteria 4.1.3 Status Messages (AA)



THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG21/Understanding/status-messages.html> for more information about this guideline.

i Status messages may not be determined programmatically through role or properties such that they can be presented to the user by assistive technologies without receiving focus.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-
comp-ver-6.2.0 vc_responsive cookies-not-set" data-footer-reveal="false" data-footer-reveal-shadow="none"
data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000"
data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-
width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-
rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-
style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-
gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-
ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-
widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" da
```