


# <https://vie-kerkrade.nl/>

**Guidelines** WCAG 2.2 (Level AA)



# Guideline Summary

## Perceivable

1.1 Text Alternatives

116

1.3 Adaptable

80

1.4 Distinguishable

518

## Operable

2.1 Keyboard Accessible

174

2.2 Enough Time

295

2.3 Seizures

88

2.4 Navigable

105

2.5 Input Modalities

45

## Understandable

3.2 Predictable

6

3.3 Input Assistance

75

## Robust

4.1 Compatible

1

Problems

Problems

Problems

Problems

# Known Problems (59)

## 1.4 Distinguishable: Make it easier for users to see and hear content including separating foreground from background.

### Success Criteria 1.4.10 Reflow (AA)



#### THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG21/Understanding/reflow.html> for more information about this guideline.

- ✘ The page does not allow scaling.

```
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=2.0, user-scalable=yes">
```

**Repair:** Do not disable user scaling from meta tag

---

### Success Criteria 1.4.3 Contrast (Minimum) (AA)

- ✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<a href="#ajax-content-wrap" class="nectar-skip-to-content">Ga naar hoofdinhoud</a>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast. <http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

- ✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<h1 class="intro-title-light">Welkom bij Vie</h1>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast. <http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

- ✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<h2 class="intro-title-bold">Een vloeiende beweging die<br>vitaliteit stimuleert</h2>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast. <http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

- ✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<h2 style="color:#fff;">Vie staat voor de<br>gezondheid binnen de regio.</h2>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast. <http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<p>Een vloeiende beweging die vitaliteit stimuleert en hiermee investeert in de toekomst. De [...] beweging.</p>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<h2 style="color:#fff;">Locatie</h2>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<p>Vie is gerealiseerd op de plek van het vroegere Atrium ziekenhuis. Samen met het Martin Bu [...] ngstijden?</p>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<span>Aanbod bekijken</span>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<h3 style="color: #fff;">Bekijk Vie</h3>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<p>Zó zag je Vie nog niet eerder! Vlieg langs de tribunes, door de sporthal, over het zwembad [...] t te zien!</p>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<span>Bekijk Vie in vogelvlucht</span>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/">programma's</a>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<span>Programma's bekijken</span>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<h2 class="lichtblauw" style="text-align: center;">Nieuwsberichten</h2>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<a class="recepten" href="https://vie-kerkrade.nl/category/recepten/">Recepten</a>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<a class="recepten" href="https://vie-kerkrade.nl/category/recepten/">Recepten</a>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<a class="recepten" href="https://vie-kerkrade.nl/category/recepten/">Recepten</a>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<a class="recepten" href="https://vie-kerkrade.nl/category/recepten/">Recepten</a>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<a class="recepten" href="https://vie-kerkrade.nl/category/recepten/">Recepten</a>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<a class="recepten" href="https://vie-kerkrade.nl/category/recepten/">Recepten</a>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<span>Meer bekijken</span>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<h2 class="lichtblauw">Contact</h2>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<strong>hier</strong>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

✘ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<div class="_form-title">Onze nieuwsbrief ontvangen?</div>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

---

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<label for="fullname" class="_form-label">Naam</label>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<label for="email" class="_form-label">E-mail*</label>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<p>via een van onze kanalen</p>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

✖ The contrast between the colour of text and its background for the element is not sufficient to meet WCAG2.0 Level AA.

```
<span class="screen-reader-text">Menu sluiten</span>
```

**Repair:** Use a colour contrast evaluator to determine if text and background colours provide a contrast ratio of 4.5:1 for standard text, or 3:1 for larger text. Change colour codes to produce sufficient contrast.  
<http://www.w3.org/TR/UNDERSTANDING-WCAG20/visual-audio-contrast-contrast.html#visual-audio-contrast-contrast-resources-head>

## Success Criteria 1.4.4 Resize text (AA)

✖ `i` (italic) element used.

```
<i class="lines-button x2 hover-effect"> <i class="lines"></i> </i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

✖ `i` (italic) element used.

```
<i class="lines"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

✖ `i` (italic) element used.

```
<i class="lines-button x2"> <i class="lines"></i> </i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

✖ `i` (italic) element used.

```
<i class="lines"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

✖ `i` (italic) element used.

```
<i class="lines-button x2 hover-effect"> <i class="lines"></i> </i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

---

✖ `i` (italic) element used.

```
<i class="lines"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

---

✖ `i` (italic) element used.

```
<i class="fa fa-angle-down icon-in-menu" aria-hidden="true"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

---

✖ `i` (italic) element used.

```
<i class="fa fa-angle-down icon-in-menu" aria-hidden="true"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

---

✖ `i` (italic) element used.

```
<i class="fa fa-angle-down icon-in-menu" aria-hidden="true"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

---

✖ `i` (italic) element used.

```
<i class="fa fa-twitter" aria-hidden="true"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

---

✖ `i` (italic) element used.

```
<i class="fa fa-facebook" aria-hidden="true"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

---

✖ `i` (italic) element used.

```
<i class="fa fa-linkedin" aria-hidden="true"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

---

✖ `i` (italic) element used.

```
<i class="fa fa-instagram" aria-hidden="true"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

---

✖ `i` (italic) element used.

```
<i class="icon-default-style fa fa-envelope extra-color-3"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

---

✖ `i` (italic) element used.

```
<i class="icon-default-style fa fa-phone extra-color-3"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

---



✖ `i` (italic) element used.

```
<i class="icon-default-style fa fa-envelope extra-color-3"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

---

✖ `i` (italic) element used.

```
<i class="fa fa-angle-up top-icon"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

---

✖ `i` (italic) element used.

```
<i class="fa fa-angle-up"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

---

✖ `i` (italic) element used.

```
<i class="fa fa-angle-down"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

---

✖ `i` (italic) element used.

```
<i class="fa fa-angle-down"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

---

✖ `i` (italic) element used.

```
<i class="fa fa-angle-down"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

---

✖ `i` (italic) element used.

```
<i class="fa fa-twitter"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

---

✖ `i` (italic) element used.

```
<i class="fa fa-facebook"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

---

✖ `i` (italic) element used.

```
<i class="fa fa-linkedin"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

---

✖ `i` (italic) element used.

```
<i class="fa fa-instagram"></i>
```

**Repair:** Replace your `<i>` elements with `<em>` or `<strong>`.

---

## 2.4 Navigable: Provide ways to help users navigate, find content, and determine where they are.

### Success Criteria 2.4.4 Link Purpose (In Context) (A)

✘ Anchor contains no text.

```
<a id="to-top" href="#" class="mobile-enabled"><i class="fa fa-angle-up top-icon"></i><i class="fa fa-angle-up"></i></a>
```

**Repair:** Add text to the `<a>` element or the `<title>` attribute of the `<a>` element or, if an image is used within the anchor, add Alt text to the image.

---

✘ Anchor contains no text.

```
<a target="_blank" rel="noopener" href="https://twitter.com/vie_kerkrade"><i class="fa fa-twitter"></i></a>
```

**Repair:** Add text to the `<a>` element or the `<title>` attribute of the `<a>` element or, if an image is used within the anchor, add Alt text to the image.

---

✘ Anchor contains no text.

```
<a target="_blank" rel="noopener" href="https://www.facebook.com/vie.kerkrade"><i class="fa fa-facebook"></i></a>
```

**Repair:** Add text to the `<a>` element or the `<title>` attribute of the `<a>` element or, if an image is used within the anchor, add Alt text to the image.

---

✘ Anchor contains no text.

```
<a target="_blank" rel="noopener" href="https://www.linkedin.com/company/vie-kerkrade"><i class="fa fa-linkedin"></i></a>
```

**Repair:** Add text to the `<a>` element or the `<title>` attribute of the `<a>` element or, if an image is used within the anchor, add Alt text to the image.

---

✘ Anchor contains no text.

```
<a target="_blank" rel="noopener" href="https://www.instagram.com/vie_kerkrade/"><i class="fa fa-instagram"></i></a>
```

**Repair:** Add text to the `<a>` element or the `<title>` attribute of the `<a>` element or, if an image is used within the anchor, add Alt text to the image.

---

# Likely Problems (8)

## 1.4 Distinguishable: Make it easier for users to see and hear content including separating foreground from background.

### Success Criteria 1.4.11 Non-Text Contrast (AA)



#### THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG21/Understanding/non-text-contrast.html> for more information about this guideline.

⚠ The contrast between adjacent colors of the component is not sufficient to meet WCAG2.1 Level AA.

```
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
```

**Repair:** Use a colour contrast evaluator to determine if component adjacent colours provide a contrast ratio of 3:1. Change colour codes to produce sufficient contrast. <https://www.w3.org/WAI/WCAG21/Understanding/non-text-contrast.html>

⚠ The contrast between adjacent colors of the component is not sufficient to meet WCAG2.1 Level AA.

```
<a class="nectar-button large regular extra-color-1 regular-button button-left" style="visibility: visible;" target="_blank" href="https://www.optisport.nl/vie" data-color-override="false" data-hover-color-override="false" data-hover-text-color-override="#fff"><span>Aanbod bekijken</span></a>
```

**Repair:** Use a colour contrast evaluator to determine if component adjacent colours provide a contrast ratio of 3:1. Change colour codes to produce sufficient contrast. <https://www.w3.org/WAI/WCAG21/Understanding/non-text-contrast.html>

⚠ The contrast between adjacent colors of the component is not sufficient to meet WCAG2.1 Level AA.

```
<a href="https://youtu.be/TdJ7L28ZIWM" data-color-override="false" data-style="default" data-parent-hover="" data-font-style="p" data-color="default-extra-color-1" class="nectar-button large nectar_video_lightbox magnific-popup" style="visibility: visible;"><span>Bekijk Vie in vogelvlucht</span></a>
```

**Repair:** Use a colour contrast evaluator to determine if component adjacent colours provide a contrast ratio of 3:1. Change colour codes to produce sufficient contrast. <https://www.w3.org/WAI/WCAG21/Understanding/non-text-contrast.html>

⚠ The contrast between adjacent colors of the component is not sufficient to meet WCAG2.1 Level AA.

```
<a class="nectar-button large regular extra-color-1 regular-button button-left" style="visibility: visible;" href="https://vie-kerkrade.nl/programmaliijnen/" data-color-override="false" data-hover-color-override="false" data-hover-text-color-override="#fff"><span>Programma's bekijken</span></a>
```

**Repair:** Use a colour contrast evaluator to determine if component adjacent colours provide a contrast ratio of 3:1. Change colour codes to produce sufficient contrast. <https://www.w3.org/WAI/WCAG21/Understanding/non-text-contrast.html>

⚠ The contrast between adjacent colors of the component is not sufficient to meet WCAG2.1 Level AA.

```
<a class="nectar-button large regular extra-color-1 regular-button button-center" style="visibility: visible;" href="/category/nieuws/" data-color-override="false" data-hover-color-override="false" data-hover-text-color-override="#fff"><span>Meer bekijken</span></a>
```

**Repair:** Use a colour contrast evaluator to determine if component adjacent colours provide a contrast ratio of 3:1. Change colour codes to produce sufficient contrast. <https://www.w3.org/WAI/WCAG21/Understanding/non-text-contrast.html>

⚠ The contrast between adjacent colors of the component is not sufficient to meet WCAG2.1 Level AA.

```
<input type="submit" id="gform_submit_button_2" class="gform_button button gform-button--width-full" value="Versturen" onclick="if(window['gf_submitting_2']){return false;} if(!jQuery('#gform_2')[0].checkValidity() || jQuery('#gform_2')[0].checkValidity()){window['gf_submitting_2']=true;} " onkeypress="if( event.keyCode == 13 ){if(window['gf_submitting_2']){return false;} if( !jQuery('#gform_2')[0].checkValidity() || jQuery('#gform_2')[0].checkValidity()){window['gf_submitting_2']=true;} jQuery('#gform_2').trigger('submit',[true]); }">
```

**Repair:** Use a colour contrast evaluator to determine if component adjacent colours provide a contrast ratio of 3:1. Change colour codes to produce sufficient contrast. <https://www.w3.org/WAI/WCAG21/Understanding/non-text-contrast.html>

---

⚠ The contrast between adjacent colors of the component is not sufficient to meet WCAG2.1 Level AA.

```
<button id="_form_1_submit" class="_submit" type="submit">Verzend</button>
```

**Repair:** Use a colour contrast evaluator to determine if component adjacent colours provide a contrast ratio of 3:1. Change colour codes to produce sufficient contrast. <https://www.w3.org/WAI/WCAG21/Understanding/non-text-contrast.html>

---

## 2.5 Input Modalities: Make it easier for users to operate functionality through various inputs beyond keyboard.

### Success Criteria 2.5.3 Label in Name (A)



#### THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline.

See <https://www.w3.org/WAI/WCAG21/Understanding/label-in-name.html> for more information about this guideline.

⚠ The attribute title or aria-label value should match or begin with the text.

```
<a href="#sidewidgetarea" aria-label="Navigatie Menu" aria-expanded="false" class="closed">
<span class="screen-reader-text">Menu<i class="lines-button x2 hover-effect"> <i class="l [...] i"></span>
</a>
```

---

# Potential Problems (1,436)

## 1.1 Text Alternatives: Provide text alternatives for any non-text content

### Success Criteria 1.1.1 Non-text Content (A)

- Alt text is not empty and image may be decorative.

```

```

- Alt text is not empty and image may be decorative.

```

```

- `img` element may require a long description.

```

```

**i** `img` element may require a long description.

```

```

**i** `img` element may require a long description.

```

```

**i** `img` element may require a long description.

```

```

**i** Alt text is not empty and image may be decorative.

```

```

**i** Alt text does not convey the same information as the image.

```

```

**i** Alt text is not empty and image may be decorative.

```

```

**i** `img` element may require a long description.

```

```

**i** Alt text does not convey the same information as the image.

```

```

**i** Alt text is not empty and image may be decorative.

```
 data-bbox="93 440 906 492"/>
```

**i** `img` element may require a long description.

```

```

**i** Alt text does not convey the same information as the image.

```

```



**i** Alt text is not empty and image may be decorative.

```

```

**i** Alt text is not empty and image may be decorative.

```

```

**i** Alt text does not convey the same information as the image.

```

```

**i** `img` element may require a long description.

```

```

**i** Alt text is not empty and image may be decorative.

```

```

**i** Alt text does not convey the same information as the image.

```

```

**i** `img` element may require a long description.

```

```

**i** Alt text is not empty and image may be decorative.

```

```

**i** Alt text does not convey the same information as the image.

```

```

**i** `img` element may require a long description.

```

```

**i** Alt text does not convey the same information as the image.

```

```

**i** `img` element may require a long description.

```

```

**i** Alt text is not empty and image may be decorative.

```

```

**i** Alt text does not convey the same information as the image.

```

```

**i** `img` element may require a long description.

```

```

**i** Alt text is not empty and image may be decorative.

```

```

**i** Alt text does not convey the same information as the image.

```

```

**i** `img` element may require a long description.

```

```

**i** Alt text is not empty and image may be decorative.

```

```

**i** Alt text does not convey the same information as the image.

```

```

**i** `img` element may require a long description.

```

```

**i** Alt text is not empty and image may be decorative.

```

```

**i** Alt text does not convey the same information as the image.

```

```

**i** `img` element may require a long description.

```

```

**i** Alt text is not empty and image may be decorative.

```

```

**i** Alt text does not convey the same information as the image.

```

```

**i** `img` element may require a long description.

```

```

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** Alt text does not convey the same information as the image.

```

```

---

**i** `img` element may require a long description.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** `img` element may require a long description.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** `img` element may require a long description.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** Alt text does not convey the same information as the image.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** `img` element may require a long description.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** Alt text does not convey the same information as the image.

```

```

---

**i** `img` element may require a long description.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** Alt text does not convey the same information as the image.

```

```

---

**i** `img` element may require a long description.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** Alt text does not convey the same information as the image.

```

```

---

**i** `img` element may require a long description.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** Alt text does not convey the same information as the image.

```

```

---

**i** `img` element may require a long description.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** Alt text does not convey the same information as the image.

```

```

---

**i** `img` element may require a long description.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** Alt text does not convey the same information as the image.

```

```

---

**i** `img` element may require a long description.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** Alt text does not convey the same information as the image.

```

```

---

**i** `img` element may require a long description.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** Alt text does not convey the same information as the image.

```

```

---

**i** `img` element may require a long description.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** Alt text does not convey the same information as the image.

```

```

---

**i** `img` element may require a long description.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** Alt text does not convey the same information as the image.

```

```

---

**i** `img` element may require a long description.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** Alt text does not convey the same information as the image.

```

```

---

**i** `img` element may require a long description.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** Alt text does not convey the same information as the image.

```

```

---

**i** `img` element may require a long description.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** Alt text does not convey the same information as the image.

```

```

---

**i** `img` element may require a long description.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** Alt text does not convey the same information as the image.

```

```

---

**i** `img` element may require a long description.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---

**i** Alt text does not convey the same information as the image.

```

```

---

**i** `img` element may require a long description.

```

```

---

**i** Alt text is not empty and image may be decorative.

```

```

---



**i** Alt text does not convey the same information as the image.

```

```

### Success Criteria 3.3.7 Redundant Entry (AA)



#### THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG22/Understanding/redundant-entry.html> for more information about this guideline.

**i** Information previously entered by or provided to the user that is required to be entered again in the same process may not be auto-populated or available to the user to select.

```
<form role="search" action="https://vie-kerkrade.nl/" method="GET">
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
[...] en</span>
</form>
```

**i** Information previously entered by or provided to the user that is required to be entered again in the same process may not be auto-populated or available to the user to select.

```
<form method="post" enctype="multipart/form-data" id="gform_2" action="/" data-formid="2"
novalidate="">
<div class="gform-body gform_body"><div id="gform_fields_2" class="gform_fields top_label [...] ">
</div>
</form>
```

**i** Information previously entered by or provided to the user that is required to be entered again in the same process may not be auto-populated or available to the user to select.

```
<form method="POST" action="https://vie-kerkrade.activehosted.com/proc.php"
id="_form_66698918CA541_" class="_form_form_1_inline-form _dark" novalidate="" data-styles-
version="5">
<input type="hidden" name="u" value="66698918CA541" data-name="u">
<input type="h [...] /div>
</form>
```

**i** Information previously entered by or provided to the user that is required to be entered again in the same process may not be auto-populated or available to the user to select.

```
<form id="mdp-readabler-online-dictionary-form" enctype="multipart/form-data" action="#"
method="POST">
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" autocomplete= [...] a</label>
</form>
```

### Success Criteria 3.3.8 Accessible Authentication (AA)



#### THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG22/Understanding/accessible-authentication-minimum.html> for more information about this guideline.

**i** A cognitive function test (such as remembering a password or solving a puzzle) may not be required for any step in an authentication process.

```
<form role="search" action="https://vie-kerkrade.nl/" method="GET">
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
[...] en</span>
</form>
```

**i** A cognitive function test (such as remembering a password or solving a puzzle) may not be required for any step in an authentication process.

```
<form method="post" enctype="multipart/form-data" id="gform_2" action="/" data-formid="2"
novalidate="">
<div class="gform-body gform_body"><div id="gform_fields_2" class="gform_fields top_label [...] ">
</div>
</form>
```

**i** A cognitive function test (such as remembering a password or solving a puzzle) may not be required for any step in an authentication process.

```
<form method="POST" action="https://vie-kerkrade.activehosted.com/proc.php"
id="_form_66698918CA541_" class="_form_form_1_inline-form _dark" novalidate="" data-styles-
version="5">
<input type="hidden" name="u" value="66698918CA541" data-name="u">
<input type="h [...] /div>
</form>
```

**i** A cognitive function test (such as remembering a password or solving a puzzle) may not be required for any step in an authentication process.

```
<form id="mdp-readabler-online-dictionary-form" enctype="multipart/form-data" action="#"
method="POST">
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" autocomplete= [...] a</label>
</form>
```

## 1.3 Adaptable: Create content that can be presented in different ways (for example simpler layout) without losing information or structure.

### Success Criteria 1.3.1 Info and Relationships (A)

**i** Visual lists may not be properly marked.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-
comp-ver-6.2.0 vc_responsive" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-
format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-
dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width"
data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default"
data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-
style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-
gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-
ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-
widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" data-bg-
header="tr
```

**i** Unicode right-to-left marks or left-to-right marks may be required.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-
comp-ver-6.2.0 vc_responsive" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-
format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-
dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width"
data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default"
data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-
style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-
gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-
ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-
widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" data-bg-
header="tr
```

**i** `dir` attribute may be required to identify changes in text direction.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" data-bg-header="tr
```

**i** `input` element `label`, `type` of "text", is not positioned close to control.

```
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
```

**i** `input` element `label`, `type` of "text", is not positioned close to control.

```
<input name="input_3" id="input_2_3" type="text" value="" class="large" aria-required="true" aria-invalid="false">
```

**i** `input` element `label`, `type` of "text", is not positioned close to control.

```
<input name="input_6" id="input_2_6" type="text" value="" class="large" aria-required="true" aria-invalid="false">
```

**i** `textarea` label is not positioned close to control.

```
<textarea name="input_7" id="input_2_7" class="textarea large" aria-required="true" aria-invalid="false" rows="10" cols="50"></textarea>
```

**Repair:** Position the control's label so it is close to the control.

**i** `input` element `label`, `type` of "text", is not positioned close to control.

```
<input name="input_12" id="input_2_12" type="text" value="" autocomplete="new-password">
```

**i** `input` element `label`, `type` of "text", is not positioned close to control.

```
<input type="text" id="fullname" name="fullname" placeholder="Type je naam in" data-name="fullname">
```

**i** `input` element `label`, `type` of "text", is not positioned close to control.

```
<input type="text" id="email" name="email" placeholder="Typ je e-mailadres in" required="" data-name="email">
```

**i** `textarea` label is not positioned close to control.

```
<textarea id="g-recaptcha-response" name="g-recaptcha-response" class="g-recaptcha-response" style="width: 250px; height: 40px; border: 1px solid rgb(193, 193, 193); margin: 10px 25px; padding: 0px; resize: none; display: none;"></textarea>
```

**Repair:** Position the control's label so it is close to the control.

**i** `input` element `label`, `type` of "checkbox" is not positioned close to control.

```
<input type="checkbox" id="cmlpz-functional-optin" data-category="cmlpz_functional" class="cmlpz-consent-checkbox cmlpz-functional" size="40" value="1">
```

**i** `input` element `label`, `type` of "checkbox" is not positioned close to control.

```
<input type="checkbox" id="cmlz-preferences-optin" data-category="cmlz_preferences" class="cmlz-consent-checkbox cmlz-preferences" size="40" value="1">
```

**i** `input` element `label`, `type` of "checkbox" is not positioned close to control.

```
<input type="checkbox" id="cmlz-statistics-optin" data-category="cmlz_statistics" class="cmlz-consent-checkbox cmlz-statistics" size="40" value="1">
```

**i** `input` element `label`, `type` of "checkbox" is not positioned close to control.

```
<input type="checkbox" id="cmlz-marketing-optin" data-category="cmlz_marketing" class="cmlz-consent-checkbox cmlz-marketing" size="40" value="1">
```

**i** `input` element `label`, `type` of "checkbox" is not positioned close to control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-epilepsy" value="on" tabindex="-1">
```

**i** `input` element `label`, `type` of "checkbox" is not positioned close to control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-visually-impaired" value="on" tabindex="-1">
```

**i** `input` element `label`, `type` of "checkbox" is not positioned close to control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-cognitive-disability" value="on" tabindex="-1">
```

**i** `input` element `label`, `type` of "checkbox" is not positioned close to control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-adhd-friendly" value="on" tabindex="-1">
```

**i** `input` element `label`, `type` of "checkbox" is not positioned close to control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-blind-users" value="on" tabindex="-1">
```

**i** `input` element `label`, `type` of "text", is not positioned close to control.

```
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" autocomplete="off" placeholder="Zoek in het online woordenboek..." aria-label="Zoek in het online woordenboek...">
```

**i** `select` element's label is not positioned close to control.

```
<select id="mdp-readabler-useful-links" aria-label="Handige Links" autocomplete="on">  
<option selected="" disabled="" value="mdp-default">  
Selecteer een optie </option>  
<optio [...] n</option></select>
```

**i** `input` element `label`, `type` of "text", is not positioned close to control.

```
<input type="text" id="mdp-readabler-voice-navigation-history" name="mdp-readabler-voice-navigation-history" aria-label="History" autocomplete="off" disabled="">
```

**i** `input` element `label`, `type` of "text", is not positioned close to control.

```
<input type="text" id="mdp-readabler-voice-navigation-input" autocomplete="off" placeholder="Wait..." disabled="">
```

**i** `textarea` label is not positioned close to control.

```
<textarea id="g-recaptcha-response-100000" name="g-recaptcha-response" class="g-recaptcha-response" style="width: 250px; height: 40px; border: 1px solid rgb(193, 193, 193); margin: 10px 25px; padding: 0px; resize: none; display: none;"></textarea>
```

**Repair:** Position the control's label so it is close to the control.

### Success Criteria 1.3.3 Sensory Characteristics (A)

**i** Text may refer to items by shape, size, or relative position alone.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" data-bg-header="tr
```

### Success Criteria 1.3.4 Orientation (AA)



#### THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline.

See <https://www.w3.org/WAI/WCAG21/Understanding/orientation.html> for more information about this guideline.

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Open+Sans:300,400,600,700%7CRoboto:700,500%7CNunito:400,400italic&amp;subset=latin,latin-ext,latin" media="all">
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="wp-block-library-css" href="https://vie-kerkrade.nl/wp-includes/css/dist/block-library/style.min.css" type="text/css" media="all">
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style id="safe-svg-svg-icon-style-inline-css" type="text/css">
.safe-svg-cover{text-align:center}.safe-svg-cover .safe-svg-inside{display:inline-block;m [...] th:100%}
</style>
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style id="classic-theme-styles-inline-css" type="text/css">
/*! This file is auto-generated */
.wp-block-button__link{color:#fff;background-color:#32 [...] ion:none}
</style>
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style id="global-styles-inline-css" type="text/css">
body{--wp--preset--color--black: #000000;--wp--preset--color--cyan-bluish-gray: #abb8c3;- [...] ht: 1.6;}
</style>
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="contact-form-7-css" href="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/includes/css/styles.css" type="text/css" media="all">
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="salient-social-css" href="https://vie-kerkrade.nl/wp-content/plugins/salient-social/css/style.css" type="text/css" media="all">
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style id="salient-social-inline-css" type="text/css">
.sharing-default-minimal .nectar-love.loved,
body .nectar-social[data-color-override [...] c1ba;
}
</style>
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="cmlpz-general-css" href="https://vie-kerkrade.nl/wp-content/plugins/complianz-gdpr-premium/assets/css/cookieblocker.min.css" type="text/css" media="all">
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="mdp-readabler-css" href="https://vie-kerkrade.nl/wp-content/plugins/readabler/css/readabler.min.css" type="text/css" media="all">
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style id="mdp-readabler-inline-css" type="text/css">
:root{
--readabler-reading-mask: rgba(0, 0, 0, 0.7)
}
.mdp-readabler-tts [...] : none;
}
</style>
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="font-awesome-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/font-awesome-legacy.min.css" type="text/css" media="all">
```

---

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="salient-grid-system-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/grid-system.css" type="text/css" media="all">
```

---

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="main-styles-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/style.css" type="text/css" media="all">
```

---

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style id="main-styles-inline-css" type="text/css">
html body[data-header-resize="1"] .container-wrap, html body[data-header-format="left-hea [...] ffffff; }
</style>
```

---

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="nectar-element-video-lightbox-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/elements/element-video-lightbox.css" type="text/css" media="all">
```

---

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="nectar-element-clients-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/elements/element-clients.css" type="text/css" media="all">
```

---

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="nectar-element-icon-with-text-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/elements/element-icon-with-text.css" type="text/css" media="all">
```

---

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="nectar-blog-masonry-core-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/blog/masonry-core.css" type="text/css" media="all">
```

---

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="responsive-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/responsive.css" type="text/css" media="all">
```

---

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="skin-material-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/skin-material.css" type="text/css" media="all">
```

---

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="salient-wp-menu-dynamic-css" href="https://vie-kerkrade.nl/wp-content/uploads/salient/menu-dynamic.css" type="text/css" media="all">
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="js_composer_front-css" href="https://vie-kerkrade.nl/wp-content/plugins/js_composer_salient/assets/css/js_composer.min.css" type="text/css" media="all">
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="dynamic-css-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/salient-dynamic-styles.css" type="text/css" media="all">
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style id="dynamic-css-inline-css" type="text/css">
@media only screen and (min-width:1000px){body #ajax-content-wrap.no-scroll{min-height:ca [...] ----- */
</style>
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="salient-child-style-css" href="https://vie-kerkrade.nl/wp-content/themes/salient-child/style.css" type="text/css" media="all">
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="lepopup-style-css" href="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/css/style.css" type="text/css" media="all">
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="airdatepicker-css" href="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/css/airdatepicker.css" type="text/css" media="all">
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style>.cmlpz-hidden {
    display: none !important;
}</style>
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style type="text/css">.recentcomments a{display:inline !important;padding:0 !important;margin:0 !important;}</style>
```



**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style type="text/css" data-type="vc_custom-css">.video-plaatsing {  
  margin-top: -10px;  
}
```

```
.vie-form .wpb_wrapper {  
  width: 37%;  
}
```

```
. [...] ay:none;  
</style>
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style type="text/css" data-type="vc_shortcodes-custom-css">.vc_custom_1621499892088{margin-bottom:  
15px !important;}.vc_custom_1597918671184{margin-b [...] mportant;}</style>
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style></style>
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style type="text/css" id="column-bg-colors">.wpb_column.instance-3 > .vc_column-inner > .column-bg-  
overlay-wrap > .column-bg-overlay [...] portant; }</style>
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style type="text/css" data-type="vc_custom-css">.clients img {  
  display: block;  
  margin-left: auto !important;  
  margin-right: aut [...] portant;  
}</style>
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style>@import url(https://fonts.bunny.net/css?family=ibm-plex-sans:400,600);</style>
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style>  
#_form_66698918CA541_{font-size:14px;line-height:1.6;font-family:arial, helvetica, sans-s [...] order:0px}  
</style>
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="vc_animate-css-css" href="https://vie-kerkrade.nl/wp-  
content/plugins/js_composer_salient/assets/lib/bower/animate-css/animate.min.css" type="text/css"  
media="all">
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="gform_basic-css" href="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/assets/css/dist/basic.min.css" type="text/css" media="all">
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="gform_theme_components-css" href="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/assets/css/dist/theme-components.min.css" type="text/css" media="all">
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="gform_theme_ie11-css" href="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/assets/css/dist/theme-ie11.min.css" type="text/css" media="all">
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="gform_theme-css" href="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/assets/css/dist/theme.min.css" type="text/css" media="all">
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="magnific-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/plugins/magnific.css" type="text/css" media="all">
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="nectar-ocm-core-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/off-canvas/core.css" type="text/css" media="all">
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<link rel="stylesheet" id="nectar-ocm-slide-out-right-material-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/off-canvas/slide-out-right-material.css" type="text/css" media="all">
```

**i** May restrict the view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.

```
<style>#focus-snail_svg { position: absolute; top: 0; right: 0; bottom: 0; left: 0; margin: 0; ba [...] width: 0;}</style>
```

## Success Criteria 1.3.5 Identify Input Purpose (AA)



### THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG21/Understanding/identify-input-purpose.html> for more information about this guideline.

**i** The purpose of each input field that is collecting information about the user may not be determined programmatically.

```
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
```

**i** The purpose of each input field that is collecting information about the user may not be determined programmatically.

```
<input name="input_3" id="input_2_3" type="text" value="" class="large" aria-required="true" aria-invalid="false">
```

**i** The purpose of each input field that is collecting information about the user may not be determined programmatically.

```
<input name="input_5" id="input_2_5" type="email" value="" class="large" aria-required="true" aria-invalid="false">
```

**i** The purpose of each input field that is collecting information about the user may not be determined programmatically.

```
<input name="input_11" id="input_2_11" type="tel" value="" class="large" aria-invalid="false">
```

**i** The purpose of each input field that is collecting information about the user may not be determined programmatically.

```
<input name="input_6" id="input_2_6" type="text" value="" class="large" aria-required="true" aria-invalid="false">
```

**i** The purpose of each input field that is collecting information about the user may not be determined programmatically.

```
<input type="text" id="fullname" name="fullname" placeholder="Type je naam in" data-name="fullname">
```

**i** The purpose of each input field that is collecting information about the user may not be determined programmatically.

```
<input type="text" id="email" name="email" placeholder="Typ je e-mailadres in" required="" data-name="email">
```

### Success Criteria 3.2.6 Consistent Help (A)



#### THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline.

See <https://www.w3.org/WAI/WCAG22/Understanding/consistent-help.html> for more information about this guideline.

**i** Help mechanism on multiple Web pages within a set of Web pages may not appear in the same order relative to the other page content, unless a change is initiated by the user.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" data-bg-header="tr
```

## 1.4 Distinguishable: Make it easier for users to see and hear content including separating foreground from background.

### Success Criteria 1.4.1 Use of Color (A)

**i** `script` may use color alone.

```
<script async="" src="https://www.googletagmanager.com/gtm.js?id=GTM-MS4H6DF"></script>
```

---

**i** `script` may use color alone.

```
<script type="text/javascript" async=""  
src="https://www.gstatic.com/recaptcha/releases/9pvHvq7kSOTqqZusUzJ6ewaF/recaptcha__en.js"  
crossorigin="anonymous" integrity="sha384-  
35beLYB8J+E3oW9vsZdrYITMm/yJU76vKQNSwKHtb4Ug7VeAPwqlzHBRAOMwbzRb"></script>
```

---

**i** `script` may use color alone.

```
<script type="text/javascript" async=""  
src="https://www.gstatic.com/recaptcha/releases/9pvHvq7kSOTqqZusUzJ6ewaF/recaptcha__en.js"  
crossorigin="anonymous" integrity="sha384-  
35beLYB8J+E3oW9vsZdrYITMm/yJU76vKQNSwKHtb4Ug7VeAPwqlzHBRAOMwbzRb"></script>
```

---

**i** `script` may use color alone.

```
<script type="text/javascript" async="" src="https://static.hotjar.com/c/hotjar-3928639.js?sv=7"></script>
```

---

**i** `script` may use color alone.

```
<script type="text/javascript" async="" src="https://www.google-analytics.com/analytics.js"></script>
```

---

**i** `script` may use color alone.

```
<script type="text/javascript" async="" src="https://www.googletagmanager.com/gtag/js?id=G-  
H1M448JS8E&#amp;l=dataLayer&#amp;cx=c"></script>
```

---

**i** `script` may use color alone.

```
<script src="https://connect.facebook.net/signals/config/3973475169421767?  
v=2.9.157&#amp;r=stable&#amp;domain=vie-  
kerkrade.nl&#amp;hme=446fb981c8c3baeb03730fe3cbd404f7f15f64c693f24c7fe75da498bc2c95d8&#amp;ex_  
m=67%2C113%2C100%2C104%2C58%2C3%2C93%2C66%2C15%2C91%2C84%2C49%2C51%2C160%2C16  
3%2C174%2C170%2C171%2C173%2C28%2C94%2C50%2C73%2C172%2C155%2C158%2C167%2C168%2C  
175%2C122%2C14%2C48%2C180%2C179%2C124%2C17%2C33%2C38%2C1%2C41%2C62%2C63%2C64%2  
C68%2C88%2C16%2C13%2C90%2C87%2C86%2C101%2C103%2C37%2C102%2C29%2C25%2C156%2C159  
%2C131%2C27%2C10%2C11%2C12%2C5%2C6%2C24%2C21%2C22%2C54%2C59%2C61%2C71%2C95%2C  
26%2C72%2C8%2C7%2C76%2C46%2C20%2C97%2C96%2C98%2C9%2C19%2C18%2C81%2C53%2C79%2C  
32%2C70%2C0%2C89%2C31%2C78%2C83%2C45%2C44%2C82%2C36%2C4%2C85%2C77%2C42%2C39%2  
C34%2C80%2C2%2C35%2C60%2C40%2C99%2C43%2C75%2C65%2C105%2C57%2C56%2C30%2C92%2C5  
5%2C52%2C47%2C74%2C69%2C23%2C106" async=""></script>
```

---

**i** `script` may use color alone.

```
<script async="" src="https://connect.facebook.net/en_US/fbevents.js"></script>
```

---

**i** `script` may use color alone.

```
<script async="" src="https://www.googletagmanager.com/gtm.js?id=GTM-MS4H6DF"></script>
```

---

**i** `script` may use color alone.

```
<script data-no-optimize="1">var  
litespeed_docref=sessionStorage.getItem("litespeed_docref");litespeed_docref&&(Object. [...] docref));  
</script>
```

---

**i** `script` may use color alone.

```
<script>WebFontConfig={google:{families:["Open Sans:300,400,600,700:latin,latin-ext","Roboto:700,5 [...]
onfig]; }</script>
```

**i** `script` may use color alone.

```
<script data-optimized="1" src="https://vie-kerkrade.nl/wp-content/plugins/litespeed-
cache/assets/js/webfontloader.min.js"></script>
```

**i** `script` may use color alone.

```
<script type="text/javascript">
/* <![CDATA[ */
var gform;gform||(document.addEventListener("gform_main_scripts_loaded", [...] /* ]> */
</script>
```

**i** `script` may use color alone.

```
<script type="application/ld+json" class="yoast-schema-graph">
{"@context":"https://schema.org","@graph":[{"@type":"WebPage","@id":"https://vie-kerkrade. [...]
krade"}]}</script>
```

**i** `script` may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/jquery/jquery.min.js" id="jquery-
core-js"></script>
```

**i** `script` may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/jquery/jquery-migrate.min.js"
id="jquery-migrate-js"></script>
```

**i** `script` may use color alone.

```
<script>(function(w,d,s,l,i){w[l]=w[l]||[];w[l].push({'gtm.start':
new Date().getTime(),event:'gtm [...] MS4H6DF'});</script>
```

**i** `script` may use color alone.

```
<script>
!function(f,b,e,v,n,t,s)
{if(f.fbq)return;n=f.fbq=function(){n.callMethod?
n.callMe [...] geView'};
</script>
```

**i** `script` may use color alone.

```
<script type="text/javascript"> var root = document.getElementsByTagName( "html" )[0]; root.setAttribute(
"class", "js" ); </script>
```

**i** `script` may use color alone.

```
<script type="text/javascript">
!function(f,b,e,v,n,t,s){if(f.fbq)return;n=f.fbq=function(){n.callMethod?
n.callMethod.ap [...] v=next'};
</script>
```

**i** `script` may use color alone.

```
<script type="text/javascript">
  var url = window.location.origin + '?ob=open-bridge';
  fbq('set', 'openbri [...] l);
</script>
```

**i** `script` may use color alone.

```
<script type="text/javascript">fbq('init', '3973475169421767', {}, {
  "agent": "wordpress-6.5.3-3.0.16"
})</script>
```

**i** `script` may use color alone.

```
<script type="text/javascript">
  fbq('track', 'PageView', []);
</script>
```

**i** `script` may use color alone.

```
<script>var lepopup_customjs_handlers={};var lepopup_cookie_value="ilovefamily";var lepopup_events [...]
id="6680"</script>
```

**i** `script` may use color alone.

```
<script>function lepopup_add_event(_event, _data){if(typeof _lepopup_add_event == typeof undefined) [...]
, _data);}}</script>
```

**i** `script` may use color alone.

```
<script async="" src="https://script.hotjar.com/modules.db8890ba82a7e392473f.js" charset="utf-8">
</script>
```

**i** `script` may use color alone.

```
<script charset="utf-8" src="https://www.google.com/recaptcha/api.js?
onload=recaptcha_callback&render=explicit"></script>
```

**i** `script` may use color alone.

```
<script src="https://script.hotjar.com/browser-perf.8417c6bba72228fa2e29.js"></script>
```

**i** `script` may use color alone.

```
<script type="text/javascript">
  (function(window, document) {

    if(navigator.userAgent.match(/(Android|iPod|iPhone|iP [...] ment);
  </script>
```

**i** `input` possibly using color alone.

```
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
```

**i** Image may contain text with poor contrast.

```

```

**i** Image may contain text with poor contrast.

```

```

**i** Image may be using color alone.

```

```

**i** Image may be using color alone.

```

```

**i** Image may be using color alone.

```

```



**i** Image may be using color alone.

```

```

**i** Image may be using color alone.

```

```

**i** Image may be using color alone.

```

```

**i** `script` may use color alone.

```
<script type="text/javascript"></script>
```

**i** `input` possibly using color alone.

```
<input name="input_3" id="input_2_3" type="text" value="" class="large" aria-required="true" aria-invalid="false">
```

**i** `input` possibly using color alone.

```
<input name="input_5" id="input_2_5" type="email" value="" class="large" aria-required="true" aria-invalid="false">
```

**i** `input` possibly using color alone.

```
<input name="input_11" id="input_2_11" type="tel" value="" class="large" aria-invalid="false">
```

**i** input possibly using color alone.

```
<input name="input_6" id="input_2_6" type="text" value="" class="large" aria-required="true" aria-invalid="false">
```

**i** input possibly using color alone.

```
<input name="input_12" id="input_2_12" type="text" value="" autocomplete="new-password">
```

**i** input possibly using color alone.

```
<input type="submit" id="gform_submit_button_2" class="gform_button button gform-button--width-full" value="Versturen" onclick="if(window[&quot;gf_submitting_2&quot;]){return false;} if(!jQuery(&quot;#gform_2&quot;)[0].checkValidity() || jQuery(&quot;#gform_2&quot;)[0].checkValidity()){window[&quot;gf_submitting_2&quot;]=true;} " onkeypress="if( event.keyCode == 13 ){if(window[&quot;gf_submitting_2&quot;]){return false;} if( !jQuery(&quot;#gform_2&quot;)[0].checkValidity() || jQuery(&quot;#gform_2&quot;)[0].checkValidity()){window[&quot;gf_submitting_2&quot;]=true;} jQuery(&quot;#gform_2&quot;).trigger(&quot;submit&quot;,[true]); }">
```

**i** script may use color alone.

```
<script type="text/javascript">
/* <![CDATA[ */
gform.initializeOnLoaded( function() {gformInitSpinner( 2, 'https://vie- [...] ]&gt; */
</script>
```

**i** Image may contain text with poor contrast.

```

```

**i** Image may be using color alone.

```

```

**i** Image may contain text with poor contrast.

```

```

**i** Image may be using color alone.

```

```

**i** Image may contain text with poor contrast.

```

```

**i** Image may be using color alone.

```

```

**i** Image may contain text with poor contrast.

```

```

**i** Image may be using color alone.

```

```

**i** Image may contain text with poor contrast.

```

```

**i** Image may be using color alone.

```

```

**i** Image may contain text with poor contrast.

```

```

**i** Image may be using color alone.

```

```

**i** Image may contain text with poor contrast.

```

```

**i** Image may be using color alone.

```

```

---

**i** Image may contain text with poor contrast.

```

```

---

**i** Image may be using color alone.

```

```

---

**i** Image may contain text with poor contrast.

```

```

---

**i** Image may be using color alone.

```

```

---

**i** Image may contain text with poor contrast.

```

```

---

**i** Image may be using color alone.

```

```

---

**i** Image may contain text with poor contrast.

```

```

---

**i** Image may be using color alone.

```

```

---

**i** Image may contain text with poor contrast.

```

```

---

**i** Image may be using color alone.

```

```

---

**i** Image may contain text with poor contrast.

```

```

**i** `input` possibly using color alone.

```
<input type="text" id="fullname" name="fullname" placeholder="Type je naam in" data-name="fullname">
```

**i** `input` possibly using color alone.

```
<input type="text" id="email" name="email" placeholder="Typ je e-mailadres in" required="" data-name="email">
```

**i** `script` may use color alone.

```
<script src="https://vie-kerkrade.activehosted.com/f/embed.php?id=1" charset="utf-8"></script>
```

**i** Image may contain text with poor contrast.

```

```

**i** Image may contain text with poor contrast.

```

```

**i** Image may contain text with poor contrast.

```

```

**i** Image may contain text with poor contrast.

```

```

**i** `input` possibly using color alone.

```
<input type="checkbox" id="cmplz-functional-optin" data-category="cmplz_functional" class="cmplz-consent-checkbox cmplz-functional" size="40" value="1">
```

**i** `input` possibly using color alone.

```
<input type="checkbox" id="cmplz-preferences-optin" data-category="cmplz_preferences" class="cmplz-consent-checkbox cmplz-preferences" size="40" value="1">
```

**i** `input` possibly using color alone.

```
<input type="checkbox" id="cmplz-statistics-optin" data-category="cmplz_statistics" class="cmplz-consent-checkbox cmplz-statistics" size="40" value="1">
```

**i** `input` possibly using color alone.

```
<input type="checkbox" id="cmplz-marketing-optin" data-category="cmplz_marketing" class="cmplz-consent-checkbox cmplz-marketing" size="40" value="1">
```

**i** `input` possibly using color alone.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-epilepsy" value="on" tabindex="-1">
```

---

**i** `input` possibly using color alone.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-visually-impaired" value="on"
tabindex="-1">
```

---

**i** `input` possibly using color alone.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-cognitive-disability" value="on"
tabindex="-1">
```

---

**i** `input` possibly using color alone.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-adhd-friendly" value="on"
tabindex="-1">
```

---

**i** `input` possibly using color alone.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-blind-users" value="on" tabindex="-1">
```

---

**i** `input` possibly using color alone.

```
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" autocomplete="off"
placeholder="Zoek in het online woordenboek..." aria-label="Zoek in het online woordenboek...">
```

---

**i** `script` may use color alone.

```
<script type="text/javascript">
  document.addEventListener( 'wpcf7mailsent', function( event ) {
    if( "fb_p [...] se );
  }
</script>
```

---

**i** `script` may use color alone.

```
<script type="text/html" id="wpb-modifications"></script>
```

---

**i** `script` may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-
7/includes/swv/js/index.js" id="swv-js"></script>
```

---

**i** `script` may use color alone.

```
<script type="text/javascript" id="contact-form-7-js-extra">
/*  */
var wpcf7 = {"api":{"root":"https://vie-kerkrade.nl/wp-json/","namesp [...] /* ]]&gt; */
&lt;/script&gt;</pre><hr/></div><div data-bbox="85 835 327 851" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 857 797 885" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-
7/includes/js/index.js" id="contact-form-7-js"&gt;&lt;/script&gt;</pre><hr/></div>
```

**i** `script` may use color alone.

```
<script type="text/javascript" id="salient-social-js-extra">
/*  */
var nectarLove = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin/admin-a [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 144 326 160" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 166 873 195" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-social/js/salient-social.js" id="salient-social-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 223 326 238" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 245 910 272" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/hotkeys.min.js" id="hotkeys-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 300 326 316" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 322 845 351" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/simple-keyboard.min.js" id="simple-keyboard-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 379 326 394" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 401 760 453" data-label="Text"><pre>&lt;script type="text/javascript" id="mdp-readabler-js-extra"&gt;
/* <![CDATA[ */
var mdpReadablerOptions = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 481 326 497" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 504 923 532" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/readabler.min.js" id="mdp-readabler-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 560 326 575" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 582 853 610" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/jquery.easing.min.js" id="jquery-easing-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 638 326 654" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 660 853 688" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/jquery.mousewheel.min.js" id="jquery-mousewheel-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 716 326 732" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 738 891 767" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/priority.js" id="nectar_priority-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 794 326 810" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 816 853 845" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/transit.min.js" id="nectar-transit-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 872 326 888" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="92 894 853 923" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/waypoints.js" id="nectar-waypoints-js"&gt;&lt;/script&gt;</pre></div>
```



**i** script may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-portfolio/js/third-party/imagesLoaded.min.js" id="imagesLoaded-js"></script>
```

**i** script may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/hoverintent.min.js" id="hoverintent-js"></script>
```

**i** script may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/magnific.js" id="magnific-js"></script>
```

**i** script may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/anime.min.js" id="anime-js"></script>
```

**i** script may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/superfish.js" id="superfish-js"></script>
```

**i** script may use color alone.

```
<script type="text/javascript" id="nectar-frontend-js-extra">
/*  */
var nectarLove = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin/admin-a [...] /* ]}]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 534 326 550" data-label="Text"><p><b>i</b> script may use color alone.</p></div><div data-bbox="92 557 859 585" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/init.js" id="nectar-frontend-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 612 326 629" data-label="Text"><p><b>i</b> script may use color alone.</p></div><div data-bbox="92 635 902 675" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/js_composer_salient/assets/lib/bower/flexslider/jquery.flexslider-min.js" id="flexslider-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 703 326 719" data-label="Text"><p><b>i</b> script may use color alone.</p></div><div data-bbox="92 726 879 754" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-portfolio/js/third-party/isotope.min.js" id="isotope-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 781 326 798" data-label="Text"><p><b>i</b> script may use color alone.</p></div><div data-bbox="92 804 824 833" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/elements/nectar-blog.js" id="nectar-masonry-blog-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 859 326 876" data-label="Text"><p><b>i</b> script may use color alone.</p></div><div data-bbox="92 882 846 911" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-core/js/third-party/touchswipe.min.js" id="touchswipe-js"&gt;&lt;/script&gt;</pre></div>
```

**i** script may use color alone.

```
<script type="text/javascript" src="https://www.google.com/recaptcha/api.js?render=6LdZsmcdAAAAAGtGHE41VGXYInA-M837dpdLis2h&ver=3.0" id="google-recaptcha-js">
</script>
```

**i** script may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/wp-polyfill-inert.min.js" id="wp-polyfill-inert-js"></script>
```

**i** script may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/regenerator-runtime.min.js" id="regenerator-runtime-js"></script>
```

**i** script may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/wp-polyfill.min.js" id="wp-polyfill-js"></script>
```

**i** script may use color alone.

```
<script type="text/javascript" id="wpcf7-recaptcha-js-extra">
/*  */
var wpcf7_recaptcha = {"sitekey":"6LdZsmcdAAAAAGtGHE41VGXYInA-M837dpdLis2 [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 469 326 484" data-label="Text"><p><b>i</b> script may use color alone.</p></div><div data-bbox="93 492 796 519" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/modules/recaptcha/index.js?ver=5.9.4" id="wpcf7-recaptcha-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 548 326 563" data-label="Text"><p><b>i</b> script may use color alone.</p></div><div data-bbox="93 570 811 598" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/js/lepopup.js" id="lepopup-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 626 326 641" data-label="Text"><p><b>i</b> script may use color alone.</p></div><div data-bbox="93 648 811 676" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/js/airdatepicker.js" id="airdatepicker-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 704 326 719" data-label="Text"><p><b>i</b> script may use color alone.</p></div><div data-bbox="93 727 748 778" data-label="Text"><pre>&lt;script type="text/javascript" id="cmlz-cookiebanner-js-extra"&gt;
/* <![CDATA[ */
var complanz = {"prefix":"cmlz_","user_banner_id":"1","set_cookies":[, [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 807 326 822" data-label="Text"><p><b>i</b> script may use color alone.</p></div><div data-bbox="93 829 892 857" data-label="Text"><pre>&lt;script defer="" type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/complanz-gdpr-premium/cookiebanner/js/complanz.min.js" id="cmlz-cookiebanner-js"&gt;&lt;/script&gt;</pre></div>
```

**i** `script` may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/js_composer_salient/assets/js/dist/js_composer_front.min.js" id="wpb_composer_front_js-js">
</script>
```

**i** `script` may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/dom-ready.min.js" id="wp-dom-ready-js"></script>
```

**i** `script` may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/hooks.min.js" id="wp-hooks-js"></script>
```

**i** `script` may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/i18n.min.js" id="wp-i18n-js">
</script>
```

**i** `script` may use color alone.

```
<script type="text/javascript" id="wp-i18n-js-after">
/*  */
wp.i18n.setLocaleData( { 'text direction\u0004ltr': [ 'ltr' ] } );
/*  */
</script>
```

**i** `script` may use color alone.

```
<script type="text/javascript" id="wp-a11y-js-translations">
/*  */
( function( domain, translations ) {
    var localeData = translations.local [ ... ] /*  */
</script>
```

**i** `script` may use color alone.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/a11y.min.js" id="wp-a11y-js">
</script>
```

**i** `script` may use color alone.

```
<script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/js/jquery.json.min.js" id="gform_json-js"></script>
```

**i** `script` may use color alone.

```
<script type="text/javascript" id="gform_gravityforms-js-extra">
/*  */
var gform_i18n = { "datepicker": { "days": { "monday": "Ma", "tuesday": "Di", "wed [ ... ] /*  */
</script>
```

**i** `script` may use color alone.

```
<script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/js/gravityforms.min.js" id="gform_gravityforms-js"></script>
```

**i** `script` may use color alone.

```
<script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/assets/js/dist/utils.min.js" id="gform_gravityforms_utils-js"></script>
```

**i** `script` may use color alone.

```
<script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/assets/js/dist/vendor-theme.min.js" id="gform_gravityforms_theme_vendors-js"></script>
```

**i** `script` may use color alone.

```
<script type="text/javascript" id="gform_gravityforms_theme-js-extra">
/*  */
var gform_theme_config = {"common":{"form":{"honeypot":{"version_hash":"3 [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 312 326 328" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="93 335 866 375" data-label="Text"><pre>&lt;script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/assets/js/dist/scripts-theme.min.js" id="gform_gravityforms_theme-js"&gt;
&lt;/script&gt;</pre></div><div data-bbox="87 403 326 419" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="93 426 776 478" data-label="Text"><pre>&lt;script data-category="functional"&gt;
    (function(w,d,s,l,i){w[l]=w[l]||[];w[l].push({'gtm.start':
    new Date().getTime(), [...] });
&lt;/script&gt;</pre></div><div data-bbox="87 507 326 522" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="93 530 702 582" data-label="Text"><pre>&lt;script&gt;
    var lepopup_ajax_url = "https://vie-kerkrade.nl/wp-admin/admin-ajax.php";
    var lepopup_g [...] gns = { };
&lt;/script&gt;</pre></div><div data-bbox="87 610 326 626" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="93 633 760 685" data-label="Text"><pre>&lt;script type="text/javascript"&gt;
/* <![CDATA[ */
gform.initializeOnLoaded( function() { jQuery(document).on('gform_post_r [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 714 326 729" data-label="Text"><p><b>i</b> <code>script</code> may use color alone.</p></div><div data-bbox="93 736 760 788" data-label="Text"><pre>&lt;script type="text/javascript"&gt;
/* <![CDATA[ */
gform.initializeOnLoaded( function() {jQuery(document).trigger("gform_pr [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 816 367 832" data-label="Text"><p><b>i</b> <code>input</code> possibly using color alone.</p></div><div data-bbox="93 839 906 866" data-label="Text"><pre>&lt;input type="text" id="mdp-readabler-voice-navigation-history" name="mdp-readabler-voice-navigation-history" aria-label="History" autocomplete="off" disabled=""&gt;</pre></div>
```

**i** input possibly using color alone.

```
<input type="text" id="mdp-readabler-voice-navigation-input" autocomplete="off" placeholder="Wait..." disabled="">
```

**i** Image may be using color alone.

```

```

**i** Image may contain text with poor contrast.

```

```

**i** Image may be using color alone.

```

```

**i** Image may contain text with poor contrast.

```

```

**i** Image may be using color alone.

```

```

**i** Image may contain text with poor contrast.

```

```

**i** Image may be using color alone.

```

```

**i** Image may contain text with poor contrast.

```

```

**i** Image may be using color alone.

```

```

**i** Image may contain text with poor contrast.

```

```

**i** Image may be using color alone.

```

```

**i** Image may contain text with poor contrast.

```

```

---

**i** Image may be using color alone.

```

```

---

**i** Image may contain text with poor contrast.

```

```

---

**i** Image may be using color alone.

```

```

---

**i** Image may contain text with poor contrast.

```

```

---

**i** Image may be using color alone.

```

```

---

**i** Image may contain text with poor contrast.

```

```

---

**i** Image may be using color alone.

```

```

---

**i** Image may contain text with poor contrast.

```

```

---

**i** Image may be using color alone.

```

```

---

**i** Image may contain text with poor contrast.

```

```

---

**i** Image may be using color alone.

```

```

---

**i** Image may contain text with poor contrast.

```

```

**i** Image may be using color alone.

```

```

**i** Image may contain text with poor contrast.

```

```

**i** Image may be using color alone.

```

```

**i** Image may contain text with poor contrast.

```

```

**i** Image may be using color alone.

```

```

**i** Image may contain text with poor contrast.

```

```

**i** Image may be using color alone.

```

```

**i** Image may contain text with poor contrast.

```

```

## Success Criteria 1.4.10 Reflow (AA)



### **THIS CRITERIA REQUIRES MANUAL TESTING**

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG21/Understanding/reflow.html> for more information about this guideline.

**i** Reflow may cause the loss of information, functionality, or requires the scrolling of content.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" data-bg-header="tr
```

## Success Criteria 1.4.11 Non-Text Contrast (AA)



### THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG21/Understanding/non-text-contrast.html> for more information about this guideline.

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```





**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

---

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

---

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

---

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

---

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

---

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

---

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

---

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

---

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

---

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

---

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

**i** The visual presentation of graphical objects may not have a contrast ratio of at least 3:1 against adjacent color(s).

```

```

## Success Criteria 1.4.12 Text Spacing (AA)



### THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG21/Understanding/text-spacing.html> for more information about this guideline.

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<p>Een vloeiende beweging die vitaliteit stimuleert en hiermee investeert in de toekomst. De [...] beweging.</p>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<p>Vie is gerealiseerd op de plek van het vroegere Atrium ziekenhuis. Samen met het Martin Bu [...] ngstijden?</p>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<p>Zó zag je Vie nog niet eerder! Vlieg langs de tribunes, door de sporthal, over het zwembad [...] t te zien!</p>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<p>Naast het aanbod bij Vie op locatie, zijn er in de regio ook zelf al initiatieven opgestar [...] centraal.</p>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<p>De verschillende programma's vormen een breed aanbod en bieden inwoners van Kerkrade en re [...] aal leven.</p>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="excerpt">Ontdek de smaakcombinatie van de krieltjessalade. Een heerlijke maaltijd voor 4 personen d [...] fel staat.</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="excerpt">Ontdek de smaakcombinatie van de krieltjessalade. Een heerlijke maaltijd voor 4 personen d [...] fel staat.</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="excerpt">Ontdek de smaakcombinatie van de krieltjessalade. Een heerlijke maaltijd voor 4 personen d [...] fel staat.</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="excerpt">Ontdek de smaakcombinatie van de krieltjessalade. Een heerlijke maaltijd voor 4 personen d [...] fel staat.</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="excerpt">Ontdek de smaakcombinatie van de krieltjessalade. Een heerlijke maaltijd voor 4 personen d [...] fel staat.</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="excerpt">Ontdek de smaakcombinatie van de krieltjessalade. Een heerlijke maaltijd voor 4 personen d [...] fel staat.</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<p>Heb je vragen over het aanbod binnen het sportcomplex van Vie, het zwembad of de sporthal? [...] mailadres.</p>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<p>Heb je vragen over de programma's van Vie of een initiatief dat past binnen de huidige pro [...] mailadres.</p>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<p class="gform_description"></p>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<p class="gform_required_legend"><span class="gfield_required gfield_required_asterisk">*</span>" geeft vereiste velden aan</p>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<p>Gebruik dit formulier nooit om gevoelige gegevens door te sturen (zoals creditcardnummers, [...] woorden).</p>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="gfield_description" id="gfield_description_2_12">Dit veld is bedoeld voor validatiedoeleinden en moet niet worden gewijzigd.</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<p></p>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<p></p>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="_form-title">Onze nieuwsbrief ontvangen?</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<p>via een van onze kanalen</p>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="cmplz-title" id="cmplz-header-1-optin">Beheer toestemming</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="cmplz-message" id="cmplz-message-1-optin">Om de beste ervaringen te bieden, gebruiken wij technologieën zoals cookies om informatie [...] lijkheden.</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-title">Epilepsie veilige modus</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-short">Vervaagt kleuren en verwijdert flikkeringen</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-description">Deze modus stelt mensen met epilepsie in staat de website veilig te gebruiken doordat het [...] limineerd.</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-title">Modus voor slechtzienenden</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-short">Verbeterd het beeldmateriaal van de website</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-description">Deze modus past de website aan voor het gemak van gebruikers met een visuele handicap zoals [...] en andere.</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-title">Cognitieve handicap Modus</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-short">Helpt om te focussen op specifieke inhoud</div>
```



**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-description">Deze modus biedt verschillende ondersteunende opties om gebruikers met cognitieve beperkin [...] centreren.</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-title">ADHD-vriendelijke modus</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-short">Vermindert afleiding en verbetert de focus</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-description">Deze modus helpt gebruikers met ADHD en neurologische ontwikkelingsstoornissen om gemakkel [...] erminderd.</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-title">Blindheid modus</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-short">Maakt het gebruik van de site met schermlezer mogelijk</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-profile-description">In deze modus wordt de website geconfigureerd om compatibel te zijn met screenreaders zoal [...] TalkBack.</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-value" data-value="0">Standaard</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-value" data-value="0">Standaard</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<div class="mdp-readabler-value" data-value="0">Standaard</div>
```

**i** The page's text styling may not be adapted by the user to suit their needs.

```
<p><span class="mdp-readabler-voice-navigation-icon">Meldingen</p>
```

## Success Criteria 1.4.13 Content on Hover or Focus (AA)



### THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline.

See <https://www.w3.org/WAI/WCAG21/Understanding/content-on-hover-or-focus.html> for more information about this guideline.

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script async="" src="https://www.googletagmanager.com/gtm.js?id=GTM-MS4H6DF"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" async=""  
src="https://www.gstatic.com/recaptcha/releases/9pvHvq7kSOTqqZusUzj6ewaF/recaptcha__en.js"  
crossorigin="anonymous" integrity="sha384-  
35beLYB8J+E3oW9vsZdrYITMm/yJU76vKQNSwKHtb4Ug7VeAPwqlzHBRAOMwbzRb"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" async=""  
src="https://www.gstatic.com/recaptcha/releases/9pvHvq7kSOTqqZusUzj6ewaF/recaptcha__en.js"  
crossorigin="anonymous" integrity="sha384-  
35beLYB8J+E3oW9vsZdrYITMm/yJU76vKQNSwKHtb4Ug7VeAPwqlzHBRAOMwbzRb"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" async="" src="https://static.hotjar.com/c/hotjar-3928639.js?sv=7"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" async="" src="https://www.google-analytics.com/analytics.js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" async="" src="https://www.googletagmanager.com/gtag/js?id=G-  
H1M448JS8E&amp;l=dataLayer&amp;cx=c"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script src="https://connect.facebook.net/signals/config/3973475169421767?v=2.9.157&r=stable&domain=vie-kerkrade.nl&hme=446fb981c8c3baeb03730fe3cbd404f7f15f64c693f24c7fe75da498bc2c95d8&ex_m=67%2C113%2C100%2C104%2C58%2C3%2C93%2C66%2C15%2C91%2C84%2C49%2C51%2C160%2C163%2C174%2C170%2C171%2C173%2C28%2C94%2C50%2C73%2C172%2C155%2C158%2C167%2C168%2C175%2C122%2C14%2C48%2C180%2C179%2C124%2C17%2C33%2C38%2C1%2C41%2C62%2C63%2C64%2C68%2C88%2C16%2C13%2C90%2C87%2C86%2C101%2C103%2C37%2C102%2C29%2C25%2C156%2C159%2C131%2C27%2C10%2C11%2C12%2C5%2C6%2C24%2C21%2C22%2C54%2C59%2C61%2C71%2C95%2C26%2C72%2C8%2C7%2C76%2C46%2C20%2C97%2C96%2C98%2C9%2C19%2C18%2C81%2C53%2C79%2C32%2C70%2C0%2C89%2C31%2C78%2C83%2C45%2C44%2C82%2C36%2C4%2C85%2C77%2C42%2C39%2C34%2C80%2C2%2C35%2C60%2C40%2C99%2C43%2C75%2C65%2C105%2C57%2C56%2C30%2C92%2C55%2C52%2C47%2C74%2C69%2C23%2C106" async=""></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script async="" src="https://connect.facebook.net/en_US/fbevents.js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script async="" src="https://www.googletagmanager.com/gtm.js?id=GTM-MS4H6DF"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script data-no-optimize="1">var litespeed_docref=sessionStorage.getItem("litespeed_docref");litespeed_docref&&(Object. [...] docref));</script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script>WebFontConfig={google:{families:["Open Sans:300,400,600,700:latin,latin-ext","Roboto:700,5 [...] onfig ); }</script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Open+Sans:300,400,600,700%7CRoboto:700,500%7CNunito:400,400italic&subset=latin,latin-ext,latin,latin" media="all">
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script data-optimized="1" src="https://vie-kerkrade.nl/wp-content/plugins/litespeed-cache/assets/js/webfontloader.min.js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript"> /*  */ var gform;gform||(document.addEventListener("gform_main_scripts_loaded", [...] /* ]&gt; */&lt;/script&gt;</pre></div>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="application/ld+json" class="yoast-schema-graph">
{"@context":"https://schema.org","@graph":[{"@type":"WebPage","@id":"https://vie-kerkrade. [...]
krade"}]}
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="wp-block-library-css" href="https://vie-kerkrade.nl/wp-includes/css/dist/block-
library/style.min.css" type="text/css" media="all">
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style id="safe-svg-svg-icon-style-inline-css" type="text/css">
.safe-svg-cover{text-align:center}.safe-svg-cover .safe-svg-inside{display:inline-block;m [...] th:100%}

</style>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style id="classic-theme-styles-inline-css" type="text/css">
/*! This file is auto-generated */
.wp-block-button__link{color:#fff;background-color:#32 [...] ion:none}

</style>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style id="global-styles-inline-css" type="text/css">
body{--wp--preset--color--black: #000000;--wp--preset--color--cyan-bluish-gray: #abb8c3;- [...] ht: 1.6;}

</style>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="contact-form-7-css" href="https://vie-kerkrade.nl/wp-content/plugins/contact-
form-7/includes/css/styles.css" type="text/css" media="all">
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="salient-social-css" href="https://vie-kerkrade.nl/wp-content/plugins/salient-
social/css/style.css" type="text/css" media="all">
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style id="salient-social-inline-css" type="text/css">

.sharing-default-minimal .nectar-love.loved,
body .nectar-social[data-color-override [...] c1ba;
}

</style>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="cmplz-general-css" href="https://vie-kerkrade.nl/wp-content/plugins/complianz-
gdrp-premium/assets/css/cookieblocker.min.css" type="text/css" media="all">
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="mdp-readabler-css" href="https://vie-kerkrade.nl/wp-content/plugins/readabler/css/readabler.min.css" type="text/css" media="all">
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style id="mdp-readabler-inline-css" type="text/css">
    :root{
        --readabler-reading-mask: rgba(0, 0, 0, 0.7)
    }
    .mdp-readabler-tts [...] : none;
}
</style>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="font-awesome-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/font-awesome-legacy.min.css" type="text/css" media="all">
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="salient-grid-system-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/grid-system.css" type="text/css" media="all">
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="main-styles-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/style.css" type="text/css" media="all">
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style id="main-styles-inline-css" type="text/css">
html body[data-header-resize="1"] .container-wrap, html body[data-header-format="left-hea [...] ffffff; }
</style>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="nectar-element-video-lightbox-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/elements/element-video-lightbox.css" type="text/css" media="all">
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="nectar-element-clients-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/elements/element-clients.css" type="text/css" media="all">
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="nectar-element-icon-with-text-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/elements/element-icon-with-text.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="nectar-blog-masonry-core-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/blog/masonry-core.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="responsive-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/responsive.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="skin-material-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/build/skin-material.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="salient-wp-menu-dynamic-css" href="https://vie-kerkrade.nl/wp-content/uploads/salient/menu-dynamic.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="js_composer_front-css" href="https://vie-kerkrade.nl/wp-content/plugins/js_composer_salient/assets/css/js_composer.min.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="dynamic-css-css" href="https://vie-kerkrade.nl/wp-content/themes/salient/css/salient-dynamic-styles.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style id="dynamic-css-inline-css" type="text/css">
@media only screen and (min-width:1000px){body #ajax-content-wrap.no-scroll{min-height:ca [...] ----- */
</style>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="salient-child-style-css" href="https://vie-kerkrade.nl/wp-content/themes/salient-child/style.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="lepopup-style-css" href="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/css/style.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="airdatepicker-css" href="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/css/airdatepicker.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/jquery/jquery.min.js" id="jquery-core-js"></script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/jquery/jquery-migrate.min.js" id="jquery-migrate-js"></script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script>(function(w,d,s,l,i){w[l]=w[l]||[];w[l].push({'gtm.start': new Date().getTime(),event:'gtm [...] MS4H6DF'});</script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script>
!function(f,b,e,v,n,t,s)
{if(f.fbq)return;n=f.fbq=function(){n.callMethod?
n.callMe [...] geView');
</script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style>.cmplz-hidden {
display: none !important;
}</style>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript"> var root = document.getElementsByTagName( "html" )[0]; root.setAttribute( "class", "js" ); </script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript">
!function(f,b,e,v,n,t,s){if(f.fbq)return;n=f.fbq=function(){n.callMethod?
n.callMethod.ap [...] v=next');
</script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript">
var url = window.location.origin + '?ob=open-bridge';
fbq('set', 'openbri [...] l);
</script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript">fbq('init', '3973475169421767', {}, {
"agent": "wordpress-6.5.3-3.0.16"
})</script>
```



Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript">
  fbq('track', 'PageView', []);
</script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style type="text/css">.recentcomments a{display:inline !important;padding:0 !important;margin:0 !important;}</style>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script>var lepopup_customjs_handlers={};var lepopup_cookie_value="ilovefamily";var lepopup_events [...]
id="6680";</script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script>function lepopup_add_event(_event,_data){if(typeof _lepopup_add_event == typeof undefined) [...]
,_data);}</script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style type="text/css" data-type="vc_custom-css">.video-plaatsing {
  margin-top: -10px;
}

.vie-form .wpb_wrapper {
  width: 37%;
}

.[...] ay:none;
}</style>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style type="text/css" data-type="vc_shortcodes-custom-css">.vc_custom_1621499892088{margin-bottom:
15px !important;}.vc_custom_1597918671184{margin-b [...] mportant;}</style>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script async="" src="https://script.hotjar.com/modules.db8890ba82a7e392473f.js" charset="utf-8">
</script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script charset="utf-8" src="https://www.google.com/recaptcha/api.js?
onload=recaptcha_callback&render=explicit"></script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style></style>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script src="https://script.hotjar.com/browser-perf.8417c6bba72228fa2e29.js"></script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style type="text/css" id="column-bg-colors">.wpb_column.instance-3 > .vc_column-inner > .column-bg-overlay-wrap > .column-bg-overlay [...] portant; }</style>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript">
  (function(window, document) {

    if(navigator.userAgent.match(/(Android|iPod|iPhone|iP [...] ment);
  }</script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript"></script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript">
/* <![CDATA[ */
gform.initializeOnLoaded( function() {gformInitSpinner( 2, 'https://vie- [...] ]&gt; */
</script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style type="text/css" data-type="vc_custom-css">.clients img {
  display: block;
  margin-left: auto !important;
  margin-right: aut [...] portant;
}</style>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style>@import url(https://fonts.bunny.net/css?family=ibm-plex-sans:400,600);</style>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style>
#_form_66698918CA541_{font-size:14px;line-height:1.6;font-family:arial, helvetica, sans-s [...] order:0px}
</style>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script src="https://vie-kerkrade.activehosted.com/f/embed.php?id=1" charset="utf-8"></script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript">
  document.addEventListener( 'wpcf7mailsent', function( event ) {
    if( "fb_p [...] se );
  }
</script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/html" id="wpb-modifications"></script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="vc_animate-css-css" href="https://vie-kerkrade.nl/wp-
content/plugins/js_composer_salient/assets/lib/bower/animate-css/animate.min.css" type="text/css"
media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="gform_basic-css" href="https://vie-kerkrade.nl/wp-
content/plugins/gravityforms/assets/css/dist/basic.min.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="gform_theme_components-css" href="https://vie-kerkrade.nl/wp-
content/plugins/gravityforms/assets/css/dist/theme-components.min.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="gform_theme_ie11-css" href="https://vie-kerkrade.nl/wp-
content/plugins/gravityforms/assets/css/dist/theme-ie11.min.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="gform_theme-css" href="https://vie-kerkrade.nl/wp-
content/plugins/gravityforms/assets/css/dist/theme.min.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="magnific-css" href="https://vie-kerkrade.nl/wp-
content/themes/salient/css/build/plugins/magnific.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="nectar-ocm-core-css" href="https://vie-kerkrade.nl/wp-
content/themes/salient/css/build/off-canvas/core.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<link rel="stylesheet" id="nectar-ocm-slide-out-right-material-css" href="https://vie-kerkrade.nl/wp-
content/themes/salient/css/build/off-canvas/slide-out-right-material.css" type="text/css" media="all">
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/includes/swv/js/index.js" id="swv-js"></script>
```

Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" id="contact-form-7-js-extra">
/*  */
var wpcf7 = {"api":{"root":"https://vie-kerkrade.nl/wp-json/","namesp [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 241 920 269" data-label="Text"><p>Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 275 796 303" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/includes/js/index.js" id="contact-form-7-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 330 920 358" data-label="Text"><p>Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 364 748 416" data-label="Text"><pre>&lt;script type="text/javascript" id="salient-social-js-extra"&gt;
/* <![CDATA[ */
var nectarLove = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin/admin-a [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 444 920 472" data-label="Text"><p>Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 478 869 506" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-social/js/salient-social.js" id="salient-social-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 533 920 561" data-label="Text"><p>Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 567 903 595" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/hotkeys.min.js" id="hotkeys-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 622 920 650" data-label="Text"><p>Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 656 843 684" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/simple-keyboard.min.js" id="simple-keyboard-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 712 920 740" data-label="Text"><p>Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 746 760 798" data-label="Text"><pre>&lt;script type="text/javascript" id="mdp-readabler-js-extra"&gt;
/* <![CDATA[ */
var mdpReadablerOptions = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 825 920 853" data-label="Text"><p>Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 859 916 887" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/readabler.min.js" id="mdp-readabler-js"&gt;&lt;/script&gt;</pre></div>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<style>#focus-snail_svg { position: absolute; top: 0; right: 0; bottom: 0; left: 0; margin: 0; ba [...] width: 0;}</style>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/jquery.easing.min.js" id="jquery-easing-js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/jquery.mousewheel.min.js" id="jquery-mousewheel-js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/priority.js" id="nectar_priority-js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/transit.min.js" id="nectar-transit-js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/waypoints.js" id="nectar-waypoints-js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-portfolio/js/third-party/imagesLoaded.min.js" id="imagesLoaded-js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/hoverintent.min.js" id="hoverintent-js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/magnific.js" id="magnific-js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/anime.min.js" id="anime-js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/superfish.js" id="superfish-js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" id="nectar-frontend-js-extra">
/*  */
var nectarLove = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin/admin-a [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 241 920 269" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 275 856 302" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/init.js" id="nectar-frontend-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 329 920 358" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 364 896 404" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/js_composer_salient/assets/lib/bower/flexslider/jquery.flexslider-min.js" id="flexslider-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 432 920 460" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 466 874 493" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-portfolio/js/third-party/isotope.min.js" id="isotope-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 521 920 549" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 556 823 583" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/elements/nectar-blog.js" id="nectar-masonry-blog-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 610 920 638" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 645 844 672" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-core/js/third-party/touchswipe.min.js" id="touchswipe-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 699 920 727" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 733 866 773" data-label="Text"><pre>&lt;script type="text/javascript" src="https://www.google.com/recaptcha/api.js?render=6LdZsmcdAAAAAGtGHE41VGXYInA-M837dpdLis2h&amp;amp;ver=3.0" id="google-recaptcha-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 801 920 829" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 835 920 862" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/wp-polyfill-inert.min.js" id="wp-polyfill-inert-js"&gt;&lt;/script&gt;</pre></div>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/regenerator-runtime.min.js" id="regenerator-runtime-js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/wp-polyfill.min.js" id="wp-polyfill-js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" id="wpcf7-recaptcha-js-extra">
/*  */
var wpcf7_recaptcha = {"sitekey":"6LdZsmcdAAAAAGtGHE41VGXYInA-M837dpdLis2 [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 330 920 358" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 364 796 392" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/modules/recaptcha/index.js?ver=5.9.4" id="wpcf7-recaptcha-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 419 920 447" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 453 810 481" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/js/lepopup.js" id="lepopup-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 509 920 536" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 543 810 570" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/js/airdatepicker.js" id="airdatepicker-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 598 920 626" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 632 747 684" data-label="Text"><pre>&lt;script type="text/javascript" id="cimplz-cookiebanner-js-extra"&gt;
/* <![CDATA[ */
var complianz = {"prefix":"cimplz_","user_banner_id":"1","set_cookies":[], [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 712 920 740" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 746 887 773" data-label="Text"><pre>&lt;script defer="" type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/complianz-gdpr-premium/cookiebanner/js/complianz.min.js" id="cimplz-cookiebanner-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 801 920 828" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="92 835 924 874" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/js_composer_salient/assets/js/dist/js_composer_front.min.js" id="wpb_composer_front_js-js"&gt;&lt;/script&gt;</pre></div>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/dom-ready.min.js" id="wp-dom-ready-js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/hooks.min.js" id="wp-hooks-js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/i18n.min.js" id="wp-i18n-js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" id="wp-i18n-js-after">
/*  */
wp.i18n.setLocaleData( { 'text direction\u0004ltr': [ 'ltr' ] } );
/*  */
</script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" id="wp-a11y-js-translations">
/*  */
( function( domain, translations ) {
    var localeData = translations.local [ ... ] /*  */
</script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/a11y.min.js" id="wp-a11y-js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/js/jquery.json.min.js" id="gform_json-js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" id="gform_gravityforms-js-extra">
/*  */
var gform_i18n = { "datepicker": { "days": { "monday": "Ma", "tuesday": "Di", "wed [ ... ] /*  */
</script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/js/gravityforms.min.js" id="gform_gravityforms-js"></script>
```



**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/assets/js/dist/utils.min.js" id="gform_gravityforms_utils-js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/assets/js/dist/vendor-theme.min.js" id="gform_gravityforms_theme_vendors-js"></script>
```

**i** Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.

```
<script type="text/javascript" id="gform_gravityforms_theme-js-extra">
/*  */
var gform_theme_config = {"common":{"form":{"honeypot":{"version_hash":"3 [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 342 920 371" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="91 376 863 416" data-label="Text"><pre>&lt;script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/assets/js/dist/scripts-theme.min.js" id="gform_gravityforms_theme-js"&gt;
&lt;/script&gt;</pre></div><div data-bbox="85 443 920 472" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="91 478 775 530" data-label="Text"><pre>&lt;script data-category="functional"&gt;
    (function(w,d,s,l,i){w[l]=w[l]||[];w[l].push({'gtm.start':
    new Date().getTime(), [...] });
&lt;/script&gt;</pre></div><div data-bbox="85 558 920 586" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="91 593 702 645" data-label="Text"><pre>&lt;script&gt;
    var lepopup_ajax_url = "https://vie-kerkrade.nl/wp-admin/admin-ajax.php";
    var lepopup_g [...] gns = {};
&lt;/script&gt;</pre></div><div data-bbox="85 672 920 700" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="91 706 759 758" data-label="Text"><pre>&lt;script type="text/javascript"&gt;
/* <![CDATA[ */
gform.initializeOnLoaded( function() { jQuery(document).on('gform_post_r [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 785 920 814" data-label="Text"><p><b>i</b> Receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden may not be dismissable, hoverable, and persistent.</p></div><div data-bbox="91 819 759 873" data-label="Text"><pre>&lt;script type="text/javascript"&gt;
/* <![CDATA[ */
gform.initializeOnLoaded( function() {jQuery(document).trigger("gform_pr [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 900 506 920" data-label="Section-Header"><h2>Success Criteria 1.4.5 Images of Text (AA)</h2></div>
```

**i** Image may contain text that is not in Alt text.

```

```

**i** Image may contain text that is not in Alt text.

```

```

**i** Image may contain text that is not in Alt text.

```

```

**i** Image may contain text that is not in Alt text.

```

```

**i** Image may contain text that is not in Alt text.

```

```

**i** Image may contain text that is not in Alt text.

```

```

**i** Image may contain text that is not in Alt text.

```

```

**i** Image may contain text that is not in Alt text.

```

```

**i** Image may contain text that is not in Alt text.

```

```

---

**i** Image may contain text that is not in Alt text.

```

```

---

**i** Image may contain text that is not in Alt text.

```

```

---

**i** Image may contain text that is not in Alt text.

```

```

---

**i** Image may contain text that is not in Alt text.

```

```

---

**i** Image may contain text that is not in Alt text.

```

```

---

**i** Image may contain text that is not in Alt text.

```

```

---

**i** Image may contain text that is not in Alt text.

```

```

---

**i** Image may contain text that is not in Alt text.

```

```

---

**i** Image may contain text that is not in Alt text.

```

```

---

**i** Image may contain text that is not in Alt text.

```

```

---

**i** Image may contain text that is not in Alt text.

```

```

---

**i** Image may contain text that is not in Alt text.

```

```

---

**i** Image may contain text that is not in Alt text.

```

```

---

**i** Image may contain text that is not in Alt text.

```

```

---

**i** Image may contain text that is not in Alt text.

```

```

---

**i** Image may contain text that is not in Alt text.

```

```

---

**i** Image may contain text that is not in Alt text.

```

```

---

**i** Image may contain text that is not in Alt text.

```

```

---

**i** Image may contain text that is not in Alt text.

```

```

---

**i** Image may contain text that is not in Alt text.

```

```

---

## 2.1 Keyboard Accessible: Make all functionality available from a keyboard.

### Success Criteria 2.1.1 Keyboard (A)

**i** `script` user interface may not be accessible.

```
<script async="" src="https://www.googletagmanager.com/gtm.js?id=GTM-MS4H6DF"></script>
```

---

**i** script user interface may not be accessible.

```
<script type="text/javascript" async=""  
src="https://www.gstatic.com/recaptcha/releases/9pvHvq7kSOTqqZusUzj6ewaF/recaptcha__en.js"  
crossorigin="anonymous" integrity="sha384-  
35beLYB8J+E3oW9vsZdrYITMm/yJU76vKQNSwKHtb4Ug7VeAPwqlzHBRAOMwbzRb"></script>
```

**i** script user interface may not be accessible.

```
<script type="text/javascript" async=""  
src="https://www.gstatic.com/recaptcha/releases/9pvHvq7kSOTqqZusUzj6ewaF/recaptcha__en.js"  
crossorigin="anonymous" integrity="sha384-  
35beLYB8J+E3oW9vsZdrYITMm/yJU76vKQNSwKHtb4Ug7VeAPwqlzHBRAOMwbzRb"></script>
```

**i** script user interface may not be accessible.

```
<script type="text/javascript" async="" src="https://static.hotjar.com/c/hotjar-3928639.js?sv=7"></script>
```

**i** script user interface may not be accessible.

```
<script type="text/javascript" async="" src="https://www.google-analytics.com/analytics.js"></script>
```

**i** script user interface may not be accessible.

```
<script type="text/javascript" async="" src="https://www.googletagmanager.com/gtag/js?id=G-  
H1M448JS8E&l=dataLayer&cx=c"></script>
```

**i** script user interface may not be accessible.

```
<script src="https://connect.facebook.net/signals/config/3973475169421767?  
v=2.9.157&r=stable&domain=vie-  
kerkrade.nl&hme=446fb981c8c3baeb03730fe3cbd404f7f15f64c693f24c7fe75da498bc2c95d8&ex_  
m=67%2C113%2C100%2C104%2C58%2C3%2C93%2C66%2C15%2C91%2C84%2C49%2C51%2C160%2C16  
3%2C174%2C170%2C171%2C173%2C28%2C94%2C50%2C73%2C172%2C155%2C158%2C167%2C168%2C  
175%2C122%2C14%2C48%2C180%2C179%2C124%2C17%2C33%2C38%2C1%2C41%2C62%2C63%2C64%2C  
68%2C88%2C16%2C13%2C90%2C87%2C86%2C101%2C103%2C37%2C102%2C29%2C25%2C156%2C159  
%2C131%2C27%2C10%2C11%2C12%2C5%2C6%2C24%2C21%2C22%2C54%2C59%2C61%2C71%2C95%2C  
26%2C72%2C8%2C7%2C76%2C46%2C20%2C97%2C96%2C98%2C9%2C19%2C18%2C81%2C53%2C79%2C  
32%2C70%2C0%2C89%2C31%2C78%2C83%2C45%2C44%2C82%2C36%2C4%2C85%2C77%2C42%2C39%2C  
C34%2C80%2C2%2C35%2C60%2C40%2C99%2C43%2C75%2C65%2C105%2C57%2C56%2C30%2C92%2C5  
5%2C52%2C47%2C74%2C69%2C23%2C106" async=""></script>
```

**i** script user interface may not be accessible.

```
<script async="" src="https://connect.facebook.net/en_US/fbevents.js"></script>
```

**i** script user interface may not be accessible.

```
<script async="" src="https://www.googletagmanager.com/gtm.js?id=GTM-MS4H6DF"></script>
```

**i** script user interface may not be accessible.

```
<script data-no-optimize="1">var  
litespeed_docref=sessionStorage.getItem("litespeed_docref");litespeed_docref&&(Object. [...]  
docref));  
</script>
```

**i** script user interface may not be accessible.

```
<script>WebFontConfig={google:{families:["Open Sans:300,400,600,700:latin,latin-ext","Roboto:700,5 [...]  
onfig];}</script>
```

**i** script user interface may not be accessible.

```
<script data-optimized="1" src="https://vie-kerkrade.nl/wp-content/plugins/litespeed-cache/assets/js/webfontloader.min.js"></script>
```

**i** script user interface may not be accessible.

```
<script type="text/javascript">
/* <![CDATA[ */
var gform;gform||(document.addEventListener("gform_main_scripts_loaded", [...] /* ]> */
</script>
```

**i** script user interface may not be accessible.

```
<script type="application/ld+json" class="yoast-schema-graph">
{"@context":"https://schema.org","@graph":[{"@type":"WebPage","@id":"https://vie-kerkrade. [...]
krade"}]}}</script>
```

**i** script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/jquery/jquery.min.js" id="jquery-core-js"></script>
```

**i** script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/jquery/jquery-migrate.min.js" id="jquery-migrate-js"></script>
```

**i** script user interface may not be accessible.

```
<script>(function(w,d,s,l,i){w[l]=w[l]||[];w[l].push({'gtm.start':
new Date().getTime(),event:'gtm [...] MS4H6DF'});</script>
```

**i** script user interface may not be accessible.

```
<script>
!function(f,b,e,v,n,t,s)
{if(f.fbq)return;n=f.fbq=function(){n.callMethod?
n.callMe [...] geView'};
</script>
```

**i** script user interface may not be accessible.

```
<script type="text/javascript"> var root = document.getElementsByTagName( "html" )[0]; root.setAttribute(
"class", "js" ); </script>
```

**i** script user interface may not be accessible.

```
<script type="text/javascript">
!function(f,b,e,v,n,t,s){if(f.fbq)return;n=f.fbq=function(){n.callMethod?
n.callMethod.ap [...] v=next'};
</script>
```

**i** script user interface may not be accessible.

```
<script type="text/javascript">
var url = window.location.origin + '?ob=open-bridge';
fbq('set', 'openbri [...] l);
</script>
```

**i** script user interface may not be accessible.

```
<script type="text/javascript">fbq('init', '3973475169421767', {}, {  
  "agent": "wordpress-6.5.3-3.0.16"  
})</script>
```

**i** script user interface may not be accessible.

```
<script type="text/javascript">  
  fbq('track', 'PageView', []);  
</script>
```

**i** script user interface may not be accessible.

```
<script>var lepopup_customjs_handlers={};var lepopup_cookie_value="ilovefamily";var lepopup_events [...]  
id="6680";</script>
```

**i** script user interface may not be accessible.

```
<script>function lepopup_add_event(_event,_data){if(typeof _lepopup_add_event == typeof undefined) [...]  
,_data);}</script>
```

**i** script user interface may not be accessible.

```
<script async="" src="https://script.hotjar.com/modules.db8890ba82a7e392473f.js" charset="utf-8">  
</script>
```

**i** script user interface may not be accessible.

```
<script charset="utf-8" src="https://www.google.com/recaptcha/api.js?  
onload=recaptcha_callback&amp;render=explicit"></script>
```

**i** script user interface may not be accessible.

```
<script src="https://script.hotjar.com/browser-perf.8417c6bba72228fa2e29.js"></script>
```

**i** script user interface may not be accessible.

```
<script type="text/javascript">  
  (function(window, document) {  
  
    if(navigator.userAgent.match(/(Android|iPod|iPhone|iP [...] ment);  
  </script>
```

**i** script user interface may not be accessible.

```
<script type="text/javascript"></script>
```

**i** script user interface may not be accessible.

```
<script type="text/javascript">  
/*  */<br/>gform.initializeOnLoaded( function() {gformInnitSpinner( 2, 'https://vie- [...] ]&amp;gt; */<br/>&lt;/script&gt;</pre></div><div data-bbox="87 886 452 901" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="93 908 846 923" data-label="Text"><pre>&lt;script src="https://vie-kerkrade.activehosted.com/f/embed.php?id=1" charset="utf-8"&gt;&lt;/script&gt;</pre></div>
```

**i** `script` user interface may not be accessible.

```
<script type="text/javascript">
  document.addEventListener( 'wpcf7mailsent', function( event ) {
    if( "fb_p [...] se );
  }
</script>
```

**i** `script` user interface may not be accessible.

```
<script type="text/html" id="wpb-modifications"></script>
```

**i** `script` user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/includes/swv/js/index.js" id="swv-js"></script>
```

**i** `script` user interface may not be accessible.

```
<script type="text/javascript" id="contact-form-7-js-extra">
/*  */
var wpcf7 = { "api": { "root": "https://vie-kerkrade.nl/wp-json/", "namesp [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 391 452 407" data-label="Text"><p><b>i</b> <code>script</code> user interface may not be accessible.</p></div><div data-bbox="92 413 796 441" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/includes/js/index.js" id="contact-form-7-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 469 452 485" data-label="Text"><p><b>i</b> <code>script</code> user interface may not be accessible.</p></div><div data-bbox="92 491 748 544" data-label="Text"><pre>&lt;script type="text/javascript" id="salient-social-js-extra"&gt;
/* <![CDATA[ */
var nectarLove = { "ajaxurl": "https://vie-kerkrade.nl/wp-admin/admin-a [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 572 452 588" data-label="Text"><p><b>i</b> <code>script</code> user interface may not be accessible.</p></div><div data-bbox="92 594 873 623" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-social/js/salient-social.js" id="salient-social-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 650 452 666" data-label="Text"><p><b>i</b> <code>script</code> user interface may not be accessible.</p></div><div data-bbox="92 672 910 701" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/hotkeys.min.js" id="hotkeys-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 728 452 745" data-label="Text"><p><b>i</b> <code>script</code> user interface may not be accessible.</p></div><div data-bbox="92 750 845 779" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/simple-keyboard.min.js" id="simple-keyboard-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 806 452 823" data-label="Text"><p><b>i</b> <code>script</code> user interface may not be accessible.</p></div><div data-bbox="92 828 761 882" data-label="Text"><pre>&lt;script type="text/javascript" id="mdp-readabler-js-extra"&gt;
/* <![CDATA[ */
var mdpReadablerOptions = { "ajaxurl": "https://vie-kerkrade.nl/wp-admin [...] /* ]]&gt; */
&lt;/script&gt;</pre></div>
```



**i** script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/readabler.min.js" id="mdp-readabler-js"></script>
```

---

**i** script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/jquery.easing.min.js" id="jquery-easing-js"></script>
```

---

**i** script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/jquery.mousewheel.min.js" id="jquery-mousewheel-js"></script>
```

---

**i** script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/priority.js" id="nectar_priority-js"></script>
```

---

**i** script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/transit.min.js" id="nectar-transit-js"></script>
```

---

**i** script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/waypoints.js" id="nectar-waypoints-js"></script>
```

---

**i** script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-portfolio/js/third-party/imagesLoaded.min.js" id="imagesLoaded-js"></script>
```

---

**i** script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/hoverintent.min.js" id="hoverintent-js"></script>
```

---

**i** script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/magnific.js" id="magnific-js"></script>
```

---

**i** script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/anime.min.js" id="anime-js"></script>
```

---

**i** script user interface may not be accessible.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/superfish.js" id="superfish-js"></script>
```

---

**i** script user interface may not be accessible.


```
<script type="text/javascript" id="nectar-frontend-js-extra">
/*  */
var nectarLove = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin/admin-a [...] /* ]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 145 452 161" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="93 168 859 195" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/init.js"
id="nectar-frontend-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 224 452 239" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="93 246 902 285" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-
content/plugins/js_composer_salient/assets/lib/bower/flexslider/jquery.flexslider-min.js" id="flexslider-js"&gt;
&lt;/script&gt;</pre></div><div data-bbox="87 312 452 329" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="93 335 879 363" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-portfolio/js/third-
party/isotope.min.js" id="isotope-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 392 452 407" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="93 414 824 442" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-
content/themes/salient/js/build/elements/nectar-blog.js" id="nectar-masonry-blog-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 470 452 485" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="93 492 846 520" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-core/js/third-
party/touchswipe.min.js" id="touchswipe-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 549 452 564" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="93 571 869 610" data-label="Text"><pre>&lt;script type="text/javascript" src="https://www.google.com/recaptcha/api.js?
render=6LdZsmcdAAAAAGtGHE41VGXYInA-M837dpdLis2h&amp;amp;ver=3.0" id="google-recaptcha-js"&gt;
&lt;/script&gt;</pre></div><div data-bbox="87 639 452 654" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="93 661 929 689" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/wp-polyfill-inert.min.js"
id="wp-polyfill-inert-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 717 452 732" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="93 739 842 767" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/regenerator-
runtime.min.js" id="regenerator-runtime-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 795 452 811" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="93 817 884 845" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/wp-polyfill.min.js"
id="wp-polyfill-js"&gt;&lt;/script&gt;</pre></div>
```

**i** `script` user interface may not be accessible.


```
<script type="text/javascript" id="wpcf7-recaptcha-js-extra">
/*  */
var wpcf7_recaptcha = {"sitekey":"6LdZsmcdAAAAAGtGHE41VGXYInA-M837dpdLis2 [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 145 452 160" data-label="Text"><p><b>i</b> <code>script</code> user interface may not be accessible.</p></div><div data-bbox="93 168 796 195" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/modules/recaptcha/index.js?ver=5.9.4" id="wpcf7-recaptcha-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 224 452 238" data-label="Text"><p><b>i</b> <code>script</code> user interface may not be accessible.</p></div><div data-bbox="93 246 811 273" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/halfdata-green-popups/js/lepopup.js" id="lepopup-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 301 452 316" data-label="Text"><p><b>i</b> <code>script</code> user interface may not be accessible.</p></div><div data-bbox="93 323 811 351" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/halfdata-green-popups/js/airdatepicker.js" id="airdatepicker-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 380 452 395" data-label="Text"><p><b>i</b> <code>script</code> user interface may not be accessible.</p></div><div data-bbox="93 402 748 454" data-label="Text"><pre>&lt;script type="text/javascript" id="cimplz-cookiebanner-js-extra"&gt;
/* <![CDATA[ */
var complianz = {"prefix":"cimplz_","user_banner_id":"1","set_cookies":[, [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 482 452 498" data-label="Text"><p><b>i</b> <code>script</code> user interface may not be accessible.</p></div><div data-bbox="93 505 892 532" data-label="Text"><pre>&lt;script defer="" type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/complianz-gdpr-premium/cookiebanner/js/complianz.min.js" id="cimplz-cookiebanner-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 561 452 576" data-label="Text"><p><b>i</b> <code>script</code> user interface may not be accessible.</p></div><div data-bbox="93 584 933 623" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/js_composer_salient/assets/js/dist/js_composer_front.min.js" id="wpb_composer_front_js-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 652 452 667" data-label="Text"><p><b>i</b> <code>script</code> user interface may not be accessible.</p></div><div data-bbox="93 674 939 701" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/dom-ready.min.js" id="wp-dom-ready-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 730 452 745" data-label="Text"><p><b>i</b> <code>script</code> user interface may not be accessible.</p></div><div data-bbox="93 752 912 779" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/hooks.min.js" id="wp-hooks-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 808 452 823" data-label="Text"><p><b>i</b> <code>script</code> user interface may not be accessible.</p></div><div data-bbox="93 830 920 857" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/i18n.min.js" id="wp-i18n-js"&gt;&lt;/script&gt;</pre></div>
```

**i** script user interface may not be accessible.


```
<script type="text/javascript" id="wp-i18n-js-after">
/*  */
wp.i18n.setLocaleData( { 'text direction\u0004ltr': [ 'ltr' ] } );
/* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 157 452 173" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="92 181 557 244" data-label="Text"><pre>&lt;script type="text/javascript" id="wp-a11y-js-translations"&gt;
/* <![CDATA[ */
( function( domain, translations ) {
    var localeData = translations.local [ ... ] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 272 452 288" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="92 295 928 322" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/a11y.min.js" id="wp-a11y-js"&gt;
&lt;/script&gt;</pre></div><div data-bbox="87 351 452 366" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="92 374 704 401" data-label="Text"><pre>&lt;script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/js/jquery.json.min.js" id="gform_json-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 429 452 444" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="92 452 783 503" data-label="Text"><pre>&lt;script type="text/javascript" id="gform_gravityforms-js-extra"&gt;
/* <![CDATA[ */
var gform_i18n = { "datepicker": { "days": { "monday": "Ma", "tuesday": "Di", "wed [ ... ] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 532 452 547" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="92 555 786 582" data-label="Text"><pre>&lt;script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/js/gravityforms.min.js" id="gform_gravityforms-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 610 452 626" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="92 633 848 660" data-label="Text"><pre>&lt;script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/assets/js/dist/utils.min.js" id="gform_gravityforms_utils-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 688 452 704" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="92 711 909 751" data-label="Text"><pre>&lt;script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/assets/js/dist/vendor-theme.min.js" id="gform_gravityforms_theme_vendors-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 779 452 795" data-label="Text"><p><b>i</b> script user interface may not be accessible.</p></div><div data-bbox="92 802 800 854" data-label="Text"><pre>&lt;script type="text/javascript" id="gform_gravityforms_theme-js-extra"&gt;
/* <![CDATA[ */
var gform_theme_config = { "common": { "form": { "honeypot": { "version_hash": "3 [ ... ] /* ]]&gt; */
&lt;/script&gt;</pre></div>
```

 **script** user interface may not be accessible.


```
<script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/assets/js/dist/scripts-theme.min.js" id="gform_gravityforms_theme-js">
</script>
```

 **script** user interface may not be accessible.

```
<script data-category="functional">
    (function(w,d,s,l,i){w[l]=w[l]||[];w[l].push({'gtm.start':
    new Date().getTime(), [...] });
</script>
```

 **script** user interface may not be accessible.

```
<script>
    var lepopup_ajax_url = "https://vie-kerkrade.nl/wp-admin/admin-ajax.php";
    var lepopup_g [...] gns = {};
</script>
```

 **script** user interface may not be accessible.

```
<script type="text/javascript">
/*  */
gform.initializeOnLoaded( function() { jQuery(document).on('gform_post_r [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 440 452 456" data-label="Text"><p><img alt="info icon" data-bbox="87 440 105 456"/> <b>script</b> user interface may not be accessible.</p></div><div data-bbox="93 463 759 515" data-label="Text"><pre>&lt;script type="text/javascript"&gt;
/* <![CDATA[ */
gform.initializeOnLoaded( function() {jQuery(document).trigger("gform_pr [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 545 590 562" data-label="Section-Header"><h2>Success Criteria 2.1.4 Character Key Shortcuts (A)</h2></div><div data-bbox="100 578 129 600" data-label="Image"><img alt="Warning icon"/></div><div data-bbox="135 578 509 593" data-label="Section-Header"><h3>THIS CRITERIA REQUIRES MANUAL TESTING</h3></div><div data-bbox="135 592 835 631" data-label="Text"><p>You will need to test this criteria manually and archive if it is not a failure of this guideline. See <a href="https://www.w3.org/WAI/WCAG21/Understanding/character-key-shortcuts.html">https://www.w3.org/WAI/WCAG21/Understanding/character-key-shortcuts.html</a> for more information about this guideline.</p></div><div data-bbox="87 650 929 678" data-label="Text"><p><img alt="info icon" data-bbox="87 650 105 666"/> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="93 684 838 699" data-label="Text"><pre>&lt;script async="" src="https://www.googletagmanager.com/gtm.js?id=GTM-MS4H6DF"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 726 929 754" data-label="Text"><p><img alt="info icon" data-bbox="87 726 105 742"/> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="93 761 839 812" data-label="Text"><pre>&lt;script type="text/javascript" async=""
src="https://www.gstatic.com/recaptcha/releases/9pvHvq7kSOTqqZusUzJ6ewaF/recaptcha__en.js"
crossorigin="anonymous" integrity="sha384-
35beLYB8J+E3oW9vsZdrYITMm/yJU76vKQNSwKHtb4Ug7VeAPwqIzHBRAOMwbzRb"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 840 929 868" data-label="Text"><p><img alt="info icon" data-bbox="87 840 105 856"/> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="93 874 839 926" data-label="Text"><pre>&lt;script type="text/javascript" async=""
src="https://www.gstatic.com/recaptcha/releases/9pvHvq7kSOTqqZusUzJ6ewaF/recaptcha__en.js"
crossorigin="anonymous" integrity="sha384-
35beLYB8J+E3oW9vsZdrYITMm/yJU76vKQNSwKHtb4Ug7VeAPwqIzHBRAOMwbzRb"&gt;&lt;/script&gt;</pre></div>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" async="" src="https://static.hotjar.com/c/hotjar-3928639.js?sv=7"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" async="" src="https://www.google-analytics.com/analytics.js"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" async="" src="https://www.googletagmanager.com/gtag/js?id=G-H1M448JS8E&dataLayer=&cx=c"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script src="https://connect.facebook.net/signals/config/3973475169421767?v=2.9.157&r=stable&domain=vie-kerkrade.nl&hme=446fb981c8c3baeb03730fe3cbd404f7f15f64c693f24c7fe75da498bc2c95d8&ex_m=67%2C113%2C100%2C104%2C58%2C3%2C93%2C66%2C15%2C91%2C84%2C49%2C51%2C160%2C163%2C174%2C170%2C171%2C173%2C28%2C94%2C50%2C73%2C172%2C155%2C158%2C167%2C168%2C175%2C122%2C14%2C48%2C180%2C179%2C124%2C17%2C33%2C38%2C1%2C41%2C62%2C63%2C64%2C68%2C88%2C16%2C13%2C90%2C87%2C86%2C101%2C103%2C37%2C102%2C29%2C25%2C156%2C159%2C131%2C27%2C10%2C11%2C12%2C5%2C6%2C24%2C21%2C22%2C54%2C59%2C61%2C71%2C95%2C26%2C72%2C8%2C7%2C76%2C46%2C20%2C97%2C96%2C98%2C9%2C19%2C18%2C81%2C53%2C79%2C32%2C70%2C0%2C89%2C31%2C78%2C83%2C45%2C44%2C82%2C36%2C4%2C85%2C77%2C42%2C39%2C34%2C80%2C2%2C35%2C60%2C40%2C99%2C43%2C75%2C65%2C105%2C57%2C56%2C30%2C92%2C55%2C52%2C47%2C74%2C69%2C23%2C106" async=""></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script async="" src="https://connect.facebook.net/en_US/fbevents.js"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script async="" src="https://www.googletagmanager.com/gtm.js?id=GTM-MS4H6DF"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script data-no-optimize="1">var litespeed_docref=sessionStorage.getItem("litespeed_docref");litespeed_docref&&(Object. [...] docref));</script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script>WebFontConfig={google:{families:["Open Sans:300,400,600,700:latin,latin-ext","Roboto:700,5 [...] onfig ); }</script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script data-optimized="1" src="https://vie-kerkrade.nl/wp-content/plugins/litespeed-cache/assets/js/webfontloader.min.js"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript">
/* <![CDATA[ */
var gform;gform||(document.addEventListener("gform_main_scripts_loaded", [...] /* ]> */
</script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="application/ld+json" class="yoast-schema-graph">
{"@context":"https://schema.org","@graph":[{"@type":"WebPage","@id":"https://vie-kerkrade. [...]
krade"}]}}</script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/jquery/jquery.min.js" id="jquery-
core-js"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/jquery/jquery-migrate.min.js"
id="jquery-migrate-js"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script>(function(w,d,s,l,i){w[l]=w[l]||[];w[l].push({'gtm.start':
new Date().getTime(),event:'gtm [...] MS4H6DF'});</script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script>
!function(f,b,e,v,n,t,s)
{if(f.fbq)return;n=f.fbq=function(){n.callMethod?
n.callMe [...] geView'};
</script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript"> var root = document.getElementsByTagName( "html" )[0]; root.setAttribute(
"class", "js" ); </script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript">
!function(f,b,e,v,n,t,s){if(f.fbq)return;n=f.fbq=function(){n.callMethod?
n.callMethod.ap [...] v=next'};
</script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript">
var url = window.location.origin + '?ob=open-bridge';
fbq('set', 'openbri [...] l);
</script>
```

Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript">fbq('init', '3973475169421767', {}, {  
  "agent": "wordpress-6.5.3-3.0.16"  
})</script>
```

Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript">  
  fbq('track', 'PageView', []);  
</script>
```

Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script>var lepopup_customjs_handlers={};var lepopup_cookie_value="ilovefamily";var lepopup_events [...]  
id="6680";</script>
```

Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script>function lepopup_add_event(_event,_data){if(typeof _lepopup_add_event == typeof undefined) [...]  
,_data);}</script>
```

Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script async="" src="https://script.hotjar.com/modules.db8890ba82a7e392473f.js" charset="utf-8">  
</script>
```

Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script charset="utf-8" src="https://www.google.com/recaptcha/api.js?  
onload=recaptcha_callback&amp;render=explicit"></script>
```

Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script src="https://script.hotjar.com/browser-perf.8417c6bba72228fa2e29.js"></script>
```

Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript">  
  (function(window, document) {  
  
    if(navigator.userAgent.match(/(Android|iPod|iPhone|iP [...] ment);  
</script>
```

Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript"></script>
```



**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript">
/*  */
gform.initializeOnLoaded( function() {gformInitSpinner( 2, 'https://vie- [...] ]&amp;gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 152 920 180" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 187 844 202" data-label="Text"><pre>&lt;script src="https://vie-kerkrade.activehosted.com/f/embed.php?id=1" charset="utf-8"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 228 920 256" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 264 627 315" data-label="Text"><pre>&lt;script type="text/javascript"&gt;
    document.addEventListener( 'wpcf7mailsent', function( event ) {
        if( "fb_p [...] se );
    &lt;/script&gt;</pre></div><div data-bbox="85 342 920 371" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 377 552 392" data-label="Text"><pre>&lt;script type="text/html" id="wpb-modifications"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 419 920 447" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 453 796 481" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/includes/swv/js/index.js" id="swv-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 508 920 536" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 543 740 595" data-label="Text"><pre>&lt;script type="text/javascript" id="contact-form-7-js-extra"&gt;
/* <![CDATA[ */
var wpcf7 = { "api": { "root": "https://vie-kerkrade.nl/wp-json/", "namesp [...] /* ]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 622 920 650" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 657 796 684" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/includes/js/index.js" id="contact-form-7-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 711 920 739" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 746 748 798" data-label="Text"><pre>&lt;script type="text/javascript" id="salient-social-js-extra"&gt;
/* <![CDATA[ */
var nectarLove = { "ajaxurl": "https://vie-kerkrade.nl/wp-admin/admin-a [...] /* ]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 825 920 853" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 859 870 887" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-social/js/salient-social.js" id="salient-social-js"&gt;&lt;/script&gt;</pre></div>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/hotkeys.min.js" id="hotkeys-js"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/simple-keyboard.min.js" id="simple-keyboard-js"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" id="mdp-readabler-js-extra">
/*  */
var mdpReadablerOptions = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 330 920 358" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 364 916 392" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/readabler.min.js" id="mdp-readabler-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 419 920 447" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 453 850 481" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/jquery.easing.min.js" id="jquery-easing-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 509 920 536" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 543 850 570" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/jquery.mousewheel.min.js" id="jquery-mousewheel-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 598 920 626" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 632 886 659" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/priority.js" id="nectar_priority-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 687 920 715" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 721 850 749" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/transit.min.js" id="nectar-transit-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 776 920 804" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 810 850 838" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/waypoints.js" id="nectar-waypoints-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 865 920 893" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 898 874 927" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-portfolio/js/third-party/imagesLoaded.min.js" id="imagesLoaded-js"&gt;&lt;/script&gt;</pre></div>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/hoverintent.min.js" id="hoverintent-js"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/magnific.js" id="magnific-js"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/anime.min.js" id="anime-js"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/superfish.js" id="superfish-js"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" id="nectar-frontend-js-extra">
/*  */
var nectarLove = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin/admin-a [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 509 920 536" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="92 543 856 570" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/init.js" id="nectar-frontend-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 598 920 625" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="92 632 896 672" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/js_composer_salient/assets/lib/bower/flexslider/jquery.flexslider-min.js" id="flexslider-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 699 920 727" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="92 733 875 761" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-portfolio/js/third-party/isotope.min.js" id="isotope-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 788 920 816" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="92 822 823 850" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/elements/nectar-blog.js" id="nectar-masonry-blog-js"&gt;&lt;/script&gt;</pre></div>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-core/js/third-party/touchswipe.min.js" id="touchswipe-js"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://www.google.com/recaptcha/api.js?render=6LdZsmcdAAAAAGtGHE41VGXYInA-M837dpdLis2h&ver=3.0" id="google-recaptcha-js"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/wp-polyfill-inert.min.js" id="wp-polyfill-inert-js"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/regenerator-runtime.min.js" id="regenerator-runtime-js"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/wp-polyfill.min.js" id="wp-polyfill-js"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" id="wpcf7-recaptcha-js-extra">
/*  */
var wpcf7_recaptcha = {"sitekey":"6LdZsmcdAAAAAGtGHE41VGXYInA-M837dpdLis2 [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 609 920 638" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="92 644 796 672" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/modules/recaptcha/index.js?ver=5.9.4" id="wpcf7-recaptcha-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 699 920 727" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="92 733 810 761" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/js/lepopup.js" id="lepopup-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 788 920 816" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="92 822 810 850" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/js/airdatepicker.js" id="airdatepicker-js"&gt;&lt;/script&gt;</pre></div>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" id="cmlpz-cookiebanner-js-extra">
/* <![CDATA[ */
var complianz = {"prefix":"cmlpz_","user_banner_id":"1","set_cookies":[, [...] /* ]]> */
</script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script defer="" type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/complianz-gdpr-premium/cookiebanner/js/complianz.min.js" id="cmlpz-cookiebanner-js"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/js_composer_salient/assets/js/dist/js_composer_front.min.js" id="wpb_composer_front_js-js">
</script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/dom-ready.min.js" id="wp-dom-ready-js"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/hooks.min.js" id="wp-hooks-js"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/i18n.min.js" id="wp-i18n-js">
</script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" id="wp-i18n-js-after">
/* <![CDATA[ */
wp.i18n.setLocaleData( { 'text direction\u0004ltr': [ 'ltr' ] } );
/* ]]> */
</script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" id="wp-a11y-js-translations">
/* <![CDATA[ */
( function( domain, translations ) {
    var localeData = translations.local [...] /* ]]> */
</script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/a11y.min.js" id="wp-a11y-js">
</script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/js/jquery.json.min.js" id="gform_json-js"></script>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript" id="gform_gravityforms-js-extra">
/*  */
var gform_i18n = {"datepicker":{"days":{"monday":"Ma","tuesday":"Di","wed [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 240 920 269" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 274 786 303" data-label="Text"><pre>&lt;script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/js/gravityforms.min.js" id="gform_gravityforms-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 329 920 358" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 363 846 392" data-label="Text"><pre>&lt;script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/assets/js/dist/utills.min.js" id="gform_gravityforms_utills-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 418 920 447" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 453 903 493" data-label="Text"><pre>&lt;script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/assets/js/dist/vendor-theme.min.js" id="gform_gravityforms_theme_vendors-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="85 520 920 549" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 555 800 607" data-label="Text"><pre>&lt;script type="text/javascript" id="gform_gravityforms_theme-js-extra"&gt;
/* <![CDATA[ */
var gform_theme_config = {"common":{"form":{"honeypot":{"version_hash":"3 [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 635 920 663" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 669 863 709" data-label="Text"><pre>&lt;script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/assets/js/dist/scripts-theme.min.js" id="gform_gravityforms_theme-js"&gt;
&lt;/script&gt;</pre></div><div data-bbox="85 736 920 765" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 770 776 823" data-label="Text"><pre>&lt;script data-category="functional"&gt;
    (function(w,d,s,l,i){w[l]=w[l]||[];w[l].push({'gtm.start':
    new Date().getTime(), [...] });
&lt;/script&gt;</pre></div><div data-bbox="85 850 920 879" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 885 702 937" data-label="Text"><pre>&lt;script&gt;
    var lepopup_ajax_url = "https://vie-kerkrade.nl/wp-admin/admin-ajax.php";
    var lepopup_g [...] gns = {};
&lt;/script&gt;</pre></div>
```

**i** Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.

```
<script type="text/javascript">
/*  */
gform.initializeOnLoaded( function() { jQuery(document).on('gform_post_r [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 153 920 180" data-label="Text"><p><b>i</b> Keyboard shortcuts for content that only use a letter (including upper- and lower-case letters), punctuation, number, or symbol characters may not be able to turn off, remap or may only be active on content focus.</p></div><div data-bbox="91 187 759 239" data-label="Text"><pre>&lt;script type="text/javascript"&gt;
/* <![CDATA[ */
gform.initializeOnLoaded( function() { jQuery(document).trigger("gform_pr [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="59 272 847 310" data-label="Section-Header"><h2>2.2 Enough Time: Provide users enough time to read and use content.</h2></div><div data-bbox="85 322 572 340" data-label="Section-Header"><h3>Success Criteria 2.4.11 Focus Not Obscured (AA)</h3></div><div data-bbox="99 357 128 378" data-label="Image"><img alt="Information icon"/></div><div data-bbox="135 357 509 372" data-label="Section-Header"><h4>THIS CRITERIA REQUIRES MANUAL TESTING</h4></div><div data-bbox="135 370 877 410" data-label="Text"><p>You will need to test this criteria manually and archive if it is not a failure of this guideline. See <a href="https://www.w3.org/WAI/WCAG22/Understanding/focus-not-obscured-minimum.html">https://www.w3.org/WAI/WCAG22/Understanding/focus-not-obscured-minimum.html</a> for more information about this guideline.</p></div><div data-bbox="85 428 933 455" data-label="Text"><p><b>i</b> The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.</p></div><div data-bbox="91 462 777 478" data-label="Text"><pre>&lt;a href="#ajax-content-wrap" class="nectar-skip-to-content"&gt;Ga naar hoofdinhoud&lt;/a&gt;</pre></div><div data-bbox="85 505 933 532" data-label="Text"><p><b>i</b> The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.</p></div><div data-bbox="91 539 810 554" data-label="Text"><pre>&lt;input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken..."&gt;</pre></div><div data-bbox="85 581 933 608" data-label="Text"><p><b>i</b> The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.</p></div><div data-bbox="91 615 653 643" data-label="Text"><pre>&lt;a href="#"&gt;&lt;span class="screen-reader-text"&gt;Zoeken Sluiten&lt;/span&gt;
&lt;span class="close-wrap"&gt; &lt;span cla [...] &gt; &lt;/span&gt; &lt;/a&gt;</pre></div><div data-bbox="85 671 933 698" data-label="Text"><p><b>i</b> The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.</p></div><div data-bbox="91 705 903 757" data-label="Text"><pre>&lt;a id="logo" href="https://vie-kerkrade.nl" data-supplied-ml-starting-dark="false" data-supplied-ml-starting="false" data-supplied-ml="true"&gt;
&lt;img class="stnd skip-lazy default-logo" width="239.52" height="167.17" alt="Vie Kerkrade [...] Iti.svg"&gt;
&lt;/a&gt;</pre></div><div data-bbox="85 785 933 812" data-label="Text"><p><b>i</b> The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.</p></div><div data-bbox="91 818 846 846" data-label="Text"><pre>&lt;a class="mobile-search" href="#searchbox"&gt;&lt;span class="nectar-icon icon-salient-search" aria-hidden="true"&gt;&lt;/span&gt;&lt;span class="scree [...] ken&lt;/span&gt;&lt;/a&gt;</pre></div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="#sidewidgetarea" aria-label="Navigatie Menu" aria-expanded="false" class="closed">  
<span class="screen-reader-text">Menu<i class="lines-button x2 hover-effect"> <i class="l [...] i"></span>  
</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a target="_blank" rel="noopener" href="https://www.optisport.nl/vie"><span class="menu-title-  
text">Sportcomplex</span></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/" class="sf-with-ul"><span class="menu-title-  
text">Programma's</span><span class="sf-sub-indicator"><i class="f [...] /i"></span></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/#gezonde-jeugd"><span class="menu-title-  
text">Gezonde Jeugd</span></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/#vitale-wijk"><span class="menu-title-text">Vitale  
Wijk</span></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/#vitaal-ouder-woorden"><span class="menu-title-  
text">Vitaal Ouder Worden</span></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/programmavideos/"><span class="menu-title-  
text">Programmavideo's</span></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/vie-innovatie-hub-parkstad/" class="sf-with-ul"><span class="menu-title-  
text">Innovatie Hub</span><span class="sf-sub-indicator"><i class=" [...] /i"></span></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/limburg-early-execution-fonds-leef/"><span class="menu-title-  
text">Limburg Early Execution Fonds (LEEF)</span></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/initiatieven/"><span class="menu-title-text">Initiatieven</span></a>
```



**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/nieuws/" class="sf-with-ul"><span class="menu-title-text">Nieuws</span>  
<span class="sf-sub-indicator"><i class="fa fa- [...] /i></span></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/recepten/"><span class="menu-title-text">Recepten</span></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="#contact" aria-current="page"><span class="menu-title-text">Contact</span></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/professionals/"><span class="menu-title-text">Professionals</span></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a target="_blank" rel="noopener" href="https://twitter.com/vie_kerkrade"><span class="screen-reader-  
text">twitter</span><i class="fa fa-twitter" aria-hidden="true"></i> </a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a target="_blank" rel="noopener" href="https://www.facebook.com/vie.kerkrade"><span class="screen-  
reader-text">facebook</span><i class="fa fa-facebook" aria-hidden="true"></i> </a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a target="_blank" rel="noopener" href="https://www.linkedin.com/company/vie-kerkrade"><span  
class="screen-reader-text">linkedin</span><i class="fa fa-linkedin" aria-hidden="true"></i> </a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a target="_blank" rel="noopener" href="https://www.instagram.com/vie_kerkrade/"><span class="screen-  
reader-text">instagram</span><i class="fa fa-instagram" aria-hidden="true"></i> </a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="#searchbox"><span class="icon-salient-search" aria-hidden="true"></span><span  
class="screen-reader-tex [...] ken</span></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="nectar-button large regular extra-color-1 regular-button button-left" style="visibility: visible;"  
target="_blank" href="https://www.optisport.nl/vie" data-color-override="false" data-hover-color-  
override="false" data-hover-text-color-override="#fff"><span>Aanbod bekijken</span></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://youtu.be/Tdj7L28ZIWM" data-color-override="false" data-style="default" data-parent-hover="" data-font-style="p" data-color="default-extra-color-1" class="nectar-button large nectar_video_lightbox magnific-popup" style="visibility: visible;"><span>Bekijk Vie in vogelvlucht</span></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/">programma's</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="nectar-button large regular extra-color-1 regular-button button-left" style="visibility: visible;" href="https://vie-kerkrade.nl/programmaliijnen/" data-color-override="false" data-hover-color-override="false" data-hover-text-color-override="#fff"><span>Programma's bekijken</span></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="entire-meta-link" href="https://vie-kerkrade.nl/chili-con-carne/" aria-label="Chili con carne"></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="recepten" href="https://vie-kerkrade.nl/category/recepten/">Recepten</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/chili-con-carne/"> Chili con carne</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/author/mm-beheer8/"></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/author/mm-beheer8/" rel="author">MM-Beheer8</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="entire-meta-link" href="https://vie-kerkrade.nl/gevulde-carnavals-wraps/" aria-label="Gevulde carnavals wraps"></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="recepten" href="https://vie-kerkrade.nl/category/recepten/">Recepten</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/gevulde-carnavals-wraps/">Gevulde carnavals wraps</a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/author/mm-beheer8/"></a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/author/mm-beheer8/" rel="author">MM-Beheer8</a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="entire-meta-link" href="https://vie-kerkrade.nl/broccoli-met-gesmolten-kaas-en-meergranenrijst/" aria-label="Broccoli met gesmolten kaas en meergranenrijst"></a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="recepten" href="https://vie-kerkrade.nl/category/recepten/">Recepten</a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/broccoli-met-gesmolten-kaas-en-meergranenrijst/">Broccoli met gesmolten kaas en meergranenrijst</a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/author/mm-beheer8/"></a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/author/mm-beheer8/" rel="author">MM-Beheer8</a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="entire-meta-link" href="https://vie-kerkrade.nl/bonenschotel/" aria-label="Bonenschotel"></a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="recepten" href="https://vie-kerkrade.nl/category/recepten/">Recepten</a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/bonenschotel/">Bonenschotel</a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/author/mm-beheer8/"></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/author/mm-beheer8/" rel="author">MM-Beheer8</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="entire-meta-link" href="https://vie-kerkrade.nl/blauwe-bessen-shake/" aria-label="Blauwe bessen shake"></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="recepten" href="https://vie-kerkrade.nl/category/recepten/">Recepten</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/blauwe-bessen-shake/"> Blauwe bessen shake</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/author/mm-beheer8/"></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/author/mm-beheer8/" rel="author">MM-Beheer8</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="entire-meta-link" href="https://vie-kerkrade.nl/alexander-cocktail/" aria-label="Alexander cocktail"></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="recepten" href="https://vie-kerkrade.nl/category/recepten/">Recepten</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/alexander-cocktail/"> Alexander cocktail</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/author/mm-beheer8/"></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/author/mm-beheer8/" rel="author">MM-Beheer8</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="nectar-button large regular extra-color-1 regular-button button-center" style="visibility: visible;" href="/category/nieuws/" data-color-override="false" data-hover-color-override="false" data-hover-text-color-override="#fff"><span>Meer bekijken</span></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://www.optisport.nl/vie"><strong>hier</strong></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="mailto:vie@optisport.nl">vie@optisport.nl</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="tel:0031456453610">045 - 645 36 10</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="mailto:info@vie-kerkrade.nl">info@vie-kerkrade.nl</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input name="input_3" id="input_2_3" type="text" value="" class="large" aria-required="true" aria-invalid="false">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input name="input_5" id="input_2_5" type="email" value="" class="large" aria-required="true" aria-invalid="false">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input name="input_11" id="input_2_11" type="tel" value="" class="large" aria-invalid="false">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input name="input_6" id="input_2_6" type="text" value="" class="large" aria-required="true" aria-invalid="false">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input name="input_12" id="input_2_12" type="text" value="" autocomplete="new-password">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="submit" id="gform_submit_button_2" class="gform_button button gform-button--width-full" value="Versturen" onclick="if(window[&quot;gf_submitting_2&quot;]){return false;} if(!jQuery(&quot;#gform_2&quot;)[0].checkValidity || jQuery(&quot;#gform_2&quot;)[0].checkValidity()){window[&quot;gf_submitting_2&quot;]=true;} " onkeypress="if( event.keyCode == 13 ){if(window[&quot;gf_submitting_2&quot;]){return false;} if( !jQuery(&quot;#gform_2&quot;)[0].checkValidity || jQuery(&quot;#gform_2&quot;)[0].checkValidity()){window[&quot;gf_submitting_2&quot;]=true;} jQuery(&quot;#gform_2&quot;).trigger(&quot;submit&quot;,[true]); }">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="hidden" class="gform_hidden" name="is_submit_2" value="1">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="hidden" class="gform_hidden" name="gform_submit" value="2">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="hidden" class="gform_hidden" name="gform_unique_id" value="">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="hidden" class="gform_hidden" name="state_2" value="WyjbXSlsljkwOTQ5ODU4MTM0MmYwMWYzNTlhZTk1MDA4NTVmYTM1Ii0=">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="hidden" class="gform_hidden" name="gform_target_page_number_2" id="gform_target_page_number_2" value="0">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="hidden" class="gform_hidden" name="gform_source_page_number_2" id="gform_source_page_number_2" value="1">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="hidden" name="gform_field_values" value="">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://parkstad-transformeert.nl/" target="_blank">

</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://www.rijksoverheid.nl/" target="_blank">  
  
</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="hidden" name="u" value="66698918CA541" data-name="u">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="hidden" name="f" value="1" data-name="f">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="hidden" name="s" data-name="s">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="hidden" name="c" value="0" data-name="c">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="hidden" name="m" value="0" data-name="m">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="hidden" name="act" value="sub" data-name="act">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="hidden" name="v" value="2" data-name="v">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="hidden" name="or" value="f337fb87ea528be7bf11913df306deb4" data-name="or">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="text" id="fullname" name="fullname" placeholder="Type je naam in" data-name="fullname">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="text" id="email" name="email" placeholder="Typ je e-mailadres in" required="" data-name="email">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button id="_form_1_submit" class="_submit" type="submit">Verzend</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://www.facebook.com/vie.kerkrade" target="_blank" rel="noopener"></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://www.linkedin.com/company/vie-kerkrade" target="_blank" rel="noopener"></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://twitter.com/vie_kerkrade" target="_blank" rel="noopener"></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://www.instagram.com/vie_kerkrade/" target="_blank" rel="noopener"></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a id="to-top" href="#" class="mobile-enabled"><i class="fa fa-angle-up top-icon"></i><i class="fa fa-angle-up"></i></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a target="_blank" rel="noopener" href="https://www.optisport.nl/vie">Sportcomplex</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/">Programma's</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/#gezonde-jeugd">Gezonde Jeugd</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/#vitale-wijk">Vitale Wijk</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/#vitaal-ouder-woorden">Vitaal Ouder Worden</a>
```



**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/programmavideos/">Programmavideo's</a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/vie-innovatie-hub-parkstad/">Innovatie Hub</a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/limburg-early-execution-fonds-leef/">Limburg Early Execution Fonds (LEEF)  
</a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/initiatieven/">Initiatieven</a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/nieuws/">Nieuws</a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/recepten/">Recepten</a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="#contact" aria-current="page">Contact</a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a href="https://vie-kerkrade.nl/professionals/">Professionals</a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a target="_blank" rel="noopener" href="https://twitter.com/vie_kerkrade"><i class="fa fa-twitter"></i>  
</a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a target="_blank" rel="noopener" href="https://www.facebook.com/vie.kerkrade"><i class="fa fa-  
facebook"></i></a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a target="_blank" rel="noopener" href="https://www.linkedin.com/company/vie-kerkrade"><i class="fa fa-  
linkedin"></i></a>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a target="_blank" rel="noopener" href="https://www.instagram.com/vie_kerkrade/"><i class="fa fa-instagram"></i></a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="slide_out_area_close" href="#"><span class="screen-reader-text">Menu sluiten</span>  
<span class="close-wrap"> <span class [...] > </span> </a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<iframe id="_hjSafeContext_8761569" title="_hjSafeContext" tabindex="-1" aria-hidden="true"  
src="about:blank" style="display: none !important; width: 1px !important; height: 1px !important; opacity: 0  
!important; pointer-events: none !important;"></iframe>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div class="cmplz-close" tabindex="0" role="button" aria-label="dialogvenster sluiten">  
<svg aria-hidden="true" focusable="false" data-prefix="fas" data-icon="times" class="svg- [...] th></svg>  
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="checkbox" id="cmplz-functional-optin" data-category="cmplz_functional" class="cmplz-  
consent-checkbox cmplz-functional" size="40" value="1">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<label class="cmplz-label" for="cmplz-functional-optin" tabindex="0"><span class="screen-reader-  
text">Functioneel</span></label>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="checkbox" id="cmplz-preferences-optin" data-category="cmplz_preferences" class="cmplz-  
consent-checkbox cmplz-preferences" size="40" value="1">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<label class="cmplz-label" for="cmplz-preferences-optin" tabindex="0"><span class="screen-reader-  
text">Voorkeuren</span></label>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="checkbox" id="cmplz-statistics-optin" data-category="cmplz_statistics" class="cmplz-consent-  
checkbox cmplz-statistics" size="40" value="1">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<label class="cmplz-label" for="cmplz-statistics-optin" tabindex="0"><span class="screen-reader-  
text">Statistieken</span></label>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="checkbox" id="cmplz-marketing-optin" data-category="cmplz_marketing" class="cmplz-consent-checkbox cmplz-marketing" size="40" value="1">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<label class="cmplz-label" for="cmplz-marketing-optin" tabindex="0"><span class="screen-reader-text">Marketing</span></label>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="cmplz-link cmplz-manage-options cookie-statement" href="#" data-relative_url="#cmplz-manage-consent-container">Beheer opties</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="cmplz-link cmplz-manage-third-parties cookie-statement" href="#" data-relative_url="#cmplz-cookies-overview">Beheer diensten</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="cmplz-link cmplz-manage-vendors tcf cookie-statement" href="#" data-relative_url="#cmplz-tcf-wrapper">Beheer {vendor_count} leveranciers</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="cmplz-link cmplz-external cmplz-read-more-purposes tcf" target="_blank" rel="noopener noreferrer nofollow" href="https://cookiedatabase.org/tcf/purposes/">Lees meer over deze doeleinden</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="cmplz-btn cmplz-accept">Accepteren</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="cmplz-btn cmplz-deny">Weiger</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="cmplz-btn cmplz-view-preferences">Bekijk voorkeuren</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="cmplz-btn cmplz-save-preferences">Voorkeuren bewaren</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="cmlz-btn cmlz-manage-options tcf cookie-statement" href="#" data-relative_url="#cmlz-manage-consent-container">Bekijk voorkeuren</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="cmlz-link cookie-statement" href="#" data-relative_url="">{title}</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="cmlz-link privacy-statement" href="#" data-relative_url="">{title}</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<a class="cmlz-link impressum" href="#" data-relative_url="">{title}</a>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="cmlz-btn cmlz-hidden cmlz-manage-consent manage-consent-1">Beheer toestemming</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button id="mdp-readabler-popup-close" aria-label="Toegankelijkheidspaneel sluiten"></button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-accessibility-profile-epilepsy" class="mdp-readabler-accessibility-profile-item" role="button" tabindex="0">  
<div class="mdp-readabler-row">  
<div class="mdp-readabler-switch-box">  
<label class="mdp- [...] rd.</div>  
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-epilepsy" value="on" tabindex="-1">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-epilepsy" value="on" tabindex="-1">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-accessibility-profile-visually-impaired" class="mdp-readabler-accessibility-profile-item" role="button" tabindex="0">  
<div class="mdp-readabler-row">  
<div class="mdp-readabler-switch-box">  
<label class="mdp- [...] re.</div>  
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-visually-impaired" value="on"
tabindex="-1">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-visually-impaired" value="on"
tabindex="-1">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-accessibility-profile-cognitive-disability" class="mdp-readabler-accessibility-profile-
item" role="button" tabindex="0">
<div class="mdp-readabler-row">
<div class="mdp-readabler-switch-box">
<label class="mdp- [...] en.</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-cognitive-disability" value="on"
tabindex="-1">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-cognitive-disability" value="on"
tabindex="-1">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-accessibility-profile-adhd-friendly" class="mdp-readabler-accessibility-profile-item"
role="button" tabindex="0">
<div class="mdp-readabler-row">
<div class="mdp-readabler-switch-box">
<label class="mdp- [...] rd.</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-adhd-friendly" value="on"
tabindex="-1">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-adhd-friendly" value="on"
tabindex="-1">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-accessibility-profile-blind-users" class="mdp-readabler-accessibility-profile-item"
role="button" tabindex="0">
<div class="mdp-readabler-row">
<div class="mdp-readabler-switch-box">
<label class="mdp- [...] ck.</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-blind-users" value="on" tabindex="-1">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-blind-users" value="on" tabindex="-1">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" autocomplete="off"
placeholder="Zoek in het online woordenboek..." aria-label="Zoek in het online woordenboek...">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" autocomplete="off"
placeholder="Zoek in het online woordenboek..." aria-label="Zoek in het online woordenboek...">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button role="button" tabindex="0" aria-label="Duidelijke zoekresultaten" id="mdp-readabler-online-
dictionary-search-close"></button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button role="button" tabindex="0" aria-label="Duidelijke zoekresultaten" id="mdp-readabler-online-
dictionary-search-close"></button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-text-magnifier" class="mdp-readabler-action-box mdp-readabler-toggle-box"
tabindex="0" role="button">
<div class="mdp-readabler-action-box-content">
<span class="mdp-readabler-icon"></span>
< [...] n>
</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-readable-font" class="mdp-readabler-action-box mdp-readabler-toggle-box"
tabindex="0" role="button">
<div class="mdp-readabler-action-box-content">
<span class="mdp-readabler-icon"></span>
< [...] n>
</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-dyslexia-font" class="mdp-readabler-action-box mdp-readabler-toggle-box"
tabindex="0" role="button">
<div class="mdp-readabler-action-box-content">
<span class="mdp-readabler-icon"></span>
< [...] n>
</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-highlight-titles" class="mdp-readabler-action-box mdp-readabler-toggle-box"
tabindex="0" role="button">
<div class="mdp-readabler-action-box-content">
<span class="mdp-readabler-icon"></span>
< [...] n>
</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-highlight-links" class="mdp-readabler-action-box mdp-readabler-toggle-box"
tabindex="0" role="button">
<div class="mdp-readabler-action-box-content">
<span class="mdp-readabler-icon"></span>
< [...] n>
</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-plus" role="button" tabindex="0" aria-label="Verhogen Lettergrootte">
</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-plus" role="button" tabindex="0" aria-label="Verhogen Lettergrootte">
</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-minus" role="button" tabindex="0" aria-label="Vermindering van
Lettergrootte"></button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-minus" role="button" tabindex="0" aria-label="Vermindering van Lettergrootte"></button>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-plus" role="button" tabindex="0" aria-label="Verhogen Lijnhoogte"></button>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-plus" role="button" tabindex="0" aria-label="Verhogen Lijnhoogte"></button>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-minus" role="button" tabindex="0" aria-label="Vermindering van Lijnhoogte"></button>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-minus" role="button" tabindex="0" aria-label="Vermindering van Lijnhoogte"></button>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-plus" role="button" tabindex="0" aria-label="Verhogen Brief ruimte"></button>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-plus" role="button" tabindex="0" aria-label="Verhogen Brief ruimte"></button>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-minus" role="button" tabindex="0" aria-label="Vermindering van Brief ruimte"></button>
```

---

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-minus" role="button" tabindex="0" aria-label="Vermindering van Brief ruimte"></button>
```

---



**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-align-left" class="mdp-readabler-action-box mdp-readabler-toggle-box"
tabindex="0" role="button">
<div class="mdp-readabler-action-box-content">
<span class="mdp-readabler-icon"></span>
< [...] n>
</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-align-center" class="mdp-readabler-action-box mdp-readabler-toggle-box"
tabindex="0" role="button">
<div class="mdp-readabler-action-box-content">
<span class="mdp-readabler-icon"></span>
< [...] n>
</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-align-right" class="mdp-readabler-action-box mdp-readabler-toggle-box"
tabindex="0" role="button">
<div class="mdp-readabler-action-box-content">
<span class="mdp-readabler-icon"></span>
< [...] n>
</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-dark-contrast" class="mdp-readabler-action-box mdp-readabler-toggle-box"
tabindex="0" role="button">
<div class="mdp-readabler-action-box-content">
<span class="mdp-readabler-icon"></span>
< [...] n>
</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-light-contrast" class="mdp-readabler-action-box mdp-readabler-toggle-box"
tabindex="0" role="button">
<div class="mdp-readabler-action-box-content">
<span class="mdp-readabler-icon"></span>
< [...] n>
</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-monochrome" class="mdp-readabler-action-box mdp-readabler-toggle-box"
tabindex="0" role="button">
<div class="mdp-readabler-action-box-content">
<span class="mdp-readabler-icon"></span>
< [...] n>
</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-high-contrast" class="mdp-readabler-action-box mdp-readabler-toggle-box"
tabindex="0" role="button">
<div class="mdp-readabler-action-box-content">
<span class="mdp-readabler-icon"></span>
< [...] n>
</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-high-saturation" class="mdp-readabler-action-box mdp-readabler-toggle-box"
tabindex="0" role="button">
<div class="mdp-readabler-action-box-content">
<span class="mdp-readabler-icon"></span>
< [...] n>
</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-low-saturation" class="mdp-readabler-action-box mdp-readabler-toggle-box"
tabindex="0" role="button">
<div class="mdp-readabler-action-box-content">
<span class="mdp-readabler-icon"></span>
< [...] n>
</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="maroon" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander
Kleur inMaroon" style="background-color: maroon !important;">
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="red" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander
Kleur inRood" style="background-color: red !important;">
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="orange" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander
Kleur inOranje" style="background-color: orange !important;">
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="yellow" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander
Kleur inGeel" style="background-color: yellow !important;">
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="olive" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inOlijf" style="background-color: olive !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="green" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inGroen" style="background-color: green !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="purple" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inPaars" style="background-color: purple !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="fuchsia" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inFuchsia" style="background-color: fuchsia !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="lime" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inLimoen" style="background-color: lime !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="teal" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inGroenblauw" style="background-color: teal !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="aqua" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inAqua" style="background-color: aqua !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="blue" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inBlauw" style="background-color: blue !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="navy" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inNavy" style="background-color: navy !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="black" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inZwart" style="background-color: black !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="white" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inWit" style="background-color: white !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="maroon" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inMaroon" style="background-color: maroon !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="red" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander Kleur  
inRood" style="background-color: red !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="orange" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inOranje" style="background-color: orange !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="yellow" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inGeel" style="background-color: yellow !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="olive" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inOlijf" style="background-color: olive !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="green" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inGroen" style="background-color: green !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="purple" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inPaars" style="background-color: purple !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="fuchsia" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inFuchsia" style="background-color: fuchsia !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="lime" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inLimoen" style="background-color: lime !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="teal" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inGroenblauw" style="background-color: teal !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="aqua" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inAqua" style="background-color: aqua !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="blue" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inBlauw" style="background-color: blue !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="navy" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inNavy" style="background-color: navy !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="black" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inZwart" style="background-color: black !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="white" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inWit" style="background-color: white !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="maroon" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inMaroon" style="background-color: maroon !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="red" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander Kleur inRood" style="background-color: red !important;">
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="orange" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander Kleur inOranje" style="background-color: orange !important;">
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="yellow" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander Kleur inGeel" style="background-color: yellow !important;">
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="olive" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander Kleur inOlijf" style="background-color: olive !important;">
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="green" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander Kleur inGroen" style="background-color: green !important;">
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="purple" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander Kleur inPaars" style="background-color: purple !important;">
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="fuchsia" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander Kleur inFuchsia" style="background-color: fuchsia !important;">
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="lime" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander Kleur inLimoen" style="background-color: lime !important;">
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="teal" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander Kleur inGroenblauw" style="background-color: teal !important;">
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="aqua" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inAqua" style="background-color: aqua !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="blue" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inBlauw" style="background-color: blue !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="navy" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inNavy" style="background-color: navy !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="black" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inZwart" style="background-color: black !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<span data-color="white" class="mdp-readabler-color " role="button" tabindex="0" aria-label="Verander  
Kleur inWit" style="background-color: white !important;">  
</span>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-mute-sounds" class="mdp-readabler-action-box mdp-readabler-toggle-box"  
tabindex="0" role="button">  
<div class="mdp-readabler-action-box-content">  
<span class="mdp-readabler-icon"></span>  
< [...] n>  
</div>  
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-hide-images" class="mdp-readabler-action-box mdp-readabler-toggle-box"  
tabindex="0" role="button">  
<div class="mdp-readabler-action-box-content">  
<span class="mdp-readabler-icon"></span>  
< [...] n>  
</div>  
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-virtual-keyboard" class="mdp-readabler-action-box mdp-readabler-toggle-box" tabindex="0" role="button">
<div class="mdp-readabler-action-box-content">
<span class="mdp-readabler-icon"></span>
< [...] n>
</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-reading-guide" class="mdp-readabler-action-box mdp-readabler-toggle-box"
tabindex="0" role="button">
<div class="mdp-readabler-action-box-content">
<span class="mdp-readabler-icon"></span>
< [...] n>
</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-stop-animations" class="mdp-readabler-action-box mdp-readabler-toggle-box"
tabindex="0" role="button">
<div class="mdp-readabler-action-box-content">
<span class="mdp-readabler-icon"></span>
< [...] n>
</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-reading-mask" class="mdp-readabler-action-box mdp-readabler-toggle-box"
tabindex="0" role="button">
<div class="mdp-readabler-action-box-content">
<span class="mdp-readabler-icon"></span>
< [...] n>
</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-highlight-hover" class="mdp-readabler-action-box mdp-readabler-toggle-box"
tabindex="0" role="button">
<div class="mdp-readabler-action-box-content">
<span class="mdp-readabler-icon"></span>
< [...] n>
</div>
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-highlight-focus" class="mdp-readabler-action-box mdp-readabler-toggle-box"
tabindex="0" role="button">
<div class="mdp-readabler-action-box-content">
<span class="mdp-readabler-icon"></span>
< [...] n>
</div>
</div>
```



**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-big-black-cursor" class="mdp-readabler-action-box mdp-readabler-toggle-box" tabindex="0" role="button">  
<div class="mdp-readabler-action-box-content">  
<span class="mdp-readabler-icon"></span>  
< [...] n>  
</div>  
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-big-white-cursor" class="mdp-readabler-action-box mdp-readabler-toggle-box" tabindex="0" role="button">  
<div class="mdp-readabler-action-box-content">  
<span class="mdp-readabler-icon"></span>  
< [...] n>  
</div>  
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-cognitive-reading" class="mdp-readabler-action-box mdp-readabler-toggle-box" tabindex="0" role="button">  
<div class="mdp-readabler-action-box-content">  
<span class="mdp-readabler-icon"></span>  
< [...] n>  
</div>  
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-keyboard-navigation" class="mdp-readabler-action-box mdp-readabler-toggle-box" tabindex="0" role="button">  
<div class="mdp-readabler-action-box-content">  
<span class="mdp-readabler-icon"></span>  
< [...] n>  
</div>  
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<div id="mdp-readabler-action-voice-navigation" class="mdp-readabler-action-box mdp-readabler-toggle-box" tabindex="0" role="button">  
<div class="mdp-readabler-action-box-content">  
<span class="mdp-readabler-icon"></span>  
< [...] n>  
</div>  
</div>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button id="mdp-readabler-reset-btn" aria-label="Reset Instellingen">  
<span>Reset Instellingen</span>  
</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button id="mdp-readabler-hide-btn" aria-label="Voor altijd verbergen">
<span>Voor altijd verbergen</span>
</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button id="mdp-readabler-trigger-button" class="mdp-icon-position-before" aria-label="Open
Toegankelijkheidspaneel" title="Toegankelijkheid" data-readabler-trigger="">
<span class="mdp-readabler-trigger-button-icon"><svg role="img" aria-label="Open Toeganke [...] g>
</span>
</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button id="mdp-readabler-voice-navigation-record-button" aria-label="Say a command..." disabled="">
</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="text" id="mdp-readabler-voice-navigation-history" name="mdp-readabler-voice-navigation-
history" aria-label="History" autocomplete="off" disabled="">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<input type="text" id="mdp-readabler-voice-navigation-input" autocomplete="off" placeholder="Wait..."
disabled="">
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button id="mdp-readabler-voice-navigation-commands-trigger" data-accordion="collapse" aria-
label="Voice commands"></button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button id="mdp-readabler-voice-navigation-close-button" aria-label="Close and stop voice navigation">
</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="help" data-command-
group="help">Help</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="help_me" data-command-
group="help">Help me</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="show_commands" data-command-group="help">Show commands</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="hide_help" data-command-group="hide_help">Hide help</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="hide_commands" data-command-group="hide_help">Hide commands</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="hide_commands_list" data-command-group="hide_help">Hide commands list</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="scroll_down" data-command-group="scroll_down">Scroll down</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="down" data-command-group="scroll_down">Down</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="page_down" data-command-group="scroll_down">Page Down</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="scroll_up" data-command-group="scroll_up">Scroll up</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="up" data-command-group="scroll_up">Up</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="page_up" data-command-group="scroll_up">Page Up</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="go_to_top" data-command-group="go_to_top">Go to top</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="top" data-command-group="go_to_top">Top</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="page_top" data-command-group="go_to_top">Page Top</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="go_to_bottom" data-command-group="go_to_bottom">Go to bottom</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="bottom" data-command-group="go_to_bottom">Bottom</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="page_bottom" data-command-group="go_to_bottom">Page Bottom</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="tab" data-command-group="tab">Tabblad</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="next" data-command-group="tab">Next</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="next_tab" data-command-group="tab">Next Tab</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="tab_back" data-command-group="tab_back">Tab back</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="previous" data-command-group="tab_back">Previous</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="previous_tab" data-command-group="tab_back">Previous Tab</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="show_numbers" data-command-group="show_numbers">Show numbers</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="display_numbers" data-command-group="show_numbers">Display numbers</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="enable_numbers" data-command-group="show_numbers">Enable numbers</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="click" data-command-group="number">Click zero</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="press" data-command-group="number">Press eight</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="open" data-command-group="number">Open four</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="hide_numbers" data-command-group="hide_numbers">Hide numbers</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="disable_numbers" data-command-group="hide_numbers">Disable numbers</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="remove_numbers" data-command-group="hide_numbers">Remove numbers</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="clear_input" data-command-group="clear_input">Clear input</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="clear" data-command-group="clear_input">Clear</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="remove" data-command-group="clear_input">Remove</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="enter" data-command-group="enter">Enter</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="submit" data-command-group="enter">Submit</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="ok" data-command-group="enter">Ok</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="reload" data-command-group="reload">Reload</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="refresh" data-command-group="reload">Refresh</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="update" data-command-group="reload">Update</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="stop" data-command-group="stop">Stop</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="cancel" data-command-group="stop">Cancel</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="stop_listening" data-command-group="stop">Stop listening</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="exit" data-command-group="exit">Exit</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="quit" data-command-group="exit">Quit</button>
```

**i** The user interface component may be entirely hidden when it receives keyboard focus due to author-created content.

```
<button class="mdp-readabler-voice-navigation-command" data-command="close" data-command-group="exit">Close</button>
```

## 2.3 Seizures: Do not design content in a way that is known to cause seizures.

### Success Criteria 2.3.1 Three Flashes or Below Threshold (A)

**i** `script` may cause screen flicker.

```
<script async="" src="https://www.googletagmanager.com/gtm.js?id=GTM-MS4H6DF"></script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript" async="" src="https://www.gstatic.com/recaptcha/releases/9pvHvq7kSOTqqZusUzJ6ewaF/recaptcha__en.js" crossorigin="anonymous" integrity="sha384-35beLYB8J+E3oW9vsZdrYITMm/yJU76vKQNSwKHtb4Ug7VeAPwqIzHBRAOMwbzRb"></script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript" async="" src="https://www.gstatic.com/recaptcha/releases/9pvHvq7kSOTqqZusUzJ6ewaF/recaptcha__en.js" crossorigin="anonymous" integrity="sha384-35beLYB8J+E3oW9vsZdrYITMm/yJU76vKQNSwKHtb4Ug7VeAPwqIzHBRAOMwbzRb"></script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript" async="" src="https://static.hotjar.com/c/hotjar-3928639.js?sv=7"></script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript" async="" src="https://www.google-analytics.com/analytics.js"></script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript" async="" src="https://www.googletagmanager.com/gtag/js?id=G-H1M448J58E&nl=dataLayer&cx=c"></script>
```

**i** `script` may cause screen flicker.

```
<script src="https://connect.facebook.net/signals/config/3973475169421767?v=2.9.157&r=stable&domain=vie-kerkrade.nl&hme=446fb981c8c3baeb03730fe3cbd404f7f15f64c693f24c7fe75da498bc2c95d8&ex_m=67%2C113%2C100%2C104%2C58%2C3%2C93%2C66%2C15%2C91%2C84%2C49%2C51%2C160%2C163%2C174%2C170%2C171%2C173%2C28%2C94%2C50%2C73%2C172%2C155%2C158%2C167%2C168%2C175%2C122%2C14%2C48%2C180%2C179%2C124%2C17%2C33%2C38%2C1%2C41%2C62%2C63%2C64%2C68%2C88%2C16%2C13%2C90%2C87%2C86%2C101%2C103%2C37%2C102%2C29%2C25%2C156%2C159%2C131%2C27%2C10%2C11%2C12%2C5%2C6%2C24%2C21%2C22%2C54%2C59%2C61%2C71%2C95%2C26%2C72%2C8%2C7%2C76%2C46%2C20%2C97%2C96%2C98%2C9%2C19%2C18%2C81%2C53%2C79%2C32%2C70%2C0%2C89%2C31%2C78%2C83%2C45%2C44%2C82%2C36%2C4%2C85%2C77%2C42%2C39%2C34%2C80%2C2%2C35%2C60%2C40%2C99%2C43%2C75%2C65%2C105%2C57%2C56%2C30%2C92%2C55%2C52%2C47%2C74%2C69%2C23%2C106" async=""></script>
```

**i** `script` may cause screen flicker.

```
<script async="" src="https://connect.facebook.net/en_US/fbevents.js"></script>
```

**i** `script` may cause screen flicker.

```
<script async="" src="https://www.googletagmanager.com/gtm.js?id=GTM-MS4H6DF"></script>
```

**i** `script` may cause screen flicker.

```
<script data-no-optimize="1">var litespeed_docref=sessionStorage.getItem("litespeed_docref");litespeed_docref&&(Object. [... ] docref));</script>
```

**i** `script` may cause screen flicker.

```
<script>WebFontConfig={google:{families:["Open Sans:300,400,600,700:latin,latin-ext","Roboto:700,5 [... ] onfig ); }</script>
```

**i** `script` may cause screen flicker.

```
<script data-optimized="1" src="https://vie-kerkrade.nl/wp-content/plugins/litespeed-cache/assets/js/webfontloader.min.js"></script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript"> /* <![CDATA[ */ var gform;gform||(document.addEventListener("gform_main_scripts_loaded", [... ] /* ]> */</script>
```



**i** `script` may cause screen flicker.

```
<script type="application/ld+json" class="yoast-schema-graph">
{"@context":"https://schema.org","@graph":[{"@type":"WebPage","@id":"https://vie-kerkrade. [...]
krade"}] }</script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/jquery/jquery.min.js" id="jquery-
core-js"></script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/jquery/jquery-migrate.min.js"
id="jquery-migrate-js"></script>
```

**i** `script` may cause screen flicker.

```
<script>(function(w,d,s,l,i){w[l]=w[l]||[];w[l].push({'gtm.start':
new Date().getTime(),event:'gtm [...] MS4H6DF'});</script>
```

**i** `script` may cause screen flicker.

```
<script>
!function(f,b,e,v,n,t,s)
{if(f.fbq)return;n=f.fbq=function(){n.callMethod?
n.callMe [...] geView');
</script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript"> var root = document.getElementsByTagName( "html" )[0]; root.setAttribute(
"class", "js" ); </script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript">
!function(f,b,e,v,n,t,s){if(f.fbq)return;n=f.fbq=function(){n.callMethod?
n.callMethod.ap [...] v=next');
</script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript">
var url = window.location.origin + '?ob=open-bridge';
fbq('set', 'openbri [...] l);
</script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript">fbq('init', '3973475169421767', {}, {
"agent": "wordpress-6.5.3-3.0.16"
})</script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript">
fbq('track', 'PageView', []);
</script>
```

**i** `script` may cause screen flicker.

```
<script>var lepopup_customjs_handlers={};var lepopup_cookie_value="ilovefamily";var lepopup_events [...] id="6680";</script>
```

**i** `script` may cause screen flicker.

```
<script>function lepopup_add_event(_event,_data){if(typeof _lepopup_add_event == typeof undefined) [...] ,_data);}}</script>
```

**i** `script` may cause screen flicker.

```
<script async="" src="https://script.hotjar.com/modules.db8890ba82a7e392473f.js" charset="utf-8"></script>
```

**i** `script` may cause screen flicker.

```
<script charset="utf-8" src="https://www.google.com/recaptcha/api.js? onload=recaptcha_callback&render=explicit"></script>
```

**i** `script` may cause screen flicker.

```
<script src="https://script.hotjar.com/browser-perf.8417c6bba72228fa2e29.js"></script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript">
  (function(window, document) {

    if(navigator.userAgent.match(/(Android|iPod|iPhone|iP [...] ment);
  </script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript"></script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript">
/* <![CDATA[ */
gform.initializeOnLoaded( function() {gformInitSpinner( 2, 'https://vie- [...] ]&gt; */
</script>
```

**i** `script` may cause screen flicker.

```
<script src="https://vie-kerkrade.activehosted.com/f/embed.php?id=1" charset="utf-8"></script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript">
  document.addEventListener( 'wpcf7mailsent', function( event ) {
    if( "fb_p [...] se );
  </script>
```

**i** `script` may cause screen flicker.

```
<script type="text/html" id="wpb-modifications"></script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/includes/swv/js/index.js" id="swv-js"></script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript" id="contact-form-7-js-extra">
/* <![CDATA[ */
var wpcf7 = {"api":{"root":"https://vie-kerkrade.nl/wp-json/","namesp [...] /* ]]> */
</script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/includes/js/index.js" id="contact-form-7-js"></script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript" id="salient-social-js-extra">
/* <![CDATA[ */
var nectarLove = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin/admin-a [...] /* ]]> */
</script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-social/js/salient-social.js" id="salient-social-js"></script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/hotkeys.min.js" id="hotkeys-js"></script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/simple-keyboard.min.js" id="simple-keyboard-js"></script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript" id="mdp-readabler-js-extra">
/* <![CDATA[ */
var mdpReadablerOptions = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin [...] /* ]]> */
</script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/readabler/js/readabler.min.js" id="mdp-readabler-js"></script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/jquery.easing.min.js" id="jquery-easing-js"></script>
```

**i** script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/jquery.mousewheel.min.js" id="jquery-mousewheel-js"></script>
```

**i** script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/priority.js" id="nectar_priority-js"></script>
```

**i** script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/transit.min.js" id="nectar-transit-js"></script>
```

**i** script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/waypoints.js" id="nectar-waypoints-js"></script>
```

**i** script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-portfolio/js/third-party/imagesLoaded.min.js" id="imagesLoaded-js"></script>
```

**i** script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/hoverintent.min.js" id="hoverintent-js"></script>
```

**i** script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/magnific.js" id="magnific-js"></script>
```

**i** script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/anime.min.js" id="anime-js"></script>
```

**i** script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/third-party/superfish.js" id="superfish-js"></script>
```

**i** script may cause screen flicker.

```
<script type="text/javascript" id="nectar-frontend-js-extra">
/*  */
var nectarLove = {"ajaxurl":"https://vie-kerkrade.nl/wp-admin/admin-a [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="85 847 360 863" data-label="Text"><p><b>i</b> script may cause screen flicker.</p></div><div data-bbox="91 869 859 898" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/init.js" id="nectar-frontend-js"&gt;&lt;/script&gt;</pre></div>
```

**i** script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/js_composer_salient/assets/lib/bower/flexslider/jquery.flexslider-min.js" id="flexslider-js">
</script>
```

**i** script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-portfolio/js/third-party/isotope.min.js" id="isotope-js"></script>
```

**i** script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/themes/salient/js/build/elements/nectar-blog.js" id="nectar-masonry-blog-js"></script>
```

**i** script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/salient-core/js/third-party/touchswipe.min.js" id="touchswipe-js"></script>
```

**i** script may cause screen flicker.

```
<script type="text/javascript" src="https://www.google.com/recaptcha/api.js?render=6LdZsmcdAAAAAGtGHE41VGXYInA-M837dpdLis2h&ver=3.0" id="google-recaptcha-js">
</script>
```

**i** script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/wp-polyfill-inert.min.js" id="wp-polyfill-inert-js"></script>
```

**i** script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/regenerator-runtime.min.js" id="regenerator-runtime-js"></script>
```

**i** script may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/vendor/wp-polyfill.min.js" id="wp-polyfill-js"></script>
```

**i** script may cause screen flicker.

```
<script type="text/javascript" id="wpcf7-recaptcha-js-extra">
/*  */
var wpcf7_recaptcha = {"sitekey":"6LdZsmcdAAAAAGtGHE41VGXYInA-M837dpdLis2 [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 795 360 810" data-label="Text"><p><b>i</b> script may cause screen flicker.</p></div><div data-bbox="93 817 796 845" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/contact-form-7/modules/recaptcha/index.js?ver=5.9.4" id="wpcf7-recaptcha-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 873 360 888" data-label="Text"><p><b>i</b> script may cause screen flicker.</p></div><div data-bbox="93 895 811 923" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/halpdata-green-popups/js/lepopup.js" id="lepopup-js"&gt;&lt;/script&gt;</pre></div>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/halldata-green-popups/js/airdatepicker.js" id="airdatepicker-js"></script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript" id="cmlz-cookiebanner-js-extra">
/*  */
var complanz = {"prefix":"cmlz_","user_banner_id":"1","set_cookies":[], [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 224 360 239" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 246 892 273" data-label="Text"><pre>&lt;script defer="" type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/complianz-gdpr-premium/cookiebanner/js/complianz.min.js" id="cmlz-cookiebanner-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 301 360 316" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 323 933 363" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-content/plugins/js_composer_salient/assets/js/dist/js_composer_front.min.js" id="wpb_composer_front_js-js"&gt;
&lt;/script&gt;</pre></div><div data-bbox="87 392 360 407" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 414 939 441" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/dom-ready.min.js" id="wp-dom-ready-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 470 360 485" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 492 912 519" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/hooks.min.js" id="wp-hooks-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 549 360 563" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 571 920 598" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/i18n.min.js" id="wp-i18n-js"&gt;
&lt;/script&gt;</pre></div><div data-bbox="87 626 360 642" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 648 557 713" data-label="Text"><pre>&lt;script type="text/javascript" id="wp-i18n-js-after"&gt;
/* <![CDATA[ */
wp.i18n.setLocaleData( { 'text direction\u0004ltr': [ 'ltr' ] } );
/* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 742 360 757" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 765 557 829" data-label="Text"><pre>&lt;script type="text/javascript" id="wp-a11y-js-translations"&gt;
/* <![CDATA[ */
( function( domain, translations ) {
    var localeData = translations.local [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 857 360 873" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 879 929 907" data-label="Text"><pre>&lt;script type="text/javascript" src="https://vie-kerkrade.nl/wp-includes/js/dist/a11y.min.js" id="wp-a11y-js"&gt;
&lt;/script&gt;</pre></div>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/js/jquery.json.min.js" id="gform_json-js"></script>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript" id="gform_gravityforms-js-extra">
/*  */
var gform_i18n = {"datepicker":{"days":{"monday":"Ma","tuesday":"Di","wed [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 224 360 238" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 246 786 273" data-label="Text"><pre>&lt;script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/js/gravityforms.min.js" id="gform_gravityforms-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 301 360 316" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 323 848 351" data-label="Text"><pre>&lt;script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/assets/js/dist/utills.min.js" id="gform_gravityforms_utils-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 379 360 394" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 401 909 441" data-label="Text"><pre>&lt;script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/assets/js/dist/vendor-theme.min.js" id="gform_gravityforms_theme_vendors-js"&gt;&lt;/script&gt;</pre></div><div data-bbox="87 470 360 485" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 492 800 544" data-label="Text"><pre>&lt;script type="text/javascript" id="gform_gravityforms_theme-js-extra"&gt;
/* <![CDATA[ */
var gform_theme_config = {"common":{"form":{"honeypot":{"version_hash":"3 [...] /* ]]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 573 360 588" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 595 867 635" data-label="Text"><pre>&lt;script type="text/javascript" defer="defer" src="https://vie-kerkrade.nl/wp-content/plugins/gravityforms/assets/js/dist/scripts-theme.min.js" id="gform_gravityforms_theme-js"&gt;
&lt;/script&gt;</pre></div><div data-bbox="87 664 360 679" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 686 776 738" data-label="Text"><pre>&lt;script data-category="functional"&gt;
    (function(w,d,s,l,i){w[l]=w[l]||[];w[l].push({'gtm.start':
    new Date().getTime(), [...] });
&lt;/script&gt;</pre></div><div data-bbox="87 767 360 782" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 789 702 841" data-label="Text"><pre>&lt;script&gt;
var lepopup_ajax_url = "https://vie-kerkrade.nl/wp-admin/admin-ajax.php";
var lepopup_g [...] gns = {};
&lt;/script&gt;</pre></div>
```

**i** `script` may cause screen flicker.

```
<script type="text/javascript">
/*  */
gform.initializeOnLoaded( function() { jQuery(document).on('gform_post_r [...] /* ]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 145 360 160" data-label="Text"><p><b>i</b> <code>script</code> may cause screen flicker.</p></div><div data-bbox="93 168 759 219" data-label="Text"><pre>&lt;script type="text/javascript"&gt;
/* <![CDATA[ */
gform.initializeOnLoaded( function() { jQuery(document).trigger("gform_pr [...] /* ]&gt; */
&lt;/script&gt;</pre></div><div data-bbox="87 250 573 266" data-label="Section-Header"><h2>Success Criteria 2.5.7 Dragging Movements (AA)</h2></div><div data-bbox="100 282 129 303" data-label="Image"><img alt="Warning icon: exclamation mark inside a circle."/></div><div data-bbox="135 282 508 297" data-label="Section-Header"><h3>THIS CRITERIA REQUIRES MANUAL TESTING</h3></div><div data-bbox="135 295 916 334" data-label="Text"><p>You will need to test this criteria manually and archive if it is not a failure of this guideline. See <a href="https://www.w3.org/WAI/WCAG22/Understanding/dragging-movements.html">https://www.w3.org/WAI/WCAG22/Understanding/dragging-movements.html</a> for more information about this guideline.</p></div><div data-bbox="87 353 939 392" data-label="Text"><p><b>i</b> All functionality that uses a dragging movement for operation can be achieved by a single pointer without dragging, unless dragging is essential or the functionality is determined by the user agent and not modified by the author.</p></div><div data-bbox="93 399 938 538" data-label="Text"><pre>&lt;body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" data-bg-header="tr</pre></div><div data-bbox="61 573 906 611" data-label="Section-Header"><h2>2.4 Navigable: Provide ways to help users navigate, find content, and determine where they are.</h2></div><div data-bbox="87 624 488 641" data-label="Section-Header"><h3>Success Criteria 2.4.1 Bypass Blocks (A)</h3></div><div data-bbox="87 650 490 665" data-label="Text"><p><b>i</b> Document may be missing a "skip to content" link.</p></div><div data-bbox="93 672 938 810" data-label="Text"><pre>&lt;body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" data-bg-header="tr</pre></div>
```



**i** Groups of links with a related purpose are not marked.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" data-bg-header="tr
```

## Success Criteria 2.4.2 Page Titled (A)

**i** `title` might not describe the document.

```
<title>Vie Kerkrade</title>
```

## Success Criteria 2.4.4 Link Purpose (In Context) (A)

**i** Link text may not be meaningful.

```
<a href="#ajax-content-wrap" class="nectar-skip-to-content">Ga naar hoofdinhoud</a>
```

**i** Link text may not be meaningful.

```
<a href="#"><span class="screen-reader-text">Zoeken Sluiten</span><span class="close-wrap"> <span cla [...] > </span> </a>
```

**i** Link text may not be meaningful.

```
<a class="mobile-search" href="#searchbox"><span class="nectar-icon icon-salient-search" aria-hidden="true"></span><span class="scree [...] ken</span></a>
```

**i** Link text may not be meaningful.

```
<a href="#sidewidgetarea" aria-label="Navigatie Menu" aria-expanded="false" class="closed"><span class="screen-reader-text">Menu<i class="lines-button x2 hover-effect"> <i class="l [...] i></span></a>
```

**i** Link text may not be meaningful.

```
<a target="_blank" rel="noopener" href="https://www.optisport.nl/vie"><span class="menu-title-text">Sportcomplex</span></a>
```

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/" class="sf-with-ul"><span class="menu-title-text">Programma's</span><span class="sf-sub-indicator"><i class="f [...] /i></span></a>
```

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/#gezonde-jeugd"><span class="menu-title-text">Gezonde Jeugd</span></a>
```

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/#vitale-wijk"><span class="menu-title-text">Vitale Wijk</span></a>
```

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/#vitaal-ouder-woorden"><span class="menu-title-text">Vitaal Ouder Worden</span></a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/programmavideos/"><span class="menu-title-text">Programmavideo's</span></a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/vie-innovatie-hub-parkstad/" class="sf-with-ul"><span class="menu-title-text">Innovatie Hub</span><span class="sf-sub-indicator"><i class= [...] /i></span></a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/limburg-early-execution-fonds-leef/"><span class="menu-title-text">Limburg Early Execution Fonds (LEEF)</span></a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/initiatieven/"><span class="menu-title-text">Initiatieven</span></a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/nieuws/" class="sf-with-ul"><span class="menu-title-text">Nieuws</span><span class="sf-sub-indicator"><i class="fa fa- [...] /i></span></a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/recepten/"><span class="menu-title-text">Recepten</span></a>
```

---

**i** Link text may not be meaningful.

```
<a href="#contact" aria-current="page"><span class="menu-title-text">Contact</span></a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/professionals/"><span class="menu-title-text">Professionals</span></a>
```

---

**i** Link text may not be meaningful.

```
<a target="_blank" rel="noopener" href="https://twitter.com/vie_kerkrade"><span class="screen-reader-text">twitter</span><i class="fa fa-twitter" aria-hidden="true"></i> </a>
```

---

**i** Link text may not be meaningful.

```
<a target="_blank" rel="noopener" href="https://www.facebook.com/vie.kerkrade"><span class="screen-reader-text">facebook</span><i class="fa fa-facebook" aria-hidden="true"></i> </a>
```

---

**i** Link text may not be meaningful.

```
<a target="_blank" rel="noopener" href="https://www.linkedin.com/company/vie-kerkrade"><span class="screen-reader-text">linkedin</span><i class="fa fa-linkedin" aria-hidden="true"></i> </a>
```

---

**i** Link text may not be meaningful.

```
<a target="_blank" rel="noopener" href="https://www.instagram.com/vie_kerkrade/"><span class="screen-reader-text">instagram</span><i class="fa fa-instagram" aria-hidden="true"></i> </a>
```

**i** Link text may not be meaningful.

```
<a href="#searchbox"><span class="icon-salient-search" aria-hidden="true"></span><span class="screen-reader-text">ken</span></a>
```

**i** Link text may not be meaningful.

```
<a class="nectar-button large regular extra-color-1 regular-button button-left" style="visibility: visible;" target="_blank" href="https://www.optisport.nl/vie" data-color-override="false" data-hover-color-override="false" data-hover-text-color-override="#fff"><span>Aanbod bekijken</span></a>
```

**i** Link text may not be meaningful.

```
<a href="https://youtu.be/TdJ7L28ZIWM" data-color-override="false" data-style="default" data-parent-hover="" data-font-style="p" data-color="default-extra-color-1" class="nectar-button large nectar_video_lightbox magnific-popup" style="visibility: visible;"><span>Bekijk Vie in vogelvlucht</span></a>
```

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/">programma's</a>
```

**i** Link text may not be meaningful.

```
<a class="nectar-button large regular extra-color-1 regular-button button-left" style="visibility: visible;" href="https://vie-kerkrade.nl/programmaliijnen/" data-color-override="false" data-hover-color-override="false" data-hover-text-color-override="#fff"><span>Programma's bekijken</span></a>
```

**i** Link text may not be meaningful.

```
<a class="recepten" href="https://vie-kerkrade.nl/category/recepten/">Recepten</a>
```

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/chili-con-carne/">Chili con carne</a>
```

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/author/mm-beheer8/" rel="author">MM-Beheer8</a>
```

**i** Link text may not be meaningful.

```
<a class="recepten" href="https://vie-kerkrade.nl/category/recepten/">Recepten</a>
```

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/gevulde-carnavals-wraps/">Gevulde carnavals wraps</a>
```

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/author/mm-beheer8/" rel="author">MM-Beheer8</a>
```

**i** Link text may not be meaningful.

```
<a class="recepten" href="https://vie-kerkrade.nl/category/recepten/">Recepten</a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/broccoli-met-gesmolten-kaas-en-meergranenrijst/"> Broccoli met gesmolten kaas en meergranenrijst</a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/author/mm-beheer8/" rel="author">MM-Beheer8</a>
```

---

**i** Link text may not be meaningful.

```
<a class="recepten" href="https://vie-kerkrade.nl/category/recepten/">Recepten</a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/bonenschotel/"> Bonenschotel</a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/author/mm-beheer8/" rel="author">MM-Beheer8</a>
```

---

**i** Link text may not be meaningful.

```
<a class="recepten" href="https://vie-kerkrade.nl/category/recepten/">Recepten</a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/blauwe-bessen-shake/"> Blauwe bessen shake</a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/author/mm-beheer8/" rel="author">MM-Beheer8</a>
```

---

**i** Link text may not be meaningful.

```
<a class="recepten" href="https://vie-kerkrade.nl/category/recepten/">Recepten</a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/alexander-cocktail/"> Alexander cocktail</a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/author/mm-beheer8/" rel="author">MM-Beheer8</a>
```

---

**i** Link text may not be meaningful.

```
<a class="nectar-button large regular extra-color-1 regular-button button-center" style="visibility: visible;" href="/category/nieuws/" data-color-override="false" data-hover-color-override="false" data-hover-text-color-override="#fff"><span>Meer bekijken</span></a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://www.optisport.nl/vie"><strong>hier</strong></a>
```

---

**i** Link text may not be meaningful.

```
<a href="mailto:vie@optisport.nl">vie@optisport.nl</a>
```

---

**i** Link text may not be meaningful.

```
<a href="tel:0031456453610">045 - 645 36 10</a>
```

---

**i** Link text may not be meaningful.

```
<a href="mailto:info@vie-kerkrade.nl">info@vie-kerkrade.nl</a>
```

---

**i** Link text may not be meaningful.

```
<a target="_blank" rel="noopener" href="https://www.optisport.nl/vie">Sportcomplex</a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/">Programma's</a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/#gezonde-jeugd">Gezonde Jeugd</a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/#vitale-wijk">Vitale Wijk</a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/programmaliijnen/#vitaal-ouder-woorden">Vitaal Ouder Worden</a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/programmavideos/">Programmavideo's</a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/vie-innovatie-hub-parkstad/">Innovatie Hub</a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/limburg-early-execution-fonds-leef/">Limburg Early Execution Fonds (LEEF)  
</a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/initiatieven/">Initiatieven</a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/nieuws/">Nieuws</a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/recepten/">Recepten</a>
```

---

**i** Link text may not be meaningful.

```
<a href="#contact" aria-current="page">Contact</a>
```

---

**i** Link text may not be meaningful.

```
<a href="https://vie-kerkrade.nl/professionals/">Professionals</a>
```

---

**i** Link text may not be meaningful.

```
<a class="slide_out_area_close" href="#"><span class="screen-reader-text">Menu sluiten</span><span class="close-wrap"> <span class [...] > </span> </a>
```

---

**i** Link text may not be meaningful.

```
<a class="cmplz-link cmplz-manage-options cookie-statement" href="#" data-relative_url="#cmplz-manage-consent-container">Beheer opties</a>
```

---

**i** Link text may not be meaningful.

```
<a class="cmplz-link cmplz-manage-third-parties cookie-statement" href="#" data-relative_url="#cmplz-cookies-overview">Beheer diensten</a>
```

---

**i** Link text may not be meaningful.

```
<a class="cmplz-link cmplz-manage-vendors tcf cookie-statement" href="#" data-relative_url="#cmplz-tcf-wrapper">Beheer {vendor_count} leveranciers</a>
```

---

**i** Link text may not be meaningful.

```
<a class="cmplz-link cmplz-external cmplz-read-more-purposes tcf" target="_blank" rel="noopener noreferrer nofollow" href="https://cookiedatabase.org/tcf/purposes/">Lees meer over deze doeleinden</a>
```

---

**i** Link text may not be meaningful.

```
<a class="cmplz-btn cmplz-manage-options tcf cookie-statement" href="#" data-relative_url="#cmplz-manage-consent-container">Bekijk voorkeuren</a>
```

---

**i** Link text may not be meaningful.

```
<a class="cmplz-link cookie-statement" href="#" data-relative_url="">{title}</a>
```

---

**i** Link text may not be meaningful.

```
<a class="cmplz-link privacy-statement" href="#" data-relative_url="">{title}</a>
```

---

**i** Link text may not be meaningful.

```
<a class="cmplz-link impressum" href="#" data-relative_url="">{title}</a>
```

---

## Success Criteria 2.4.5 Multiple Ways (AA)

**i** Site missing site map.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" data-bg-header="tr
```

---

## Success Criteria 2.4.6 Headings and Labels (AA)

**i** `h1` may be used for formatting.

```
<h1 class="intro-title-light">Welkom bij Vie</h1>
```

**i** `h2` may be used for formatting.

```
<h2 class="intro-title-bold">Een vloeiende beweging die<br>vitaliteit stimuleert</h2>
```

**i** `h2` may be used for formatting.

```
<h2 style="color:#fff;">Vie staat voor de<br>gezondheid binnen de regio.</h2>
```

**i** `h2` may be used for formatting.

```
<h2 style="color:#fff;">Locatie</h2>
```

**i** `h3` may be used for formatting.

```
<h3 style="color: #fff;">Bekijk Vie</h3>
```

**i** `h2` may be used for formatting.

```
<h2>Programma</h2>
```

**i** `h4` may be used for formatting.

```
<h4 style=" color: #ffffff;">"Samen investeren in een<br>gezonde en vitale duurzame<br>toekomst"</h4>
```

**i** `h2` may be used for formatting.

```
<h2 class="lichtblauw" style="text-align: center;">Nieuwsberichten</h2>
```

**i** `h3` may be used for formatting.

```
<h3 class="title"><a href="https://vie-kerkrade.nl/chili-con-carne/"> Chili con carne</a></h3>
```

---

**i** h3 may be used for formatting.

```
<h3 class="title"><a href="https://vie-kerkrade.nl/gevulde-carnavals-wraps/"> Gevulde carnavals wraps</a></h3>
```

**i** h3 may be used for formatting.

```
<h3 class="title"><a href="https://vie-kerkrade.nl/broccoli-met-gesmolten-kaas-en-meergranenrijst/"> Broccol [...] nrijst</a></h3>
```

**i** h3 may be used for formatting.

```
<h3 class="title"><a href="https://vie-kerkrade.nl/bonenschotel/"> Bonenschotel</a></h3>
```

**i** h3 may be used for formatting.

```
<h3 class="title"><a href="https://vie-kerkrade.nl/blauwe-bessen-shake/"> Blauwe bessen shake</a></h3>
```

**i** h3 may be used for formatting.

```
<h3 class="title"><a href="https://vie-kerkrade.nl/alexander-cocktail/"> Alexander cocktail</a></h3>
```

**i** h2 may be used for formatting.

```
<h2 class="lichtblauw">Contact</h2>
```

**i** h3 may be used for formatting.

```
<h3>Vragen sportcomplex</h3>
```

**i** h3 may be used for formatting.

```
<h3>Vragen over de programma's van Vie?</h3>
```

**i** h2 may be used for formatting.

```
<h2 class="gform_title">Contactformulier</h2>
```

**i** h4 may be used for formatting.

```
<h4>Volg ons op social media</h4>
```

**i** h3 may be used for formatting.

```
<h3>Toegankelijkheid</h3>
```

**i** h4 may be used for formatting.

```
<h4>Instellingen</h4>
```

**i** h4 may be used for formatting.

```
<h4>Online woordenboek</h4>
```



**i** `h4` may be used for formatting.

```
<h4>Instellingen leesbaarheid</h4>
```

**i** `h4` may be used for formatting.

```
<h4>Visueel aangename ervaring</h4>
```

**i** `h4` may be used for formatting.

```
<h4>Gemakkelijke oriëntatie</h4>
```

## 2.5 Input Modalities: Make it easier for users to operate functionality through various inputs beyond keyboard.

### Success Criteria 2.5.1 Pointer Gestures (A)

#### **!** THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline.

See <https://www.w3.org/WAI/WCAG21/Understanding/pointer-gestures.html> for more information about this guideline.

**i** All functionality that uses multipoint or path-based gestures for operation may not be operable with a single pointer without a path-based gesture unless a multipoint or path-based gesture is essential.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" data-bg-header="tr
```

### Success Criteria 2.5.2 Pointer Cancellation (A)

#### **!** THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline.

See <https://www.w3.org/WAI/WCAG21/Understanding/pointer-cancellation.html> for more information about this guideline.

**i** Functionality that can be operated using a single pointer may not allow cancellation.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" data-bg-header="tr
```

### Success Criteria 2.5.3 Label in Name (A)



### THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline. See <https://www.w3.org/WAI/WCAG21/Understanding/label-in-name.html> for more information about this guideline.

- The attribute alt or aria-label may not be presented visually.

```

```

- The attribute alt or aria-label may not be presented visually.

```

```

- The attribute alt or aria-label may not be presented visually.

```

```

- The attribute alt or aria-label may not be presented visually.

```

```

- The attribute alt or aria-label may not be presented visually.

```

```

- The attribute alt or aria-label may not be presented visually.

```

```

- The attribute alt or aria-label may not be presented visually.

```

```

**i** The attribute alt or aria-label may not be presented visually.

```

```

**i** The attribute alt or aria-label may not be presented visually.

```

```

**i** The attribute alt or aria-label may not be presented visually.

```

```

**i** The attribute alt or aria-label may not be presented visually.

```

```

**i** The attribute alt or aria-label may not be presented visually.

```

```

**i** The attribute alt or aria-label may not be presented visually.

```

```

**i** The attribute alt or aria-label may not be presented visually.

```

```

**i** The attribute alt or aria-label may not be presented visually.

```

```

**i** The attribute alt or aria-label may not be presented visually.

```

```

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

---

**i** The attribute alt or aria-label may not be presented visually.

```

```

## Success Criteria 2.5.4 Motion Actuation (A)



### THIS CRITERIA REQUIRES MANUAL TESTING

You will need to test this criteria manually and archive if it is not a failure of this guideline.

See <https://www.w3.org/WAI/WCAG21/Understanding/motion-actuation.html> for more information about this guideline.

**i** Functionality that can be operated by device motion or user motion may not be operable by user interface components and the user responding to the motion may not be able to disable to prevent accidental actuation.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" data-bg-header="tr
```

## 3.2 Predictable: Make Web pages appear and operate in predictable ways.

### Success Criteria 3.2.3 Consistent Navigation (AA)

**i** Repeated components may not appear in the same relative order each time they appear.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-comp-ver-6.2.0 vc_responsive" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width" data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default" data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" data-bg-header="tr
```

**i** Tab order may not follow logical order.

```
<form role="search" action="https://vie-kerkrade.nl/" method="GET">
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
[... ] en</span>
</form>
```

**i** Tab order may not follow logical order.

```
<form method="post" enctype="multipart/form-data" id="gform_2" action="/" data-formid="2" novalidate="">
<div class="gform-body gform_body"><div id="gform_fields_2" class="gform_fields top_label [...] ">
</div>
</form>
```

**i** Tab order may not follow logical order.

```
<form method="POST" action="https://vie-kerkrade.activehosted.com/proc.php"
id="_form_66698918CA541_" class="_form_form_1_inline-form_dark" novalidate="" data-styles-
version="5">
  <input type="hidden" name="u" value="66698918CA541" data-name="u">
  <input type="h [...] /div>
</form>
```

**i** Tab order may not follow logical order.

```
<form id="mdp-readabler-online-dictionary-form" enctype="multipart/form-data" action="#"
method="POST">
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" autocomplete= [...] a</label>
</form>
```

### Success Criteria 3.2.4 Consistent Identification (AA)

**i** Long quotations may not be marked using the `blockquote` element.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-
comp-ver-6.2.0 vc_responsive" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-
format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-
dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width"
data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default"
data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-
style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-
gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-
ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-
widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" data-bg-
header="tr
```

## 3.3 Input Assistance: Help users avoid and correct mistakes.

### Success Criteria 3.3.1 Error Identification (A)

**i** Form submission error messages may not identify empty required fields.

```
<form role="search" action="https://vie-kerkrade.nl/" method="GET">
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
[... ] en</span>
</form>
```

**i** Form submission error messages may not identify empty required fields.

```
<form method="post" enctype="multipart/form-data" id="gform_2" action="/" data-formid="2"
novalidate="">
<div class="gform-body gform_body"><div id="gform_fields_2" class="gform_fields top_label [...] ">
</div>
</form>
```

**i** Form submission error messages may not identify empty required fields.

```
<form method="POST" action="https://vie-kerkrade.activehosted.com/proc.php"
id="_form_66698918CA541_" class="_form_form_1_inline-form_dark" novalidate="" data-styles-
version="5">
  <input type="hidden" name="u" value="66698918CA541" data-name="u">
  <input type="h [...] /div>
</form>
```

**i** Form submission error messages may not identify empty required fields.

```
<form id="mdp-readabler-online-dictionary-form" enctype="multipart/form-data" action="#"
method="POST">
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" autocomplete= [...] a</label>
</form>
```

### Success Criteria 3.3.2 Labels or Instructions (A)

**i** All required `form` fields may not be indicated as required.

```
<form role="search" action="https://vie-kerkrade.nl/" method="GET">
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken..."
[...]
```

**i** `label` may not describe its associated control.

```
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
```

**i** `input` element, `type` of "text", label may not describe the purpose or function of the control.

```
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
```

**i** All required `form` fields may not be indicated as required.

```
<form method="post" enctype="multipart/form-data" id="gform_2" action="/" data-formid="2"
novalidate="">
<div class="gform-body gform_body"><div id="gform_fields_2" class="gform_fields top_label [...] ">
</div>
</form>
```

**i** `label` may not describe its associated control.

```
<input name="input_3" id="input_2_3" type="text" value="" class="large" aria-required="true" aria-
invalid="false">
```

**i** `input` element, `type` of "text", label may not describe the purpose or function of the control.

```
<input name="input_3" id="input_2_3" type="text" value="" class="large" aria-required="true" aria-
invalid="false">
```

**i** `label` may not describe its associated control.

```
<input name="input_5" id="input_2_5" type="email" value="" class="large" aria-required="true" aria-
invalid="false">
```

**i** `label` may not describe its associated control.

```
<input name="input_11" id="input_2_11" type="tel" value="" class="large" aria-invalid="false">
```

**i** `label` may not describe its associated control.

```
<input name="input_6" id="input_2_6" type="text" value="" class="large" aria-required="true" aria-
invalid="false">
```



**i** `input` element, `type` of "text", label may not describe the purpose or function of the control.

```
<input name="input_6" id="input_2_6" type="text" value="" class="large" aria-required="true" aria-invalid="false">
```

**i** `label` may not describe its associated control.

```
<input name="input_12" id="input_2_12" type="text" value="" autocomplete="new-password">
```

**i** `input` element, `type` of "text", label may not describe the purpose or function of the control.

```
<input name="input_12" id="input_2_12" type="text" value="" autocomplete="new-password">
```

**i** `label` may not describe its associated control.

```
<input type="submit" id="gform_submit_button_2" class="gform_button button gform-button--width-full" value="Versturen" onclick="if(window[&quot;gf_submitting_2&quot;]){return false;} if(!jQuery(&quot;#gform_2&quot;)[0].checkValidity() || jQuery(&quot;#gform_2&quot;)[0].checkValidity()){window[&quot;gf_submitting_2&quot;]=true;} " onkeypress="if( event.keyCode == 13 ){if(window[&quot;gf_submitting_2&quot;]){return false;} if( !jQuery(&quot;#gform_2&quot;)[0].checkValidity() || jQuery(&quot;#gform_2&quot;)[0].checkValidity()){window[&quot;gf_submitting_2&quot;]=true;} jQuery(&quot;#gform_2&quot;).trigger(&quot;submit&quot;,[true]); }">
```

**i** `label` may not describe its associated control.

```
<input type="hidden" class="gform_hidden" name="is_submit_2" value="1">
```

**i** `label` may not describe its associated control.

```
<input type="hidden" class="gform_hidden" name="gform_submit" value="2">
```

**i** `label` may not describe its associated control.

```
<input type="hidden" class="gform_hidden" name="gform_unique_id" value="">
```

**i** `label` may not describe its associated control.

```
<input type="hidden" class="gform_hidden" name="state_2" value="WyJbXSlsjkwOTQ5ODU4MTM0MmYwMWYzNTlhZTk1MDA4NTVmYTM1Ii0=">
```

**i** `label` may not describe its associated control.

```
<input type="hidden" class="gform_hidden" name="gform_target_page_number_2" id="gform_target_page_number_2" value="0">
```

**i** `label` may not describe its associated control.

```
<input type="hidden" class="gform_hidden" name="gform_source_page_number_2" id="gform_source_page_number_2" value="1">
```

**i** `label` may not describe its associated control.

```
<input type="hidden" name="gform_field_values" value="">
```

**i** All required `form` fields may not be indicated as required.

```
<form method="POST" action="https://vie-kerkrade.activehosted.com/proc.php"
id="_form_66698918CA541_" class="_form_form_1_inline-form_dark" novalidate="" data-styles-
version="5">
  <input type="hidden" name="u" value="66698918CA541" data-name="u">
  <input type="h [...] /div>
</form>
```

**i** `label` may not describe its associated control.

```
<input type="hidden" name="u" value="66698918CA541" data-name="u">
```

**i** `label` may not describe its associated control.

```
<input type="hidden" name="f" value="1" data-name="f">
```

**i** `label` may not describe its associated control.

```
<input type="hidden" name="s" data-name="s">
```

**i** `label` may not describe its associated control.

```
<input type="hidden" name="c" value="0" data-name="c">
```

**i** `label` may not describe its associated control.

```
<input type="hidden" name="m" value="0" data-name="m">
```

**i** `label` may not describe its associated control.

```
<input type="hidden" name="act" value="sub" data-name="act">
```

**i** `label` may not describe its associated control.

```
<input type="hidden" name="v" value="2" data-name="v">
```

**i** `label` may not describe its associated control.

```
<input type="hidden" name="or" value="f337fb87ea528be7bf11913df306deb4" data-name="or">
```

**i** `label` may not describe its associated control.

```
<input type="text" id="fullname" name="fullname" placeholder="Type je naam in" data-name="fullname">
```

**i** `input` element, `type` of "text", `label` may not describe the purpose or function of the control.

```
<input type="text" id="fullname" name="fullname" placeholder="Type je naam in" data-name="fullname">
```

**i** `label` may not describe its associated control.

```
<input type="text" id="email" name="email" placeholder="Typ je e-mailadres in" required="" data-
name="email">
```

**i** `input` element, `type` of "text", label may not describe the purpose or function of the control.

```
<input type="text" id="email" name="email" placeholder="Typ je e-mailadres in" required="" data-name="email">
```

**i** `label` may not describe its associated control.

```
<input type="checkbox" id="cimplz-functional-optin" data-category="cimplz_functional" class="cimplz-consent-checkbox cimplz-functional" size="40" value="1">
```

**i** `input` element, `type` of "checkbox", label may not describe the purpose or function of the control.

```
<input type="checkbox" id="cimplz-functional-optin" data-category="cimplz_functional" class="cimplz-consent-checkbox cimplz-functional" size="40" value="1">
```

**i** `label` may not describe its associated control.

```
<input type="checkbox" id="cimplz-preferences-optin" data-category="cimplz_preferences" class="cimplz-consent-checkbox cimplz-preferences" size="40" value="1">
```

**i** `input` element, `type` of "checkbox", label may not describe the purpose or function of the control.

```
<input type="checkbox" id="cimplz-preferences-optin" data-category="cimplz_preferences" class="cimplz-consent-checkbox cimplz-preferences" size="40" value="1">
```

**i** `label` may not describe its associated control.

```
<input type="checkbox" id="cimplz-statistics-optin" data-category="cimplz_statistics" class="cimplz-consent-checkbox cimplz-statistics" size="40" value="1">
```

**i** `input` element, `type` of "checkbox", label may not describe the purpose or function of the control.

```
<input type="checkbox" id="cimplz-statistics-optin" data-category="cimplz_statistics" class="cimplz-consent-checkbox cimplz-statistics" size="40" value="1">
```

**i** `label` may not describe its associated control.

```
<input type="checkbox" id="cimplz-marketing-optin" data-category="cimplz_marketing" class="cimplz-consent-checkbox cimplz-marketing" size="40" value="1">
```

**i** `input` element, `type` of "checkbox", label may not describe the purpose or function of the control.

```
<input type="checkbox" id="cimplz-marketing-optin" data-category="cimplz_marketing" class="cimplz-consent-checkbox cimplz-marketing" size="40" value="1">
```

**i** `label` may not describe its associated control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-epilepsy" value="on" tabindex="-1">
```

**i** `input` element, `type` of "checkbox", label may not describe the purpose or function of the control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-epilepsy" value="on" tabindex="-1">
```

**i** `label` may not describe its associated control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-visually-impaired" value="on" tabindex="-1">
```

**i** `input` element, `type` of "checkbox", label may not describe the purpose or function of the control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-visually-impaired" value="on"
tabindex="-1">
```

**i** `label` may not describe its associated control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-cognitive-disability" value="on"
tabindex="-1">
```

**i** `input` element, `type` of "checkbox", label may not describe the purpose or function of the control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-cognitive-disability" value="on"
tabindex="-1">
```

**i** `label` may not describe its associated control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-adhd-friendly" value="on"
tabindex="-1">
```

**i** `input` element, `type` of "checkbox", label may not describe the purpose or function of the control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-adhd-friendly" value="on"
tabindex="-1">
```

**i** `label` may not describe its associated control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-blind-users" value="on" tabindex="-1">
```

**i** `input` element, `type` of "checkbox", label may not describe the purpose or function of the control.

```
<input type="checkbox" name="mdp-readabler-accessibility-profile-blind-users" value="on" tabindex="-1">
```

**i** All required `form` fields may not be indicated as required.

```
<form id="mdp-readabler-online-dictionary-form" enctype="multipart/form-data" action="#"
method="POST">
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" autocomplete= [...] a</label>
</form>
```

**i** `label` may not describe its associated control.

```
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" autocomplete="off"
placeholder="Zoek in het online woordenboek..." aria-label="Zoek in het online woordenboek...">
```

**i** `input` element, `type` of "text", label may not describe the purpose or function of the control.

```
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" autocomplete="off"
placeholder="Zoek in het online woordenboek..." aria-label="Zoek in het online woordenboek...">
```

**i** `select` element's label may not describe the purpose or function of the control.

```
<select id="mdp-readabler-useful-links" aria-label="Handige Links" autocomplete="on">
<option selected="" disabled="" value="mdp-default">
Selecteer een optie </option>
<optio [...] n</option></select>
```

**i** label may not describe its associated control.

```
<input type="text" id="mdp-readabler-voice-navigation-history" name="mdp-readabler-voice-navigation-history" aria-label="History" autocomplete="off" disabled="">
```

**i** input element, type of "text", label may not describe the purpose or function of the control.

```
<input type="text" id="mdp-readabler-voice-navigation-history" name="mdp-readabler-voice-navigation-history" aria-label="History" autocomplete="off" disabled="">
```

**i** label may not describe its associated control.

```
<input type="text" id="mdp-readabler-voice-navigation-input" autocomplete="off" placeholder="Wait..." disabled="">
```

**i** input element, type of "text", label may not describe the purpose or function of the control.

```
<input type="text" id="mdp-readabler-voice-navigation-input" autocomplete="off" placeholder="Wait..." disabled="">
```

### Success Criteria 3.3.3 Error Suggestion (AA)

**i** Form submission error messages may not provide assistance.

```
<form role="search" action="https://vie-kerkrade.nl/" method="GET">
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
[...] en</span>
</form>
```

**i** Form submission error messages may not provide assistance.

```
<form method="post" enctype="multipart/form-data" id="gform_2" action="/" data-formid="2"
novalidate="">
<div class="gform-body gform_body"><div id="gform_fields_2" class="gform_fields top_label [...] ">
</div>
</form>
```

**i** Form submission error messages may not provide assistance.

```
<form method="POST" action="https://vie-kerkrade.activehosted.com/proc.php"
id="_form_66698918CA541_" class="_form_form_1_inline-form_dark" novalidate="" data-styles-
version="5">
  <input type="hidden" name="u" value="66698918CA541" data-name="u">
  <input type="h [...] /div>
</form>
```

**i** Form submission error messages may not provide assistance.

```
<form id="mdp-readabler-online-dictionary-form" enctype="multipart/form-data" action="#"
method="POST">
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" autocomplete= [...] a</label>
</form>
```

### Success Criteria 3.3.4 Error Prevention (Legal, Financial, Data) (AA)

**i** Form submission data may not be presented to the user before final acceptance of an irreversible transaction.

```
<form role="search" action="https://vie-kerkrade.nl/" method="GET">
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
[...] en</span>
</form>
```

**i** Form may delete information without allowing for recovery.

```
<form role="search" action="https://vie-kerkrade.nl/" method="GET">
<input type="text" name="s" id="s" value="" aria-label="Zoeken" placeholder="Zoeken...">
[...] en</span>
</form>
```

**i** Form submission data may not be presented to the user before final acceptance of an irreversible transaction.

```
<form method="post" enctype="multipart/form-data" id="gform_2" action="/" data-formid="2"
novalidate="">
<div class="gform-body gform_body"><div id="gform_fields_2" class="gform_fields top_label [...] ">
</div>
</form>
```

**i** Form may delete information without allowing for recovery.

```
<form method="post" enctype="multipart/form-data" id="gform_2" action="/" data-formid="2"
novalidate="">
<div class="gform-body gform_body"><div id="gform_fields_2" class="gform_fields top_label [...] ">
</div>
</form>
```

**i** Form submission data may not be presented to the user before final acceptance of an irreversible transaction.

```
<form method="POST" action="https://vie-kerkrade.activehosted.com/proc.php"
id="_form_66698918CA541_" class="_form_form_1_inline-form _dark" novalidate="" data-styles-
version="5">
<input type="hidden" name="u" value="66698918CA541" data-name="u">
<input type="h [...] /div>
</form>
```

**i** Form may delete information without allowing for recovery.

```
<form method="POST" action="https://vie-kerkrade.activehosted.com/proc.php"
id="_form_66698918CA541_" class="_form_form_1_inline-form _dark" novalidate="" data-styles-
version="5">
<input type="hidden" name="u" value="66698918CA541" data-name="u">
<input type="h [...] /div>
</form>
```

**i** Form submission data may not be presented to the user before final acceptance of an irreversible transaction.

```
<form id="mdp-readabler-online-dictionary-form" enctype="multipart/form-data" action="#"
method="POST">
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" autocomplete= [...] a</label>
</form>
```

**i** Form may delete information without allowing for recovery.

```
<form id="mdp-readabler-online-dictionary-form" enctype="multipart/form-data" action="#"
method="POST">
<input type="text" tabindex="0" id="mdp-readabler-online-dictionary-search" autocomplete= [...] a</label>
</form>
```

## 4.1 Compatible: Maximize compatibility with current and future user agents, including assistive technologies.

### Success Criteria 4.1.3 Status Messages (AA)



#### **THIS CRITERIA REQUIRES MANUAL TESTING**

You will need to test this criteria manually and archive if it is not a failure of this guideline.

See <https://www.w3.org/WAI/WCAG21/Understanding/status-messages.html> for more information about this guideline.

**i** Status messages may not be determined programmatically through role or properties such that they can be presented to the user by assistive technologies without receiving focus.

```
<body data-rsssl="1" class="home page-template-default page page-id-6680 material wpb-js-composer js-
comp-ver-6.2.0 vc_responsive" data-footer-reveal="false" data-footer-reveal-shadow="none" data-header-
format="default" data-body-border="off" data-boxed-style="" data-header-breakpoint="1000" data-
dropdown-style="minimal" data-cae="easeOutQuart" data-cad="700" data-megamenu-width="full-width"
data-aie="zoom-out" data-ls="magnific" data-apte="standard" data-hhun="1" data-fancy-form-rcs="default"
data-form-style="minimal" data-form-submit="regular" data-is="minimal" data-button-
style="slightly_rounded_shadow" data-user-account-button="false" data-flex-cols="true" data-col-
gap="default" data-header-inherit-rc="false" data-header-search="true" data-animated-anchors="true" data-
ajax-transitions="true" data-full-width-header="false" data-slide-out-widget-area="true" data-slide-out-
widget-area-style="slide-out-from-right" data-user-set-ocm="off" data-loading-animation="none" data-bg-
header="tr
```